

**1000**  
**SPECIFICATION SHEETS**  
**1998-2002**

<b>1998</b>	<b>Specification Sheets</b>	<b>CC</b>
<b>1999</b>	<b>Specification Sheets</b>	<b>CC</b>
<b>2000</b>	<b>Specification Sheets</b>	<b>CC</b>
<b>2001</b>	<b>Specification Sheets</b>	<b>CC</b>
<b>2002</b>	<b>Specification Sheets</b>	<b>CC</b>

Material contained in this document is intended for use by Independent Retail dealer personnel.

Any other use without expressed written consent of MTD PRODUCTS INC is prohibited.



<b>1300</b>	<b>13 H.P. Intek</b>	<b>Twin</b>	<b>Gear</b>	<b>1998</b>
<b>1405</b>	<b>14 H.P. Intek</b>	<b>Twin</b>	<b>Hydro</b>	<b>1998</b>



**MODEL: 1300****YEAR: 1998**

**Factory Model Number: 13A-130F100**  
**Serial Numbers: I017H4 - H318H4**

**13 H.P. Gear Drive**  
**Electric P.T.O. / 38" Deck**  
**One Piece Plastic Hood, Grille & Sides**

**GENERAL INFO:**

Length (Over-All)	72.0"
Width (Over-All)	35.0"
Height (Over-All)	43.0"
Ground Clearance	6.25"
Weight (Approximate)	461 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

**GENERAL INFO:**

Wheelbase	48.25"
Tread Front/Rear	Not Available
Turning Radius	20"
Front Wheel Tire Size	15" x 6" x 6"
Rear Wheel Tire Size	20" x 8" x 8"
Trans/Differential Type	5 Speed Gear / Aluminum
Forward Speeds (1 / 2 / 3 / 4 / 5)	1.0 / 2.2 / 3.3 / 4.2 / 5.5 mph
Reverse Speed	1.9 mph

**ENGINE SPECS:**

Make	Briggs & Stratton
Model Series	Intek (Vertical)
Model/Type/Spec	28S777-1144
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	13 HP
Peak Torque	Not Available
Displacement	28.42 cu. In. (465.7 cc)
Bore	3.437"
Stroke	3.062"

**ENGINE SPECS:**

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3300 R.P.M.
Max. Speed (Full Load)	3150 R.P.M.
Valve Lash (Intake)	0.004"
Valve Lash (Exhaust)	0.006"
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.010"-0.014"

**CAPACITIES:**

Engine Crankcase	48 oz. (A)
Coolant	Not Applicable
Transmission	16.0 oz. (C)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.0 gal.

**FLUIDS:**

(A) SAE 30	737-3029
(B) Drive System Fluid Plus	737-3120
(C) GL-5 Gear Lube 80/90 WT.	737-04158
(D) 251 EP Chassis Lubricant	737-3034

**ENGINE MAINTENANCE PARTS:**

Air Filter	BS-496894S
Pre Filter	BS-272403S
Oil Filter	BS-492932S
Fuel Filter	BS-298090S
Spark Plug	759-3336
Armature	BS-492341
Points	Not Applicable
Carb Kit	BS-690191

**TRACTOR MAINTENANCE PARTS:**

Transmission Filter	Not Applicable
Solenoid	1752137P
Muffler	1772810
Battery	925-1707D

**ENGINE:**

Complete Engine	BS-28Q777-0536 (N.L.A.)
Short Block	BS-497149 (N.L.A.)
Mini Block	Not Available

**WARRANTY:**

Limited Residential / Commercial	2 Year / 1 Year
Engine	2 Year

**BEIGE POWDERED PAINT CODE -0499**

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

**YELLOW POWDERED PAINT CODE -0498**

Yellow Paint (11.5 oz. Aerosol)	759-3588
Yellow Paint (Quart)	759-3589
Yellow Paint (.6 oz. Bottle)	759-3692

Part Numbers and Specifications Subject To Change Without Notice.

**MODEL: 1300**

**YEAR: 1998**

Factory Model Number: 13A-130F100

13 H.P. Gear Drive

## ATTACHMENTS / ACCESSORIES

### MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
38"	2	Stamped	(A)	F	190-250-100	-	Page 1

### BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
38"	2	Stamped	4 bu. Bagger Kit	No	190-260-100	60 lbs.	1 Year

### MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
(B)							

### SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
(C)							

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
(C)						

### FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains 20" x 8"	1 Pair	190-658-000	16 lbs.	-
Hourmeter / Ammeter Kit		190-279-100	2 lbs.	1 Year
Front Wheel Weights	1 @ 31 lbs. ea.	190-275-100	33 lbs.	-
Cruise Control	-	190-281-100	2 lbs.	1 Year
10 Cu. Ft. Dump Cart 16" Wheels	(D)	190-653-100	96 lbs.	1 Year
10 Cu. Ft. H. D. Dump Cart	(D)	190-368-100	147 lbs.	1 Year
48" Poly Bed Liner	Fits All 10 Cu. Ft. Carts	190-161-000	16 lbs.	-
42" Lawn Sweeper	(D)	190-163-100	95 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

**NOTE: (A)** Tractor Comes With 38" Stamped Mower Deck

**NOTE: (B)** Mulch Plug Comes With Tractor

**NOTE: (C)** Not Available

**NOTE: (D)** Agri-Fab

# MODEL: 1405

# YEAR: 1998

Factory Model Number: 13A-145F100  
 Serial Numbers: I017H4 - H318H4

14 H.P. Hydro Drive  
 Electric P.T.O. / 38" Deck  
 One Piece Plastic Hood, Grille & Sides

### GENERAL INFO:

Length (Over-All)	72.0"
Width (Over-All)	35.0"
Height (Over-All)	43.0"
Ground Clearance	6.25"
Weight (Approximate)	453 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

### GENERAL INFO:

Wheelbase	48.25"
Tread Front/Rear	Not Available
Turning Radius	20"
Front Wheel Tire Size	15" x 6" x 6"
Rear Wheel Tire Size	20" x 8" x 10"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0 - 5.5 mph
Reverse Speed	0 - 2.1 mph

### ENGINE SPECS:

Make	Briggs & Stratton
Model Series	Intek (Vertical)
Model/Type/Spec	28Q777-0647
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	14 HP
Peak Torque	Not Available
Displacement	28.37 cu. In. (465 cc)
Bore	3.437"
Stroke	3.062"

### ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3300 R.P.M.
Max. Speed (Full Load)	3150 R.P.M.
Valve Lash (Intake)	0.004"
Valve Lash (Exhaust)	0.006"
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.010"-0.014"

### CAPACITIES:

Engine Crankcase	52 oz. with filter (A)
Coolant	Not Applicable
Transmission	Non Serviceable
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.0 gal.

### FLUIDS:

(A) SAE 30	737-3029
(B) Drive System Fluid Plus	737-3120
(C) GL-5 Gear Lube 80/90 WT.	737-04158
(D) 251 EP Chassis Lubricant	737-3034

### ENGINE MAINTENANCE PARTS:

Air Filter	BS-496894S
Pre Filter	BS-272403S
Oil Filter	BS-492932S
Fuel Filter	BS-298090S
Spark Plug	759-3336
Armature	BS-492341
Points	Not Applicable
Carb Kit	BS-690191

### TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Solenoid	1752137P
Muffler	1772810
Battery	925-1707D

### ENGINE:

Complete Engine	BS-28Q777-0536 (N.L.A.)
Short Block	BS-497149 (N.L.A.)
Mini Block	Not Available

### WARRANTY:

Limited Residential / Commercial	2 Year / 1 Year
Engine	2 Year

### BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

### YELLOW POWDERED PAINT CODE -0498

Yellow Paint (11.5 oz. Aerosol)	759-3588
Yellow Paint (Quart)	759-3589
Yellow Paint (.6 oz. Bottle)	759-3692

Part Numbers and Specifications Subject To Change Without Notice.

**MODEL: 1405**

**YEAR: 1998**

Factory Model Number: 13A-145F100

14 H.P. Gear Drive

## ATTACHMENTS / ACCESSORIES

### MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
38"	2	Stamped	(A)	F	190-250-100	-	Page 1

### BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
38"	2	Stamped	4 bu. Bagger Kit	No	190-260-100	60 lbs.	1 Year

### MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
(B)							

### SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
(C)							

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
(C)						

### FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains 20" x 8"	1 Pair	190-658-000	16 lbs.	-
Hourmeter / Ammeter Kit		190-279-100	2 lbs.	1 Year
Front Wheel Weights	1 @ 31 lbs. ea.	190-275-100	33 lbs.	-
Cruise Control	-	190-281-100	2 lbs.	1 Year
10 Cu. Ft. Dump Cart 16" Wheels	(D)	190-653-100	96 lbs.	1 Year
10 Cu. Ft. H. D. Dump Cart	(D)	190-368-100	147 lbs.	1 Year
48" Poly Bed Liner	Fits All 10 Cu. Ft. Carts	190-161-000	16 lbs.	-
42" Lawn Sweeper	(D)	190-163-100	95 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

**NOTE: (A)** Tractor Comes With 38" Stamped Mower Deck

**NOTE: (B)** Tractor Comes With Mulch Plug

**NOTE: (C)** Not Available

**NOTE: (D)** Agri-Fab

<b>1600</b>	<b>16.5 H.P. Vanguard</b>	<b>Twin</b>	<b>Gear</b>	<b>1999</b>
<b>1800</b>	<b>18 H.P. Vanguard</b>	<b>Twin</b>	<b>Gear</b>	<b>1999</b>



# MODEL: 1600

# YEAR: 1999

Factory Model Number: 13AE608G101  
 Serial Numbers: I018H3 - F309H3

16.5 H.P. Auto CVT Drive  
 Electric P.T.O. / 42" Deck  
 Metal Hood, Grille & Side Panels

**GENERAL INFO:**

Length (Over-All)	Not Available
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	490 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

**GENERAL INFO:**

Wheelbase	45.5"
Tread Front/Rear	Not Available
Turning Radius	16"
Front Wheel Tire Size	15" x 6" x 6"
Rear Wheel Tire Size	20" x 8" x 8"
Trans/Differential Type	Variable Belt Drive
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

**ENGINE SPECS:**

Make	Briggs & Stratton
Model Series	Vanguard (Vertical)
Model/Type/Spec	312777-0150
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	16.5 HP
Peak Torque	Not Available
Displacement	30.59 cu. In. (501 cc)
Bore	3.562"
Stroke	3.062"

**ENGINE SPECS:**

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3300 R.P.M.
Max. Speed (Full Load)	3150 R.P.M.
Valve Lash (Intake)	0.004"
Valve Lash (Exhaust)	0.006"
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.010"-0.014"

**CAPACITIES:**

Engine Crankcase	48 oz. (A)
Coolant	Not Applicable
Transmission	20.0 oz. (C)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	2.0 gal.

**FLUIDS:**

(A) SAE 30	737-3029
(B) Drive System Fluid Plus	737-3120
(C) Benalene #920 Grease	737-0300A
(D) 251 EP Chassis Lubricant	737-3034

**ENGINE MAINTENANCE PARTS:**

Air Filter	BS-496894S
Pre Filter	BS-272403S
Oil Filter	BS-492932S
Fuel Filter	BS-298090S
Spark Plug	759-3336
Armature	BS-492341
Points	Not Applicable
Carb Kit	BS-690191

**TRACTOR MAINTENANCE PARTS:**

Transmission Filter	Not Applicable
Solenoid	925-1426A
Muffler	751-0617C
Battery	925-1707D

**ENGINE:**

Complete Engine	BS-311777-0036 (N.L.A.)
Short Block	BS-697762
Mini Block	Not Available

**WARRANTY:**

Limited Residential / Commercial	2 Year / 1 Year
Engine	2 Year

**BEIGE POWDERED PAINT CODE -0499**

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

**YELLOW POWDERED PAINT CODE -0716**

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

**MODEL: 1600**

**YEAR: 1999**

Factory Model Number: 13AE608G101

16.5 H.P. Aoto CVT Drive

### ATTACHMENTS / ACCESSORIES

**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
42"	2	Stamped	(A)	G	(B)	-	Page 1

**BAGGER ATTACHMENTS:**

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
42"	2	Stamped	4 bu. Bagger Kit	No	190-601-101	65 lbs.	1 Year

**MULCHER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
(C)							

**SNOW ATTACHMENTS:**

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	190-823-101	280 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	190-822-101	70 lbs.	1 Year

**FRONT & REAR ATTACHMENTS:**

Description	Notes	Model Number	Weight	Warranty
Tire Chains 20" x 8"	1 Pair	190-658-100	16 lbs.	-
Grille Guard Bumper Kit	-	190-603-101	11 lbs.	-
Wheel Weights	2 @ 31 lbs. ea.	OEM-190-215	65 lbs.	-
10 Cu. Ft. Dump Cart 16" Wheels	(D)	190-653-100	96 lbs.	1 Year
15 Cu. Ft. Dump Cart 15" x 6" Wheels	(D)	190-458-100	105 lbs.	1 Year
17 Cu. Ft. H. D. Dump Cart 15" x 6" Wheels	(D)	190-425-100	172 lbs.	1 Year
46" Lawn Sweeper	(D)	190-459-100	92 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

- NOTE: (A)** Tractor Comes With 42" Stamped Mower Deck
- NOTE: (B)** Mower Deck Not Available As A Wholegood. Available As A Part (953-0873-0716)
- NOTE: (C)** Tractor Comes With Mulch Plug
- NOTE: (D)** Agri-Fab

# MODEL: 1800

# YEAR: 1999

Factory Model Number: 13AK608H101  
 Serial Numbers: I018H3 - F309H3

18 H.P. Auto CVT Drive  
 Electric P.T.O. / 46" Deck  
 Metal Hood, Grille & Side Panels

### GENERAL INFO:

Length (Over-All)	Not Available
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	490 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

### GENERAL INFO:

Wheelbase	45.5"
Tread Front/Rear	Not Available
Turning Radius	16"
Front Wheel Tire Size	15" x 6" x 6"
Rear Wheel Tire Size	20" x 10" x 8"
Trans/Differential Type	Variable Belt Drive
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

### ENGINE SPECS:

Make	Briggs & Stratton
Model Series	Vanguard (Vertical)
Model/Type/Spec	350777-1034
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	18 HP
Peak Torque	Not Available
Displacement	30.59 cu. In. (501 cc)
Bore	3.562"
Stroke	3.062"

### ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3300 R.P.M.
Max. Speed (Full Load)	3150 R.P.M.
Valve Lash (Intake)	0.004"
Valve Lash (Exhaust)	0.006"
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.010"-0.014"

### CAPACITIES:

Engine Crankcase	48 oz. (A)
Coolant	Not Applicable
Transmission	20.0 oz. (C)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.0 gal.

### FLUIDS:

(A) SAE 30	737-3029
(B) Drive System Fluid Plus	737-3120
(C) Benalene #920 Grease	737-0300A
(D) 251 EP Chassis Lubricant	737-3034

### ENGINE MAINTENANCE PARTS:

Air Filter	BS-394018S
Pre Filter	BS-272490S
Oil Filter	BS-492932S
Fuel Filter	BS-691035
Spark Plug	759-3336
Armature	BS-492341
Points	Not Applicable
Carb Kit	BS-694068

### TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Solenoid	925-1426A
Voltage Regulator	BS-845907
Muffler	751-0616B
Battery	925-1707D

### ENGINE:

Complete Engine	BS-311777-0036 (N.L.A.)
Short Block	BS-697762
Mini Block	Not Available

### WARRANTY:

Limited Residential / Commercial	2 Year / 1 Year
Engine	2 Year

### BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

### YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

**MODEL: 1800**

**YEAR: 1999**

Factory Model Number: 13AK608H101

18 H.P. Aoto CVT Drive

## ATTACHMENTS / ACCESSORIES

### MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
46"	3	Stamped	(A)	H	(B)	-	Page 1

### BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
46"	2	Stamped	4 bu. Bagger Kit	No	190-602-101	65 lbs.	1 Year

### MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
46"	3	Stamped		Yes	190-118-000	8 lbs.	1 Year

### SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	190-823-101	280 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	190-822-101	70 lbs.	1 Year

### FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains 20" x 8"	1 Pair	190-658-100	16 lbs.	-
Grille Guard Bumper Kit	-	190-603-101	11 lbs.	-
Wheel Weights	2 @ 31 lbs. ea.	OEM-190-215	65 lbs.	-
10 Cu. Ft. Dump Cart 16" Wheels	(C)	190-653-100	96 lbs.	1 Year
15 Cu. Ft. Dump Cart 15" x 6" Wheels	(C)	190-458-100	105 lbs.	1 Year
17 Cu. Ft. H. D. Dump Cart 15" x 6" Wheels	(C)	190-425-100	172 lbs.	1 Year
46" Lawn Sweeper	(C)	190-459-100	92 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

**NOTE: (A)** Tractor Comes With 46" Stamped Mower Deck

**NOTE: (B)** Mower Deck Not Available As A Wholegood. Available As A Part (953-0874-0716)

**NOTE: (C)** Agri-Fab

<b>1170</b>	<b>17 H.P. Intek</b>	<b>Single</b>	<b>Gear</b>	<b>2000</b>
<b>1170</b>	<b>17 H.P. Intek</b>	<b>Twin</b>	<b>Gear</b>	<b>2000</b>
<b>1180</b>	<b>18 H.P. Intek</b>	<b>Twin</b>	<b>Gear</b>	<b>2000</b>
<b>1212</b>	<b>22 H.P. Intek</b>	<b>Twin</b>	<b>Gear</b>	<b>2000</b>



# MODEL: 1170

# YEAR: 2000

Factory Model Number: 13AD608G101  
 Serial Numbers: H019H1 - F300H1

17 H.P. Auto CVT Drive  
 Electric P.T.O. / 42" Deck  
 Metal Hood, Grille & Side Panels

**GENERAL INFO:**

Length (Over-All)	Not Available
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	490 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

**GENERAL INFO:**

Wheelbase	45.5"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	15" x 6" x 6"
Rear Wheel Tire Size	20" x 8" x 8"
Trans/Differential Type	Variable Belt Drive
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

**ENGINE SPECS:**

Make	Briggs & Stratton
Model Series	Intek (Vertical)
Model/Type/Spec	407777-0128-E1
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	17 HP
Peak Torque	Not Available
Displacement	40.0 cu. In. (656 cc)
Bore	2.97"
Stroke	2.89"

**ENGINE SPECS:**

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3300 R.P.M.
Max. Speed (Full Load)	3150 R.P.M.
Valve Lash (Intake)	0.005"
Valve Lash (Exhaust)	0.005"
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.008"-0.012"

**CAPACITIES:**

Engine Crankcase	48 oz. (A)
Coolant	Not Applicable
Transmission	20.0 oz. (C)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	2.0 gal.

**FLUIDS:**

(A) SAE 30	737-3029
(B) Drive System Fluid Plus	737-3120
(C) Benalene #920 Grease	737-0300A
(D) 251 EP Chassis Lubricant	737-3034

**ENGINE MAINTENANCE PARTS:**

Air Filter	BS-499486S
Pre Filter	BS-273638S
Oil Filter	BS-492932S
Fuel Filter	BS-691035
Spark Plug	759-3336
Armature	BS-691060
Points	Not Applicable
Carb Kit	BS-797890

**TRACTOR MAINTENANCE PARTS:**

Transmission Filter	Not Applicable
Solenoid	925-1426A
Voltage Regulator	BS-845907
Muffler	751-0616B
Battery	925-1707D

**ENGINE:**

Complete Engine	BS-44K777-0027
Short Block	BS-698172
Mini Block	Not Available

**WARRANTY:**

Limited Residential / Commercial	2 Year / 1 Year
Engine	2 Year

**BEIGE POWDERED PAINT CODE -0499**

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

**YELLOW POWDERED PAINT CODE -0716**

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

**MODEL: 1170**

**YEAR: 2000**

Factory Model Number: 13AD608G101, 13BD608G101

17 H.P. Auto CVT Drive

**ATTACHMENTS / ACCESSORIES**

**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
42"	2	Stamped	(A)	G	(B)	-	Page 1

**BAGGER ATTACHMENTS:**

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
42"	2	Stamped	4 bu. Bagger Kit	No	190-601-101	65 lbs.	1 Year

**MULCHER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
(C)							

**SNOW ATTACHMENTS:**

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	190-823-101	280 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	190-822-101	70 lbs.	1 Year

**FRONT & REAR ATTACHMENTS:**

Description	Notes	Model Number	Weight	Warranty
Tire Chains 20" x 8"	1 Pair	190-658-100	16 lbs.	-
Grille Guard Bumper Kit	-	190-603-101	11 lbs.	-
Wheel Weights	2 @ 31 lbs. ea.	190-215-000	65 lbs.	-
Tractor Mate Tool Box	-	190-604-101	30 lbs.	-
10 Cu. Ft. Dump Cart 16" Wheels	(D)	190-653-100	96 lbs.	1 Year
15 Cu. Ft. Dump Cart 15" x 6" Wheels	(D)	190-458-100	105 lbs.	1 Year
17 Cu. Ft. H. D. Dump Cart 15" x 6" Wheels	(D)	190-425-100	172 lbs.	1 Year
46" Lawn Sweeper	(D)	190-459-100	92 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

**NOTE: (A)** Tractor Comes With 42" Stamped Mower Deck

**NOTE: (B)** Mower Deck Not Available As A Wholegood

**NOTE: (C)** Tractor Comes With Mulch Plug

**NOTE: (D)** Agri-Fab

**MODEL: 1170****YEAR: 2000-2001**

**Factory Model Number:** 13AD608G101  
**Serial Numbers:** H019H1 - Above

**17 H.P. Auto CVT Drive**  
**Electric P.T.O. / 42" Deck**  
**Metal Hood, Grille & Side Panels**

**GENERAL INFO:**

Length (Over-All)	Not Available
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	490 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

**GENERAL INFO:**

Wheelbase	45.5"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	15" x 6" x 6"
Rear Wheel Tire Size	20" x 8" x 8"
Trans/Differential Type	Variable Belt Drive
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

**ENGINE SPECS:**

Make	Briggs & Stratton
Model Series	Intek (Vertical)
Model/Type/Spec	311777-0148-E1
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	17 HP
Peak Torque	Not Available
Displacement	30.59 cu. In. (501 cc)
Bore	3.562"
Stroke	3.062"

**ENGINE SPECS:**

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3300 R.P.M.
Max. Speed (Full Load)	3150 R.P.M.
Valve Lash (Intake)	0.004"
Valve Lash (Exhaust)	0.006"
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.010"-0.014"

**CAPACITIES:**

Engine Crankcase	48 oz. (A)
Coolant	Not Applicable
Transmission	20.0 oz. (C)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	2.0 gal.

**FLUIDS:**

(A) SAE 30	737-3029
(B) Drive System Fluid Plus	737-3120
(C) Benalene #920 Grease	737-0300A
(D) 251 EP Chassis Lubricant	737-3034

**ENGINE MAINTENANCE PARTS:**

Air Filter	BS-496894S
Pre Filter	BS-272403S
Oil Filter	BS-492932S
Fuel Filter	BS-298090S
Spark Plug	759-3336
Armature	BS-492341
Points	Not Applicable
Carb Kit	BS-690191

**TRACTOR MAINTENANCE PARTS:**

Transmission Filter	Not Applicable
Solenoid	925-1426A
Muffler	751-0617C
Battery	925-1707D

**ENGINE:**

Complete Engine	BS-311777-0036 (N.L.A.)
Short Block	BS-697762
Mini Block	Not Available

**WARRANTY:**

Limited Residential / Commercial	2 Year / 1 Year
Engine	2 Year

**BEIGE POWDERED PAINT CODE -0499**

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

**YELLOW POWDERED PAINT CODE -0716**

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

**MODEL: 1170**

**YEAR: 2000-2001**

Factory Model Number: 13AD608G101

17 H.P. Auto CVT Drive

## ATTACHMENTS / ACCESSORIES

### MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
42"	2	Stamped	(A)	G	(B)	-	Page 1

### BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
42"	2	Stamped	4 bu. Bagger Kit	No	190-601-101	65 lbs.	1 Year

### MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
(C)							

### SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	190-823-101	280 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	190-822-101	70 lbs.	1 Year

### FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains 20" x 8"	1 Pair	190-658-100	16 lbs.	-
Grille Guard Bumper Kit	-	190-603-101	11 lbs.	-
Wheel Weights	2 @ 31 lbs. ea.	190-215-000	65 lbs.	-
Tractor Mate Tool Box	-	190-604-101	30 lbs.	-
10 Cu. Ft. Dump Cart 16" Wheels	(D)	190-653-100	96 lbs.	1 Year
15 Cu. Ft. Dump Cart 15" x 6" Wheels	(D)	190-458-100	105 lbs.	1 Year
17 Cu. Ft. H. D. Dump Cart 15" x 6" Wheels	(D)	190-425-100	172 lbs.	1 Year
46" Lawn Sweeper	(D)	190-459-100	92 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

**NOTE: (A)** Tractor Comes With 42" Stamped Mower Deck

**NOTE: (B)** Mower Deck Not Available As A Wholegood

**NOTE: (C)** Tractor Comes With Mulch Plug

**NOTE: (D)** Agri-Fab

**MODEL: 1180****YEAR: 2000-2001**

**Factory Model Number:** 13AT608H101  
**Serial Numbers:** H019H1 - Above

**18 H.P. Auto CVT Drive**  
**Electric P.T.O. / 46" Deck**  
**Metal Hood, Grille & Side Panels**

**GENERAL INFO:**

Length (Over-All)	Not Available
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	490 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

**GENERAL INFO:**

Wheelbase	45.5"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	15" x 6" x 6"
Rear Wheel Tire Size	20" x 10"
Trans/Differential Type	Variable Belt Drive
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

**ENGINE SPECS:**

Make	Briggs & Stratton
Model Series	Intek (Vertical)
Model/Type/Spec	407777-0128-E1
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	18 HP
Peak Torque	Not Available
Displacement	40.0 cu. In. (656 cc)
Bore	2.97"
Stroke	2.89"

**ENGINE SPECS:**

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3300 R.P.M.
Max. Speed (Full Load)	3150 R.P.M.
Valve Lash (Intake)	0.005"
Valve Lash (Exhaust)	0.005"
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.008"-0.012"

**CAPACITIES:**

Engine Crankcase	48 oz. (A)
Coolant	Not Applicable
Transmission	20.0 oz. (C)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	2.0 gal.

**FLUIDS:**

(A) SAE 30	737-3029
(B) Drive System Fluid Plus	737-3120
(C) Benalene #920 Grease	737-0300A
(D) 251 EP Chassis Lubricant	737-3034

**ENGINE MAINTENANCE PARTS:**

Air Filter	BS-499486S
Pre Filter	BS-273638S
Oil Filter	BS-492932S
Fuel Filter	BS-691035
Spark Plug	759-3336
Armature	BS-691060
Points	Not Applicable
Carb Kit	BS-797890

**TRACTOR MAINTENANCE PARTS:**

Transmission Filter	Not Applicable
Solenoid	925-1426A
Voltage Regulator	BS-845907
Muffler	751-0616B
Battery	925-1707D

**ENGINE:**

Complete Engine	BS-44K777-0027
Short Block	BS-698172
Mini Block	Not Available

**WARRANTY:**

Limited Residential / Commercial	2 Year / 1 Year
Engine	2 Year

**BEIGE POWDERED PAINT CODE -0499**

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

**YELLOW POWDERED PAINT CODE -0716**

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

**MODEL: 1180**

**YEAR: 2000-2001**

Factory Model Number: 13AT608H101

18 H.P. Auto CVT Drive

## ATTACHMENTS / ACCESSORIES

### MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
46"	3	Stamped	(A)	H	(B)	-	Page 1

### BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
46"	2	Stamped	4 bu. Bagger Kit	No	190-602-101	65 lbs.	1 Year

### MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
46"	3	Stamped		Yes	190-118-000	8 lbs.	1 Year

### SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	190-823-101	280 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	190-822-101	70 lbs.	1 Year

### FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains 20" x 10"	1 Pair	190-916-100	16 lbs.	-
Grille Guard Bumper Kit	-	190-603-101	11 lbs.	-
Wheel Weights	2 @ 31 lbs. ea.	190-215-000	65 lbs.	-
Tractor Mate Tool Box	-	190-604-101	30 lbs.	-
10 Cu. Ft. Dump Cart 16" Wheels	(C)	190-653-100	96 lbs.	1 Year
15 Cu. Ft. Dump Cart 15" x 6" Wheels	(C)	190-458-100	105 lbs.	1 Year
17 Cu. Ft. H. D. Dump Cart 15" x 6" Wheels	(C)	190-425-100	172 lbs.	1 Year
46" Lawn Sweeper	(C)	190-459-100	92 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

**NOTE: (A)** Tractor Comes With 46" Stamped Mower Deck

**NOTE: (B)** Mower Deck Not Available As A Wholegood. Available As A Part (953-0874-0716)

**NOTE: (C)** Agri-Fab

**MODEL: 1212****YEAR: 2000-2001**

**Factory Model Number:** 14AJ808H101  
**Serial Numbers:** H019H1 - Above

**22 H.P. Auto CVT Drive**  
**Electric P.T.O. / 46" Deck**  
**Metal Hood, Grille & Side Panels**

**GENERAL INFO:**

Length (Over-All)	Not Available
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	490 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

**GENERAL INFO:**

Wheelbase	45.5"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	15" x 6" x 6"
Rear Wheel Tire Size	23" x 9.5"
Trans/Differential Type	Variable Belt Drive
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

**ENGINE SPECS:**

Make	Briggs & Stratton
Model Series	Intek (Vertical)
Model/Type/Spec	407777-0128-E1
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	22 HP
Peak Torque	Not Available
Displacement	40.0 cu. In. (656 cc)
Bore	2.97"
Stroke	2.89"

**ENGINE SPECS:**

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3300 R.P.M.
Max. Speed (Full Load)	3150 R.P.M.
Valve Lash (Intake)	0.005"
Valve Lash (Exhaust)	0.005"
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.008"-0.012"

**CAPACITIES:**

Engine Crankcase	48 oz. (A)
Coolant	Not Applicable
Transmission	20.0 oz. (C)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	2.0 gal.

**FLUIDS:**

(A) SAE 30	737-3029
(B) Drive System Fluid Plus	737-3120
(C) Benalene #920 Grease	737-0300A
(D) 251 EP Chassis Lubricant	737-3034

**ENGINE MAINTENANCE PARTS:**

Air Filter	BS-499486S
Pre Filter	BS-273638S
Oil Filter	BS-492932S
Fuel Filter	BS-691035
Spark Plug	759-3336
Armature	BS-691060
Points	Not Applicable
Carb Kit	BS-797890

**TRACTOR MAINTENANCE PARTS:**

Transmission Filter	Not Applicable
Solenoid	925-1426A
Voltage Regulator	BS-845907
Muffler	751-0616B
Battery	925-1707D

**ENGINE:**

Complete Engine	BS-44K777-0027
Short Block	BS-698172
Mini Block	Not Available

**WARRANTY:**

Limited Residential / Commercial	2 Year / 1 Year
Engine	2 Year

**BEIGE POWDERED PAINT CODE -0499**

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

**YELLOW POWDERED PAINT CODE -0716**

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

**MODEL: 1212**

**YEAR: 2000-2001**

Factory Model Number: 14AJ808H101

21 H.P. Auto CVT Drive

### ATTACHMENTS / ACCESSORIES

**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
46"	3	Stamped	(A)	H	(B)	-	Page 1

**BAGGER ATTACHMENTS:**

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
46"	3	Stamped	6 bu. Bagger Kit	Yes	190-821-101	105 lbs.	1 Year

**MULCHER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
46"	3	Stamped		Yes	190-118-000	8 lbs.	1 Year

**SNOW ATTACHMENTS:**

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	190-823-101	280 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	190-822-101	70 lbs.	1 Year

**FRONT & REAR ATTACHMENTS:**

Description	Notes	Model Number	Weight	Warranty
Tire Chains 23" x 9.5"	1 Pair	190-964-000	10 lbs.	-
Grille Guard Bumper Kit	-	190-603-101	11 lbs.	-
Wheel Weights	2 @ 31 lbs. ea.	190-215-000	65 lbs.	-
Tractor Mate Tool Box	-	190-604-101	30 lbs.	-
30" Hydraulic Rear Mount Tiller	Requires 824	190-825-101	260 lbs.	1 Year
Electric Sleeve Hitch	Used With 825	190-824-101	39 lbs.	1 Year
Sleeve Hitch	Used With 920, 921, 922	OEM-190-608	-	1 Year
12" Mold Board Plow	Requires 608	190-920-000	109 lbs.	1 Year
Tandem Disc	Requires 608	190-921-000	189 lbs.	1 Year
Spring Cultivator	Requires 608	190-922-000	60 lbs.	1 Year
10 Cu. Ft. Dump Cart 16" Wheels	(C)	190-653-100	96 lbs.	1 Year
15 Cu. Ft. Dump Cart 15" x 6" Wheels	(C)	190-458-100	105 lbs.	1 Year
17 Cu. Ft. H. D. Dump Cart 15" x 6" Wheels	(C)	190-425-100	172 lbs.	1 Year
46" Lawn Sweeper	(C)	190-459-100	92 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

- NOTE: (A)** Tractor Comes With 46" Stamped Mower Deck
- NOTE: (B)** Mower Deck Not Available As A Wholegood. No Longer Available As A Part (953-0875-0716)
- NOTE: (C)** Agri-Fab

<b>1170</b>	<b>17 H.P. Intek</b>	<b>Single</b>	<b>Gear</b>	<b>2001</b>
<b>1180</b>	<b>18 H.P. Intek</b>	<b>Twin</b>	<b>Gear</b>	<b>2001</b>
<b>1212</b>	<b>22 H.P. Intek</b>	<b>Twin</b>	<b>Gear</b>	<b>2001</b>



**MODEL: 1170****YEAR: 2000-2001**

**Factory Model Number:** 13AD608G101  
**Serial Numbers:** H019H1 - Above

**17 H.P. Auto CVT Drive**  
**Electric P.T.O. / 42" Deck**  
**Metal Hood, Grille & Side Panels**

**GENERAL INFO:**

Length (Over-All)	Not Available
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	490 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

**GENERAL INFO:**

Wheelbase	45.5"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	15" x 6" x 6"
Rear Wheel Tire Size	20" x 8" x 8"
Trans/Differential Type	Variable Belt Drive
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

**ENGINE SPECS:**

Make	Briggs & Stratton
Model Series	Intek (Vertical)
Model/Type/Spec	311777-0148-E1
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	17 HP
Peak Torque	Not Available
Displacement	30.59 cu. In. (501 cc)
Bore	3.562"
Stroke	3.062"

**ENGINE SPECS:**

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3300 R.P.M.
Max. Speed (Full Load)	3150 R.P.M.
Valve Lash (Intake)	0.004"
Valve Lash (Exhaust)	0.006"
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.010"-0.014"

**CAPACITIES:**

Engine Crankcase	48 oz. (A)
Coolant	Not Applicable
Transmission	20.0 oz. (C)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	2.0 gal.

**FLUIDS:**

(A) SAE 30	737-3029
(B) Drive System Fluid Plus	737-3120
(C) Benalene #920 Grease	737-0300A
(D) 251 EP Chassis Lubricant	737-3034

**ENGINE MAINTENANCE PARTS:**

Air Filter	BS-496894S
Pre Filter	BS-272403S
Oil Filter	BS-492932S
Fuel Filter	BS-298090S
Spark Plug	759-3336
Armature	BS-492341
Points	Not Applicable
Carb Kit	BS-690191

**TRACTOR MAINTENANCE PARTS:**

Transmission Filter	Not Applicable
Solenoid	925-1426A
Muffler	751-0617C
Battery	925-1707D

**ENGINE:**

Complete Engine	BS-311777-0036 (N.L.A.)
Short Block	BS-697762
Mini Block	Not Available

**WARRANTY:**

Limited Residential / Commercial	2 Year / 1 Year
Engine	2 Year

**BEIGE POWDERED PAINT CODE -0499**

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

**YELLOW POWDERED PAINT CODE -0716**

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

**MODEL: 1170**

**YEAR: 2000-2001**

Factory Model Number: 13AD608G101

17 H.P. Auto CVT Drive

## ATTACHMENTS / ACCESSORIES

### MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
42"	2	Stamped	(A)	G	(B)	-	Page 1

### BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
42"	2	Stamped	4 bu. Bagger Kit	No	190-601-101	65 lbs.	1 Year

### MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
(C)							

### SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	190-823-101	280 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	190-822-101	70 lbs.	1 Year

### FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains 20" x 8"	1 Pair	190-658-100	16 lbs.	-
Grille Guard Bumper Kit	-	190-603-101	11 lbs.	-
Wheel Weights	2 @ 31 lbs. ea.	190-215-000	65 lbs.	-
Tractor Mate Tool Box	-	190-604-101	30 lbs.	-
10 Cu. Ft. Dump Cart 16" Wheels	(D)	190-653-100	96 lbs.	1 Year
15 Cu. Ft. Dump Cart 15" x 6" Wheels	(D)	190-458-100	105 lbs.	1 Year
17 Cu. Ft. H. D. Dump Cart 15" x 6" Wheels	(D)	190-425-100	172 lbs.	1 Year
46" Lawn Sweeper	(D)	190-459-100	92 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

**NOTE: (A)** Tractor Comes With 42" Stamped Mower Deck

**NOTE: (B)** Mower Deck Not Available As A Wholegood

**NOTE: (C)** Tractor Comes With Mulch Plug

**NOTE: (D)** Agri-Fab

**MODEL: 1180****YEAR: 2000-2001**

**Factory Model Number:** 13AT608H101  
**Serial Numbers:** H019H1 - Above

**18 H.P. Auto CVT Drive**  
**Electric P.T.O. / 46" Deck**  
**Metal Hood, Grille & Side Panels**

**GENERAL INFO:**

Length (Over-All)	Not Available
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	490 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

**GENERAL INFO:**

Wheelbase	45.5"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	15" x 6" x 6"
Rear Wheel Tire Size	20" x 10"
Trans/Differential Type	Variable Belt Drive
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

**ENGINE SPECS:**

Make	Briggs & Stratton
Model Series	Intek (Vertical)
Model/Type/Spec	407777-0128-E1
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	18 HP
Peak Torque	Not Available
Displacement	40.0 cu. In. (656 cc)
Bore	2.97"
Stroke	2.89"

**ENGINE SPECS:**

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3300 R.P.M.
Max. Speed (Full Load)	3150 R.P.M.
Valve Lash (Intake)	0.005"
Valve Lash (Exhaust)	0.005"
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.008"-0.012"

**CAPACITIES:**

Engine Crankcase	48 oz. (A)
Coolant	Not Applicable
Transmission	20.0 oz. (C)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	2.0 gal.

**FLUIDS:**

(A) SAE 30	737-3029
(B) Drive System Fluid Plus	737-3120
(C) Benalene #920 Grease	737-0300A
(D) 251 EP Chassis Lubricant	737-3034

**ENGINE MAINTENANCE PARTS:**

Air Filter	BS-499486S
Pre Filter	BS-273638S
Oil Filter	BS-492932S
Fuel Filter	BS-691035
Spark Plug	759-3336
Armature	BS-691060
Points	Not Applicable
Carb Kit	BS-797890

**TRACTOR MAINTENANCE PARTS:**

Transmission Filter	Not Applicable
Solenoid	925-1426A
Voltage Regulator	BS-845907
Muffler	751-0616B
Battery	925-1707D

**ENGINE:**

Complete Engine	BS-44K777-0027
Short Block	BS-698172
Mini Block	Not Available

**WARRANTY:**

Limited Residential / Commercial	2 Year / 1 Year
Engine	2 Year

**BEIGE POWDERED PAINT CODE -0499**

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

**YELLOW POWDERED PAINT CODE -0716**

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

**MODEL: 1180**

**YEAR: 2000-2001**

Factory Model Number: 13AT608H101

18 H.P. Auto CVT Drive

## ATTACHMENTS / ACCESSORIES

### MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
46"	3	Stamped	(A)	H	(B)	-	Page 1

### BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
46"	2	Stamped	4 bu. Bagger Kit	No	190-602-101	65 lbs.	1 Year

### MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
46"	3	Stamped		Yes	190-118-000	8 lbs.	1 Year

### SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	190-823-101	280 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	190-822-101	70 lbs.	1 Year

### FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains 20" x 10"	1 Pair	190-916-100	16 lbs.	-
Grille Guard Bumper Kit	-	190-603-101	11 lbs.	-
Wheel Weights	2 @ 31 lbs. ea.	190-215-000	65 lbs.	-
Tractor Mate Tool Box	-	190-604-101	30 lbs.	-
10 Cu. Ft. Dump Cart 16" Wheels	(C)	190-653-100	96 lbs.	1 Year
15 Cu. Ft. Dump Cart 15" x 6" Wheels	(C)	190-458-100	105 lbs.	1 Year
17 Cu. Ft. H. D. Dump Cart 15" x 6" Wheels	(C)	190-425-100	172 lbs.	1 Year
46" Lawn Sweeper	(C)	190-459-100	92 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

**NOTE: (A)** Tractor Comes With 46" Stamped Mower Deck

**NOTE: (B)** Mower Deck Not Available As A Wholegood. Available As A Part (953-0874-0716)

**NOTE: (C)** Agri-Fab

**MODEL: 1212****YEAR: 2000-2001**

**Factory Model Number:** 14AJ808H101  
**Serial Numbers:** H019H1 - Above

**22 H.P. Auto CVT Drive**  
**Electric P.T.O. / 46" Deck**  
**Metal Hood, Grille & Side Panels**

**GENERAL INFO:**

Length (Over-All)	Not Available
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	490 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

**GENERAL INFO:**

Wheelbase	45.5"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	15" x 6" x 6"
Rear Wheel Tire Size	23" x 9.5"
Trans/Differential Type	Variable Belt Drive
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

**ENGINE SPECS:**

Make	Briggs & Stratton
Model Series	Intek (Vertical)
Model/Type/Spec	407777-0128-E1
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	22 HP
Peak Torque	Not Available
Displacement	40.0 cu. In. (656 cc)
Bore	2.97"
Stroke	2.89"

**ENGINE SPECS:**

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3300 R.P.M.
Max. Speed (Full Load)	3150 R.P.M.
Valve Lash (Intake)	0.005"
Valve Lash (Exhaust)	0.005"
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.008"-0.012"

**CAPACITIES:**

Engine Crankcase	48 oz. (A)
Coolant	Not Applicable
Transmission	20.0 oz. (C)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	2.0 gal.

**FLUIDS:**

(A) SAE 30	737-3029
(B) Drive System Fluid Plus	737-3120
(C) Benalene #920 Grease	737-0300A
(D) 251 EP Chassis Lubricant	737-3034

**ENGINE MAINTENANCE PARTS:**

Air Filter	BS-499486S
Pre Filter	BS-273638S
Oil Filter	BS-492932S
Fuel Filter	BS-691035
Spark Plug	759-3336
Armature	BS-691060
Points	Not Applicable
Carb Kit	BS-797890

**TRACTOR MAINTENANCE PARTS:**

Transmission Filter	Not Applicable
Solenoid	925-1426A
Voltage Regulator	BS-845907
Muffler	751-0616B
Battery	925-1707D

**ENGINE:**

Complete Engine	BS-44K777-0027
Short Block	BS-698172
Mini Block	Not Available

**WARRANTY:**

Limited Residential / Commercial	2 Year / 1 Year
Engine	2 Year

**BEIGE POWDERED PAINT CODE -0499**

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

**YELLOW POWDERED PAINT CODE -0716**

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

**MODEL: 1212**

**YEAR: 2000-2001**

Factory Model Number: 14AJ808H101

21 H.P. Auto CVT Drive

### ATTACHMENTS / ACCESSORIES

**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
46"	3	Stamped	(A)	H	(B)	-	Page 1

**BAGGER ATTACHMENTS:**

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
46"	3	Stamped	6 bu. Bagger Kit	Yes	190-821-101	105 lbs.	1 Year

**MULCHER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
46"	3	Stamped		Yes	190-118-000	8 lbs.	1 Year

**SNOW ATTACHMENTS:**

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	190-823-101	280 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	190-822-101	70 lbs.	1 Year

**FRONT & REAR ATTACHMENTS:**

Description	Notes	Model Number	Weight	Warranty
Tire Chains 23" x 9.5"	1 Pair	190-964-000	10 lbs.	-
Grille Guard Bumper Kit	-	190-603-101	11 lbs.	-
Wheel Weights	2 @ 31 lbs. ea.	190-215-000	65 lbs.	-
Tractor Mate Tool Box	-	190-604-101	30 lbs.	-
30" Hydraulic Rear Mount Tiller	Requires 824	190-825-101	260 lbs.	1 Year
Electric Sleeve Hitch	Used With 825	190-824-101	39 lbs.	1 Year
Sleeve Hitch	Used With 920, 921, 922	OEM-190-608	-	1 Year
12" Mold Board Plow	Requires 608	190-920-000	109 lbs.	1 Year
Tandem Disc	Requires 608	190-921-000	189 lbs.	1 Year
Spring Cultivator	Requires 608	190-922-000	60 lbs.	1 Year
10 Cu. Ft. Dump Cart 16" Wheels	(C)	190-653-100	96 lbs.	1 Year
15 Cu. Ft. Dump Cart 15" x 6" Wheels	(C)	190-458-100	105 lbs.	1 Year
17 Cu. Ft. H. D. Dump Cart 15" x 6" Wheels	(C)	190-425-100	172 lbs.	1 Year
46" Lawn Sweeper	(C)	190-459-100	92 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

- NOTE: (A)** Tractor Comes With 46" Stamped Mower Deck
- NOTE: (B)** Mower Deck Not Available As A Wholegood. No Longer Available As A Part (953-0875-0716)
- NOTE: (C)** Agri-Fab

**1170**

**17.5 H.P. Intek**

**Single**

**Gear**

**2002**



# MODEL: 1170

# YEAR: 2002

Factory Model Number: 13CD608G101

17.5 H.P. Auto CVT Drive

Serial Numbers:

Electric P.T.O. / 42" Deck

Metal Hood, Grille & Side Panels

### GENERAL INFO:

Length (Over-All)	Not Available
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	490 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

### GENERAL INFO:

Wheelbase	45.5"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	15" x 6" x 6"
Rear Wheel Tire Size	20" x 8" x 8"
Trans/Differential Type	Variable Belt Drive
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

### ENGINE SPECS:

Make	Briggs & Stratton
Model Series	Intek (Vertical)
Model/Type/Spec	31G777-0192-E1
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	17.5 HP
Peak Torque	Not Available
Displacement	30.59 cu. In. (501 cc)
Bore	3.56"
Stroke	3.06"

### ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3300 R.P.M.
Max. Speed (Full Load)	3150 R.P.M.
Valve Lash (Intake)	0.004"
Valve Lash (Exhaust)	0.006"
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.010"-0.014"

### CAPACITIES:

Engine Crankcase	48 oz. (A)
Coolant	Not Applicable
Transmission	20.0 oz. (C)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	2.0 gal.

### FLUIDS:

(A) SAE 30	737-3029
(B) Drive System Fluid Plus	737-3120
(C) Benalene #920 Grease	737-0300A
(D) 251 EP Chassis Lubricant	737-3034

### ENGINE MAINTENANCE PARTS:

Air Filter	BS-795115
Pre Filter	BS-697015
Oil Filter	BS-492932S
Fuel Filter	BS-298090S
Spark Plug	759-3336
Armature	BS-492341
Points	Not Applicable
Carb Kit	BS-792383

### TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Solenoid	925-1426A
Voltage Regulator	BS-845907
Muffler	751-0617C
Battery	925-1707D

### ENGINE:

Complete Engine	BS-31G777-3036
Short Block	BS-697762
Mini Block	Not Available

### WARRANTY:

Limited Residential / Commercial	2 Year / 1 Year
Engine	2 Year

### BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

### YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

**MODEL: 1170**

**YEAR: 2002**

Factory Model Number: 13CD608G101

17.5 H.P. Auto CVT Drive

## ATTACHMENTS / ACCESSORIES

### MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
42"	2	Stamped	(A)	G	(B)	-	Page 1

### BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
42"	2	Stamped	4 bu. Bagger Kit	No	190-601-101	65 lbs.	1 Year

### MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
(C)							

### SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	190-823-101	280 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	190-822-101	70 lbs.	1 Year

### FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains 20" x 8"	1 Pair	190-658-100	16 lbs.	-
Grille Guard Bumper Kit	-	190-603-101	11 lbs.	-
Wheel Weights	2 @ 31 lbs. ea.	190-215-000	65 lbs.	-
Tractor Mate Tool Box	-	190-604-101	30 lbs.	-
10 Cu. Ft. Dump Cart 16" Wheels	(D)	190-653-100	96 lbs.	1 Year
15 Cu. Ft. Dump Cart 15" x 6" Wheels	(D)	190-458-100	105 lbs.	1 Year
17 Cu. Ft. H. D. Dump Cart 15" x 6" Wheels	(D)	190-425-100	172 lbs.	1 Year
46" Lawn Sweeper	(D)	190-459-100	92 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

**NOTE: (A)** Tractor Comes With 42" Stamped Mower Deck

**NOTE: (B)** Mower Deck Not Available As A Wholegood

**NOTE: (C)** Tractor Comes With Mulch Plug

**NOTE: (D)** Agri-Fab