

**GT 1000
SPECIFICATION SHEETS
2004 and 2013-2014**

2004	Specification Sheets	CC
2013	Specification Sheets	CC
2014	Specification Sheets	CC

Material contained in this document is intended for use by Independent Retail dealer personnel.

Any other use without expressed written consent of MTD PRODUCTS INC is prohibited.

GT 1222

22 H.P. Intek

Twin

Hydro

2004

MODEL: GT 1222

YEAR: 2004

Factory Model Number: 14AB13CH710

Serial Numbers:

22 H.P. Hydro Drive
Electric P.T.O. / 46" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	68.5"
Width (Over-All)	49.0"
Height (Over-All)	42.0"
Ground Clearance	6.0"
Weight (Approximate)	620 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	48.0"
Tread Front/Rear	Not Available
Turning Radius	21"
Front Wheel Tire Size	16" x 6.5" x 8"
Rear Wheel Tire Size	23" x 9.5" x 12"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.5 mph
Reverse Speed	0-2.5 mph

ENGINE SPECS:

Make	Briggs & Stratton
Model Series	Intek (Vertical)
Model/Type/Spec	40H777-0171
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	22 HP
Peak Torque	31.6 ft. lbs. @ 2400
Displacement	40.0 cu. In. (656 cc)
Bore	2.97"
Stroke	2.89"

ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3300 R.P.M.
Max. Speed (Full Load)	3150 R.P.M.
Valve Lash (Intake)	0.005"
Valve Lash (Exhaust)	0.005"
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.008"-0.012"

CAPACITIES:

Engine Crankcase	64 oz. (A)
Coolant	Not Applicable
Transmission	78.8 oz. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.0 gal.

FLUIDS:

(A) SAE 30	737-3029
(B) Drive System Fluid Plus	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	BS-499486S
Pre Filter	BS-273638S
Oil Filter	BS-696854
Fuel Filter	BS-691035
Spark Plug	759-3336
Armature	BS-691060
Points	Not Applicable
Carb Kit	BS-797890

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	BS-797375
Muffler	751-0616A
Battery	925-1707D

ENGINE:

Complete Engine	BS-40H777-0027
Short Block	BS-698177
Mini Block	Not Applicable

WARRANTY:

Limited Residential / Commercial	2 Year / 1 Year
Engine	2 Year
P.T.O. Clutch	3 Year
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GT 1222

YEAR: 2004

Factory Model Number: 14AB13CH710

22 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
46"	3	Stamped	(A)	H	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
46"	2	Stamped	Bagger Kit	Yes	190-678-100	65 lbs.	1 Year
46"	2	Stamped	Bagger Kit	Yes	19A30004100	65 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Model Number	Weight	Warranty

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual		OEM-190-032	277 lbs.	1 Year
42"	2	2	Manual		190-673-100		1 Year
Blade Size	Angle Man/Elec.		Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual		Manual		OEM-190-833	82 lbs.	1 Year
46"	Manual		Manual		190-674-100	70 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tractor Mate Tool Box		190-604-101	30 lbs.	1 Year
46" Lawn Sweeper		190-459-100	92 lbs.	1 Year
Tire Chains	23" x 10.5" x 12"	490-241-0026	17 lbs.	-
Bumper		190-672-100	11 lbs.	-
Wheel Weights	2 @ 31 lbs. ea.	190-675-100	65 lbs.	-
10 Cu. Ft. Dump Cart	16" Wheels	190-653-100	96 lbs.	1 Year
15 Cu. Ft. Dump Cart	15" x 6" Wheels	190-458-100	105 lbs.	1 Year
17 Cu. Ft. Heavy Duty Dump Cart	15" x 6" Wheels	190-425-100	172 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 46" Stamped Mower Deck

NOTE: (B) Mower Deck Not Available As A Wholegood

GT 1054

27 H.P. Courage

Twin

Hydro

2013

MODEL: GT 1054

YEAR: 2013

Factory Model Number: 14WK94AK009, 14WK94AK056, 14AK94AK056

Serial Numbers:

27 H.P. Hydro Drive
Electric P.T.O. / 54" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	68.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	587 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	49.0"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	16" x 7.5"
Rear Wheel Tire Size	23" x 10.5"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Kohler
Model Series	Courage (Vertical)
Model/Type/Spec	SV740-3002
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	27 HP (20.1 kW)
Peak Torque	Not Available
Displacement	44.0 cu in. (725cc)
Bore	3.27"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1600 R.P.M.
Max. Speed (No Load)	3300 R.P.M.
Max. Speed (Full Load)	3150 R.P.M.
Valve Lash (Intake)	0.005" (0.127 mm)
Valve Lash (Exhaust)	0.005" (0.127 mm)
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	1.9 qts. (A)
Coolant	Not Applicable
Transmission	2.3 qts. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.3 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-32-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-25-050-22-S1
Spark Plug	759-3336
Armature	KH-24-584-89-S
Points	Not Applicable
Carb Kit	Not Available

TRACTOR MAINTENANCE PARTS:

Transmission Filter	HG-52114P
Voltage Regulator	KH-41-403-10-S
Solenoid	725-04439
Muffler	751-10528A
Battery	925-1707D

ENGINE:

Complete Engine	KH-SV740-3002
Short Block	Not Available
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 120 Hrs.
Engine	3 Year / 120 Hrs.
P.T.O. Clutch	3 Year / 120 Hrs.
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

EPS (Electronic Power Steering)

MODEL: GT 1054

YEAR: 2013

Factory Model Number: 14WK94AK009, 14WK94AK056, 14AK94AK056

27 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
54"	3	Stamped	(A)	K	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped	6 bu. Bagger Kit	Yes	19A40002100	98 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Model Number	Weight	Warranty
54"	3	Stamped		190-841-190	25 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual		OEM-190-032	277 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual		OEM-190-833	82 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Electric Sleeve Hitch		190-824-101	57 lbs.	2 Year
30" Hydraulic Tiller	Requires 824	190-825-101	260 lbs.	2 Year
Tire Chains 23" x 10.5" x 12"	1 Pair	490-241-0026	17 lbs.	-
Bumper		190-679-101	11 lbs.	-
Wheel Weights	2 @ 50 lbs. ea.	OEM-190-784	105 lbs.	-
Rear Weight Bracket		490-900-M060	-	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Armrest Kit		757-04073	-	-

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 54" Stamped Mower Deck

NOTE: (B) Mower Deck Not Available As A Wholegood

GT 1054

27 H.P. 7000

Twin

Hydro

2014

MODEL: GT 1054

YEAR: 2014

Factory Model Number: 14W794AK010, 14WZ94AK010
 Factory Model Number: 14W794AK009, 14W794AK056
 Serial Numbers:

27 H.P. Hydro Drive
 Electric P.T.O. / 54" Deck
 One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	68.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	587 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	49.0"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	16" x 7.5"
Rear Wheel Tire Size	23" x 10.5"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Kohler
Model Series	7000 Series (Vertical)
Model/Type/Spec	KT-745-3001
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	27 HP (20.1 kW)
Peak Torque	Not Available
Displacement	45.6 cu in. (747cc)
Bore	3.27"
Stroke	2.72"

ENGINE SPECS:

Idle Speed	1600 R.P.M.
Max. Speed (No Load)	3300 R.P.M.
Max. Speed (Full Load)	3150 R.P.M.
Valve Lash (Intake)	0.006" (0.152 mm)
Valve Lash (Exhaust)	0.006" (0.152 mm)
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.008"-0.012"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	2.3 qts. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.3 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-32-883-09-S1
Pre Filter	KH-32-083-10-S
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-25-050-22-S1
Spark Plug	KH-12-132-02-S
Armature	KH-32-584-07-S
Points	Not Applicable
Carb Kit	KH-24-757-46-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	HG-52114P
Voltage Regulator	KH-41-403-10-S
Solenoid	725-06153
Muffler	751-10528A
Battery	925-1707D

ENGINE:

Complete Engine	KH-KT745-3001
Short Block	Not Available
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 120 Hrs.
Engine	3 Year
P.T.O. Clutch	3 Year / 120 Hrs.
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GT 1054

YEAR: 2014

Factory Model Number: 14W794AK009, 14W794AK010

27 H.P. Hydro Drive

Factory Model Number: 14W794AK056, 14WZ94AK010

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
54"	3	Stamped	(A)	K	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped	6 bu. Bagger Kit	Yes	19A40002100	98 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Model Number	Weight	Warranty
54"	3	Stamped		190-841-190	25 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual		OEM-190-032	277 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual		OEM-190-833	82 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Electric Sleeve Hitch		190-824-101	57 lbs.	2 Year
30" Hydraulic Tiller	Requires 824	190-825-101	260 lbs.	2 Year
Tire Chains 23" x 10.5" x 12"	1 Pair	490-241-0026	17 lbs.	-
Bumper		190-679-101	11 lbs.	-
Wheel Weights	2 @ 50 lbs. ea.	OEM-190-784	105 lbs.	-
Rear Weight Bracket		490-900-M060	-	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Armrest Kit		757-04073	-	-

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 54" Stamped Mower Deck

NOTE: (B) Mower Deck Not Available As A Wholegood