

**GT 1500
SPECIFICATION SHEETS
2005-2009**

2005	Specification Sheets	CC
2006	Specification Sheets	CC
2007	Specification Sheets	CC
2008	Specification Sheets	CC
2009	Specification Sheets	CC

Material contained in this document is intended for use by Independent Retail dealer personnel.

Any other use without expressed written consent of MTD PRODUCTS INC is prohibited.

GT 1554 27 H.P. Command Twin Hydro 2005

MODEL: GT 1554

YEAR: 2005

Factory Model Number: 14AK13CK710

27 H.P. Hydro Drive
Electric P.T.O. / 54" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	68.0"
Width (Over-All)	62.0"
Height (Over-All)	44.0"
Ground Clearance	4.5"
Weight (Approximate)	529 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	49.0"
Tread Front/Rear	Not Available
Turning Radius	21"
Front Wheel Tire Size	16" x 7.5" x 8"
Rear Wheel Tire Size	23" x 10.5" x 12"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Vertical)
Model/Type/Spec	CV740-0026
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	27 HP (20.1 kW)
Peak Torque	40 ft. lbs @ 2800
Displacement	44.0 cu in. (725cc)
Bore	3.27"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3375 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	1.9 qts. (A)
Coolant	Not Applicable
Transmission	78.8 oz. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.0 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System Fluid Plus	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-24-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-36-S
Points	Not Applicable
Carb Kit	KH-24-757-18-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	KH-41-403-10-S
Muffler	751-0805
Battery	925-1707D

ENGINE:

Complete Engine	KH-CV740-0026
Short Block	KH-24-522-378
Mini Block	KH-24-782-23

WARRANTY:

Limited Residential / Commercial	2 Year / 1 Year
Engine	2 Year
P.T.O. Clutch	3 Year
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GT 1554

YEAR: 2005

Factory Model Number: 14AK13CK710

27 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
54"	3	Stamped	(A)	K	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped	6 bu. Bagger Kit	No	190-285-000	101 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped		Yes	190-013-000	7 lbs.	1 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	190-673-100	280 lbs.	1 Year
42"	2	2	Manual	-	OEM-190-032	277 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	190-674-100	70 lbs.	1 Year
46"	Manual	Manual	-	190-833-000	82 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
30" Hydraulic Tiller	Requiers 824	190-825-101	260 lbs.	1 Year
Electric Sleeve Hitch	Used With 825	190-824-101	57 lbs.	1 Year
Tire Chains 23" x 10.5"	1 Pair	190-964-100	10 lbs.	-
Bumper	-	190-672-100	11 lbs.	-
Wheel Weights	2 @ 50 lbs. ea.	OEM-190-784	105 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	6 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Tractor Trunk Tool Box		190-604-101	30 lbs.	-
Armrest Kit		757-04040	-	-
10 Cu. Ft. Dump Cart 16" Wheels	(C)	190-653-100	96 lbs.	1 Year
15 Cu. Ft. Dump Cart 15" x 6" Wheels	(C)	190-458-100	105 lbs.	1 Year
17 Cu. Ft. H. D. Dump Cart 15" x 6" Wheels	(C)	190-425-100	172 lbs.	1 Year
46" Lawn Sweeper	(C)	190-459-100	92 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 54" Stamped Mower Deck

NOTE: (B) Mower Deck Not Available As A Wholegood

NOTE: (C) Agri-Fab

GT 1554 27 H.P. Command Twin Hydro 2006

GT 1554 27 H.P. Courage Twin Hydro 2006

MODEL: GT 1554

YEAR: 2006

Factory Model Number: 14AK13BK710

Serial Numbers:

27 H.P. Hydro Drive
Electric P.T.O. / 54" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	68.0"
Width (Over-All)	60.0"
Height (Over-All)	43.0"
Ground Clearance	4.5"
Weight (Approximate)	529 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	46.0"
Tread Front/Rear	Not Available
Turning Radius	21"
Front Wheel Tire Size	16" x 7.5" x 8"
Rear Wheel Tire Size	23" x 10.5" x 12"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Vertical)
Model/Type/Spec	CV740-0026
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	27 HP (20.1 kW)
Peak Torque	40 ft. lbs @ 2800
Displacement	44.0 cu in. (725cc)
Bore	3.27"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3375 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	1.9 qts. (A)
Coolant	Not Applicable
Transmission	78.8 oz. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System Fluid Plus	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-24-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-36-S
Points	Not Applicable
Carb Kit	KH-24-757-18-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	KH-41-403-10-S
Muffler	751-10161
Battery	925-1707D

ENGINE:

Complete Engine	KH-CV740-0026
Short Block	KH-24-522-378
Mini Block	KH-24-782-23

WARRANTY:

Limited Residential / Commercial	2 Year / 120 Hrs.
Engine	3 Year
P.T.O. Clutch	3 Year
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GT 1554**YEAR: 2006**

Factory Model Number: 14AK13BK710

27 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
54"	3	Stamped	(A)	K	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped	6 bu. Bagger Kit	No	190-285-000	101 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped		Yes	190-013-000	7 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	OEM-190-833	82 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
30" Hydraulic Tiller	Requires 824	190-825-101	260 lbs.	2 Year
Electric Sleeve Hitch	Used With 825	190-824-101	57 lbs.	2 Year
Tire Chains 23" x 10.5"	1 Pair	190-964-100	10 lbs.	-
Bumper	-	683-04218-0637	-	-
Wheel Weights	2 @ 50 lbs. ea.	OEM-190-784	105 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	6 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Tractor Trunk Tool Box		190-604-101	30 lbs.	-
Armrest Kit		757-04040	-	-
10 Cu. Ft. Dump Cart 16" Wheels	(C)	190-653-100	96 lbs.	2 Year
15 Cu. Ft. Dump Cart 15" x 6" Wheels	(C)	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H. D. Dump Cart 15" x 6" Wheels	(C)	190-425-100	172 lbs.	2 Year
46" Lawn Sweeper	(C)	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Dump Cart	(D)	190-120-100	-	90 Days
17 Cu. Ft. Dump Cart	(D)	190-121-100	-	90 Days
12 Cu. Ft. Poly Convertible Dump Cart	(D)	190-123-100	-	90 Days
130 Lb. Capacity Broadcast Spreader	(D)	190-125-100	-	90 Days
42" Lawn Dethatcher	(D)	190-126-100	-	90 Days
42" Lawn Spike Aerator	(D)	190-127-100	-	90 Days
42" Lawn Plug Aerator	(D)	190-128-100	-	90 Days
45" Lawn Sweeper	(D)	190-129-100	-	90 Days

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 54" Stamped Mower Deck**NOTE: (B)** Mower Deck Not Available As A Wholegood**NOTE: (C)** Agri-Fab**NOTE: (D)** Contact Precision 1-800-225-5891 Extension 204

MODEL: GT 1554

YEAR: 2006

Factory Model Number: 14AK13BK710

Serial Numbers:

27 H.P. Hydro Drive
Electric P.T.O. / 54" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	68.0"
Width (Over-All)	60.0"
Height (Over-All)	43.0"
Ground Clearance	4.5"
Weight (Approximate)	529 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	46.0"
Tread Front/Rear	Not Available
Turning Radius	21"
Front Wheel Tire Size	16" x 7.5" x 8"
Rear Wheel Tire Size	23" x 10.5" x 12"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Kohler
Model Series	Courage (Vertical)
Model/Type/Spec	SV740-0010
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	27 HP (20.1 kW)
Peak Torque	45.2 ft. lbs @ 2000
Displacement	44.0 cu in. (725cc)
Bore	3.27"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3375 R.P.M.
Valve Lash (Intake)	0.005"
Valve Lash (Exhaust)	0.005"
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	1.9 qts. (A)
Coolant	Not Applicable
Transmission	78.8 oz. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System Fluid Plus	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-32-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-52-050-02-S
Fuel Filter	KH-25-050-22-S
Spark Plug	759-3336
Armature	KH-24-584-36-S
Points	Not Applicable
Carb Kit	KH-24-757-46-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	KH-41-403-10-S
Muffler	751-10161
Battery	925-1707D

ENGINE:

Complete Engine	KH-SV740-0010
Short Block	KH-32-522-03
Mini Block	Not Applicable

WARRANTY:

Limited Residential / Commercial	2 Year / 120 Hrs.
Engine	3 Year
P.T.O. Clutch	3 Year
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GT 1554**YEAR: 2006**

Factory Model Number: 14AK13BK710

27 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
54"	3	Stamped	(A)	K	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped	6 bu. Bagger Kit	No	190-285-000	101 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped		Yes	190-013-000	7 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	OEM-190-833	82 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
30" Hydraulic Tiller	Requires 824	190-825-101	260 lbs.	2 Year
Electric Sleeve Hitch	Used With 825	190-824-101	57 lbs.	2 Year
Tire Chains 23" x 10.5"	1 Pair	190-964-100	10 lbs.	-
Bumper	-	683-04218-0637	-	-
Wheel Weights	2 @ 50 lbs. ea.	OEM-190-784	105 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	6 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Tractor Trunk Tool Box		190-604-101	30 lbs.	-
Armrest Kit		757-04040	-	-
10 Cu. Ft. Dump Cart 16" Wheels	(C)	190-653-100	96 lbs.	2 Year
15 Cu. Ft. Dump Cart 15" x 6" Wheels	(C)	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H. D. Dump Cart 15" x 6" Wheels	(C)	190-425-100	172 lbs.	2 Year
46" Lawn Sweeper	(C)	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Dump Cart	(D)	190-120-100	-	90 Days
17 Cu. Ft. Dump Cart	(D)	190-121-100	-	90 Days
12 Cu. Ft. Poly Convertible Dump Cart	(D)	190-123-100	-	90 Days
130 Lb. Capacity Broadcast Spreader	(D)	190-125-100	-	90 Days
42" Lawn Dethatcher	(D)	190-126-100	-	90 Days
42" Lawn Spike Aerator	(D)	190-127-100	-	90 Days
42" Lawn Plug Aerator	(D)	190-128-100	-	90 Days
45" Lawn Sweeper	(D)	190-129-100	-	90 Days

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 54" Stamped Mower Deck**NOTE: (B)** Mower Deck Not Available As A Wholegood**NOTE: (C)** Agri-Fab**NOTE: (D)** Contact Precision 1-800-225-5891 Extension 204

GT 1554

25 H.P. Courage

Twin

Hydro

2007

MODEL: GT 1554

YEAR: 2007

Factory Model Number: 14AK13BK710

27 H.P. Hydro Drive
Electric P.T.O. / 54" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	68.0"
Width (Over-All)	60.0"
Height (Over-All)	43.0"
Ground Clearance	4.5"
Weight (Approximate)	529 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	46.0"
Tread Front/Rear	Not Available
Turning Radius	21"
Front Wheel Tire Size	16" x 7.5" x 8"
Rear Wheel Tire Size	23" x 10.5" x 12"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Kohler
Model Series	Courage (Vertical)
Model/Type/Spec	SV740-0010
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	27 HP (20.1 kW)
Peak Torque	45.2 ft. lbs @ 2000
Displacement	44.0 cu in. (725cc)
Bore	3.27"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3375 R.P.M.
Valve Lash (Intake)	0.005"
Valve Lash (Exhaust)	0.005"
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	1.9 qts. (A)
Coolant	Not Applicable
Transmission	78.8 oz. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System Fluid Plus	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-32-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-52-050-02-S
Fuel Filter	KH-25-050-22-S
Spark Plug	759-3336
Armature	KH-24-584-36-S
Points	Not Applicable
Carb Kit	KH-24-757-46-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	KH-41-403-10-S
Muffler	751-10161
Battery	925-1707D

ENGINE:

Complete Engine	KH-SV740-0010
Short Block	KH-32-522-03
Mini Block	Not Applicable

WARRANTY:

Limited Residential / Commercial	3 Year / 120 Hrs.
Engine	3 Year / 120 Hrs.
P.T.O. Clutch	3 Year / 120 Hrs.
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GT 1554**YEAR: 2007**

Factory Model Number: 14AK13BK710

27 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
54"	3	Stamped	(A)	K	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped	6 bu. Bagger Kit	No	190-285-000	101 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped		Yes	190-013-000	7 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	OEM-190-833	82 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
30" Hydraulic Tiller	Requires 824	190-825-101	260 lbs.	2 Year
Electric Sleeve Hitch	Used With 825	190-824-101	57 lbs.	2 Year
Tire Chains 23" x 10.5"	1 Pair	190-964-100	10 lbs.	-
Bumper	-	683-04218-0637	-	-
Wheel Weights	2 @ 50 lbs. ea.	OEM-190-784	105 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	6 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Armrest Kit		757-04040	-	-
10 Cu. Ft. Dump Cart 16" Wheels	(C)	190-653-100	96 lbs.	2 Year
15 Cu. Ft. Dump Cart 15" x 6" Wheels	(C)	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H. D. Dump Cart 15" x 6" Wheels	(C)	190-425-100	172 lbs.	2 Year
46" Lawn Sweeper	(C)	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Poly Cart With Divider Tool Tray	(D)	19A-106-100	81 lbs.	2 Year
Broadcast Spreader	(D)	19A-105-100	44 lbs.	2 Year
48" Lawn Dethatcher	(D)	19A-107-100	37 lbs.	2 Year
48" Lawn Plug Aerator	(D)	19A-108-100	86 lbs.	2 Year
48" Lawn Spike Aerator	(D)	19A-109-100	54 lbs.	2 Year
42" Lawn Sweeper	(D)	19A-103-100	82 lbs.	2 Year
48" Lawn Roller	(D)	19A-113-100	62 lbs.	2 Year
25 gal. Sprayer	(D)	19A-104-100	53 lbs.	2 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 54" Stamped Mower Deck**NOTE: (B)** Mower Deck Not Available As A Wholegood**NOTE: (C)** Agri-Fab**NOTE: (D)** Contact Brinley Hardy 1-800-626-5329

GT 1554

27 H.P. Courage

Twin

Hydro

2008

MODEL: GT 1554

YEAR: 2008

Factory Model Number: 14AK13BK010

27 H.P. Hydro Drive
Electric P.T.O. / 54" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	68.0"
Width (Over-All)	60.0"
Height (Over-All)	43.0"
Ground Clearance	4.5"
Weight (Approximate)	529 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	46.0"
Tread Front/Rear	Not Available
Turning Radius	21"
Front Wheel Tire Size	16" x 7.5" x 8"
Rear Wheel Tire Size	23" x 10.5" x 12"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Kohler
Model Series	Courage (Vertical)
Model/Type/Spec	SV740-0010
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	27 HP (20.1 kW)
Peak Torque	45.2 ft. lbs @ 2000
Displacement	44.0 cu in. (725cc)
Bore	3.27"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3375 R.P.M.
Valve Lash (Intake)	0.005"
Valve Lash (Exhaust)	0.005"
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	1.9 qts. (A)
Coolant	Not Applicable
Transmission	78.8 oz. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System Fluid Plus	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-32-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-52-050-02-S
Fuel Filter	KH-25-050-22-S
Spark Plug	759-3336
Armature	KH-24-584-36-S
Points	Not Applicable
Carb Kit	KH-24-757-46-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	KH-41-403-10-S
Muffler	751-10161
Battery	925-1707D

ENGINE:

Complete Engine	KH-SV740-0010
Short Block	KH-32-522-03
Mini Block	Not Applicable

WARRANTY:

Limited Residential / Commercial	3 Year / 120 Hrs.
Engine	3 Year / 120 Hrs.
P.T.O. Clutch	3 Year / 120 Hrs.
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GT 1554**YEAR: 2008**

Factory Model Number: 14AK13BK010

27 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
54"	3	Stamped	(A)	K	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped	6 bu. Bagger Kit	No	190-285-000	101 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped		Yes	190-013-000	7 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	OEM-190-833	82 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
30" Hydraulic Tiller	Requires 824	190-825-101	260 lbs.	2 Year
Electric Sleeve Hitch	Used With 825	190-824-101	57 lbs.	2 Year
Tire Chains 23" x 10.5"	1 Pair	190-964-100	10 lbs.	-
Bumper	-	683-04218-0637	-	-
Wheel Weights	2 @ 50 lbs. ea.	OEM-190-784	105 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	6 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Armrest Kit		757-04040	-	-
10 Cu. Ft. Dump Cart 16" Wheels	(C)	190-653-100	96 lbs.	2 Year
15 Cu. Ft. Dump Cart 15" x 6" Wheels	(C)	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H. D. Dump Cart 15" x 6" Wheels	(C)	190-425-100	172 lbs.	2 Year
46" Lawn Sweeper	(C)	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Poly Cart With Divider Tool Tray	(D)	19A-106-100	81 lbs.	2 Year
Broadcast Spreader	(D)	19A-105-100	44 lbs.	2 Year
48" Lawn Dethatcher	(D)	19A-107-100	37 lbs.	2 Year
48" Lawn Plug Aerator	(D)	19A-108-100	86 lbs.	2 Year
48" Lawn Spike Aerator	(D)	19A-109-100	54 lbs.	2 Year
42" Lawn Sweeper	(D)	19A-103-100	82 lbs.	2 Year
48" Lawn Roller	(D)	19A-113-100	62 lbs.	2 Year
25 gal. Sprayer	(D)	19A-104-100	53 lbs.	2 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 54" Stamped Mower Deck**NOTE: (B)** Mower Deck Not Available As A Wholegood**NOTE: (C)** Agri-Fab**NOTE: (D)** Contact Brinley Hardy 1-800-626-5329

GT 1554	27 H.P. Courage	Twin	Hydro	2009
GT 1554 VT	26 H.P. Intek	Twin	Hydro	2009

MODEL: GT 1554

YEAR: 2009

Factory Model Number: 14AK13CK010

27 H.P. Hydro Drive
Electric P.T.O. / 54" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	68.0"
Width (Over-All)	60.0"
Height (Over-All)	43.0"
Ground Clearance	4.5"
Weight (Approximate)	800 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	46.0"
Tread Front/Rear	Not Available
Turning Radius	21"
Front Wheel Tire Size	16" x 7.5" x 8"
Rear Wheel Tire Size	23" x 10.5" x 12"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Kohler
Model Series	Courage (Vertical)
Model/Type/Spec	SV740-0010
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	27 HP (20.1 kW)
Peak Torque	45.2 ft. lbs @ 2000
Displacement	44.0 cu in. (725cc)
Bore	3.27"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3375 R.P.M.
Valve Lash (Intake)	0.005"
Valve Lash (Exhaust)	0.005"
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	1.9 qts. (A)
Coolant	Not Applicable
Transmission	78.8 oz. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System Fluid Plus	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-32-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-52-050-02-S
Fuel Filter	KH-25-050-22-S
Spark Plug	759-3336
Armature	KH-24-584-36-S
Points	Not Applicable
Carb Kit	KH-24-757-46-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	KH-41-403-10-S
Muffler	751-10528
Battery	925-1707D

ENGINE:

Complete Engine	KH-SV740-0010
Short Block	KH-32-522-03
Mini Block	Not Applicable

WARRANTY:

Limited Residential / Commercial	3 Year / 120 Hrs.
Engine	3 Year / 120 Hrs.
P.T.O. Clutch	3 Year / 120 Hrs.
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GT 1554**YEAR: 2009**

Factory Model Number: 14AK13CK010

27 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
54"	3	Stamped	(A)	K	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped	6 bu. Bagger Kit	No	190-285-000	101 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped		Yes	190-013-000	7 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	OEM-190-833	82 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
30" Hydraulic Tiller	Requires 824	190-825-101	260 lbs.	2 Year
Electric Sleeve Hitch	Used With 825	190-824-101	57 lbs.	2 Year
Tire Chains 22" x 9.5"	1 Pair	190-671-100	15 lbs.	-
Bumper	-	683-04218-0637	-	-
Wheel Weights	2 @ 50 lbs. ea.	OEM-190-784	105 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	6 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Armrest Kit		757-04040	-	-
10 Cu. Ft. Dump Cart 16" Wheels	(C)	190-653-100	96 lbs.	2 Year
15 Cu. Ft. Dump Cart 15" x 6" Wheels	(C)	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H. D. Dump Cart 15" x 6" Wheels	(C)	190-425-100	172 lbs.	2 Year
46" Lawn Sweeper	(C)	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Poly Cart With Divider Tool Tray	(D)	19A-106-100	81 lbs.	2 Year
Broadcast Spreader	(D)	19A-105-100	44 lbs.	2 Year
48" Lawn Dethatcher	(D)	19A-107-100	37 lbs.	2 Year
48" Lawn Plug Aerator	(D)	19A-108-100	86 lbs.	2 Year
48" Lawn Spike Aerator	(D)	19A-109-100	54 lbs.	2 Year
42" Lawn Sweeper	(D)	19A-103-100	82 lbs.	2 Year
48" Lawn Roller	(D)	19A-113-100	62 lbs.	2 Year
25 gal. Sprayer	(D)	19A-104-100	53 lbs.	2 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 54" Stamped Mower Deck**NOTE: (B)** Mower Deck Not Available As A Wholegood**NOTE: (C)** Agri-Fab**NOTE: (D)** Contact Brinley Hardy 1-800-626-5329

MODEL: GT 1554 VT

YEAR: 2009

Factory Model Number: 14VR13CK010

Serial Numbers:

26 H.P. Hydro Drive
Electric P.T.O. / 54" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	68.0"
Width (Over-All)	60.0"
Height (Over-All)	43.0"
Ground Clearance	4.5"
Weight (Approximate)	800 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	46.0"
Tread Front/Rear	Not Available
Turning Radius	21"
Front Wheel Tire Size	16" x 7.5" x 8"
Rear Wheel Tire Size	23" x 10.5" x 12"
Trans/Differential Type	Aluminum, Intergrated
Forward Speed	0-5.2 mph
Reverse Speed	0-2.3 mph

ENGINE SPECS:

Make	Briggs & Stratton
Model Series	Intek (Vertical)
Model/Type/Spec	44P777-0721-B1
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	26 HP (19.4 kW)
Peak Torque	Not Available
Displacement	44.2 cu in. (725cc)
Bore	3.12"
Stroke	2.89"

ENGINE SPECS:

Idle Speed	1200 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3375 R.P.M.
Valve Lash (Intake)	0.005" (0.127 mm)
Valve Lash (Exhaust)	0.005" (0.127 mm)
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.008"-0.012"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	78.8 oz. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	3.0 gal.

FLUIDS:

(A) SAE 30	737-3029
(B) Drive System Fluid Plus	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	BS-792105
Pre Filter	Not Applicable
Oil Filter	BS-696854
Fuel Filter	BS-691035
Spark Plug	759-3336
Armature	BS-691060
Points	Not Applicable
Carb Kit	BS-797890

TRACTOR MAINTENANCE PARTS:

Transmission Filter	Not Applicable
Voltage Regulator	BS-794360
Muffler	751-10542
Battery	925-1707D

ENGINE:

Complete Engine	BS-44Q777-0037
Short Block	BS-698172
Mini Block	Not Applicable

WARRANTY:

Limited Residential	3 Year / 120 Hrs.
Engine	3 Year / 120 Hrs.
P.T.O. Clutch	3 Year / 120 Hrs.
Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GT 1554 VT**YEAR: 2009**

Factory Model Number: 14VR13CK010

27 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
54"	3	Stamped	(A)	K	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped	6 bu. Bagger Kit	No	190-285-000	101 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped		Yes	190-013-000	7 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual	Manual	-	OEM-190-833	82 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
30" Hydraulic Tiller	Requires 824	190-825-101	260 lbs.	2 Year
Electric Sleeve Hitch	Used With 825	190-824-101	57 lbs.	2 Year
Tire Chains 22" x 9.5"	1 Pair	190-671-100	15 lbs.	-
Bumper	-	683-04218-0637	-	-
Wheel Weights	2 @ 50 lbs. ea.	OEM-190-784	105 lbs.	-
Rear Weight Bracket	-	OEM-19A-218	6 lbs.	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Armrest Kit		757-04040	-	-
10 Cu. Ft. Dump Cart 16" Wheels	(C)	190-653-100	96 lbs.	2 Year
15 Cu. Ft. Dump Cart 15" x 6" Wheels	(C)	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H. D. Dump Cart 15" x 6" Wheels	(C)	190-425-100	172 lbs.	2 Year
46" Lawn Sweeper	(C)	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Poly Cart With Divider Tool Tray	(D)	19A-106-100	81 lbs.	2 Year
Broadcast Spreader	(D)	19A-105-100	44 lbs.	2 Year
48" Lawn Dethatcher	(D)	19A-107-100	37 lbs.	2 Year
48" Lawn Plug Aerator	(D)	19A-108-100	86 lbs.	2 Year
48" Lawn Spike Aerator	(D)	19A-109-100	54 lbs.	2 Year
42" Lawn Sweeper	(D)	19A-103-100	82 lbs.	2 Year
48" Lawn Roller	(D)	19A-113-100	62 lbs.	2 Year
25 gal. Sprayer	(D)	19A-104-100	53 lbs.	2 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 54" Stamped Mower Deck**NOTE: (B)** Mower Deck Not Available As A Wholegood**NOTE: (C)** Agri-Fab**NOTE: (D)** Contact Brinley Hardy 1-800-626-5329