

**GT 2500 SERIES
SPECIFICATION SHEETS
2002-2010**

2002	Specification Sheets	CC
2003	Specification Sheets	CC
2004	Specification Sheets	CC
2005	Specification Sheets	CC
2006	Specification Sheets	CC
2007	Specification Sheets	CC
2008	Specification Sheets	CC
2009	Specification Sheets	CC
2010	Specification Sheets	CC

Material contained in this document is intended for use by Independent Retail dealer personnel.

Any other use without expressed written consent of MTD PRODUCTS INC is prohibited.

2518-44	18 H.P. Command	Twin	Hydro	2002
2518-48	18 H.P. Command	Twin	Hydro	2002

MODEL: 2518-44

YEAR: 2002

Factory Model Number: 13B-288L100

18 H.P. Hydro Drive
Electric P.T.O. / 44" Deck
Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	72.0"
Width (Over-All)	39.0" / Without Deck
Height (Over-All)	42.0"
Ground Clearance	6.0"
Weight (Approximate)	668 lbs. Without Deck
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.0"
Tread Front/Rear	30"/27.5"
Turning Radius	28"
Front Wheel Tire Size	15 x 6.5-8
Rear Wheel Tire Size	23 x 9.5-12
Trans/Differential Type	Aluminum
Forward Speed	0-5.5 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH18S-62588
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	18 HP (13.4 kW)
Peak Torque	32.2 ft. lbs. @ 2,200 RPM
Displacement	38.0 cu in. (624cc)
Bore	3.03"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1400 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	2.25 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-02-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-52-435-02
Muffler	951-3001
Battery	925-1707D

ENGINE:

Complete Engine	KH-62588
Short Block	KH-24-522-130
Mini Block	Not Available

WARRANTY:

Limited Residential	2 Year
Engine	2 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: 2518-44

YEAR: 2002

Factory Model Number: 13B-288L100

18 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
44"	3	Stamped	(A)	L	190-208-100	150 lbs.	1 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
44"	3	Stamped	6 bu. Bagger Kit	No	190-210-100	90 lbs.	1 Year
(B)	10 Cu. Ft. Cart	Stamped	(C)	No	190-217A100	377 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
			(D)				

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	1	Manual	-	190-341-100	181 lbs.	1 Year
Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty	
42"	Manual	Manual	-	190-302-100	95 lbs.	1 Year	

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front Bumper	-	190-298-100	15 lbs.	1 Year
Front & Rear Weight Bracket	-	190-307-100	15 lbs.	1 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	1 Year
42" Lawn Sweeper	-	190-163-100	92 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	122 lbs.	1 Year
10 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-368-100	114 lbs.	1 Year
15 Cu. Ft. Dump Cart, 15.0" x 6.0" Whls.	-	190-458-100	105 lbs.	1 Year
17 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-425-100	172 lbs.	1 Year
Ag Tire 23" x 8.5" x 12"	-	(E)	-	-
30" Hydraulic Tiller	(F)	190-002-100	260 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 44" Stamped Mower Deck

NOTE: (B) Fits All 2000 Series Mower Decks 38", 42", 44", 46" & 48"

NOTE: (C) Vacuum Assisted Collection System, 5 HP. 62 Cu. Ft. Capacity

NOTE: (D) Tractor Comes With Mulch Plug 731-3316

NOTE: (E) One (1) Ag Tire Without Rim (734-3112)

NOTE: (F) Includes Sleeve Hitch, Roller and Electric Lift

MODEL: 2518-48

YEAR: 2002

Factory Model Number: 13A-288M100

18 H.P. Hydro Drive
Electric P.T.O. / 48" Deck
Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	72.0"
Width (Over-All)	39.0" / Without Deck
Height (Over-All)	42.0"
Ground Clearance	6.0"
Weight (Approximate)	713 lbs. Withot Deck
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.0"
Tread Front/Rear	30"/27.5"
Turning Radius	28"
Front Wheel Tire Size	15 x 6.5-8
Rear Wheel Tire Size	23 x 9.5-12
Trans/Differential Type	Aluminum
Forward Speed	0-5.5 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH18S-62588
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	18 HP (13.4 kW)
Peak Torque	32.2 ft. lbs. @ 2,200 RPM
Displacement	38.0 cu in. (624cc)
Bore	3.03"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1400 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	2.25 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-02-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-52-435-02
Muffler	951-3001
Battery	925-1707D

ENGINE:

Complete Engine	KH-62588
Short Block	KH-24-522-130
Mini Block	Not Available

WARRANTY:

Limited Residential	2 Year
Engine	2 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: 2518-48

YEAR: 2002

Factory Model Number: 13A-288M100

18 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
48"	3	Stamped	(A)	M	190-301-100	191 lbs.	1 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
(B)	10 Cu. Ft. Cart	Stamped	(C)	No	190-217A100	377 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
48"	3	Stamped	-	Yes	590-506-100	22 lbs.	1 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	1	Manual	-	190-341-100	181 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	Manual	Manual	-	190-302-100	95 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front Bumper	-	190-298-100	15 lbs.	1 Year
Front & Rear Weight Bracket	-	190-307-100	15 lbs.	1 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	1 Year
42" Lawn Sweeper	-	190-163-100	92 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	122 lbs.	1 Year
15 Cu. Ft. Dump Cart, 15.0" x 6.0" Whls.	-	190-458-100	105 lbs.	1 Year
17 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-425-100	172 lbs.	1 Year
Ag Tire 23" x 8.5" x 12"	-	(D)	-	-
30" Hydraulic Tiller	(E)	190-002-100	260 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 48" Stamped Mower Deck

NOTE: (B) Fits All 2000 Series Mower Decks 38", 42", 44", 46" & 48"

NOTE: (C) Vacuum Assisted Collection System, 5 HP. 62 Cu. Ft. Capacity

NOTE: (D) One (1) Ag Tire Without Rim (734-3112)

NOTE: (E) Includes Sleeve Hitch, Roller and Electric Lift

2518-44	18 H.P. Command	Twin	Hydro	2003
2518-48	18 H.P. Command	Twin	Hydro	2003

MODEL: 2518-44

YEAR: 2003

Factory Model Number: 13A-208L100

18 H.P. Hydro Drive
Electric P.T.O. / 44" Deck
Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	72.0"
Width (Over-All)	39.0" / Without Deck
Height (Over-All)	42.0"
Ground Clearance	6.0"
Weight (Approximate)	668 lbs. Without Deck
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.0"
Tread Front/Rear	30"/27.5"
Turning Radius	28"
Front Wheel Tire Size	15 x 6.5-8
Rear Wheel Tire Size	23 x 9.5-12
Trans/Differential Type	Aluminum
Forward Speed	0-5.5 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH18S-62588
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	18 HP (13.4 kW)
Peak Torque	32.2 ft. lbs. @ 2,200 RPM
Displacement	38.0 cu in. (624cc)
Bore	3.03"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1400 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	2.25 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-02-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-52-435-02
Muffler	951-3001
Battery	925-1707D

ENGINE:

Complete Engine	KH-62588
Short Block	KH-24-522-130
Mini Block	Not Available

WARRANTY:

Limited Residential	2 Year
Engine	2 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: 2518-44**YEAR: 2003**

Factory Model Number: 13A-208L100

18 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
44"	3	Stamped	(A)	L	190-208-100	150 lbs.	1 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
44"	3	Stamped	6 bu. Bagger Kit	No	190-210-100	90 lbs.	1 Year
(B)	10 Cu. Ft. Cart	Stamped	(C)	No	190-217A100	377 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
			(D)				

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	1	Manual	-	190-341-100	181 lbs.	1 Year
Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty	
42"	Manual	Manual	-	190-302-100	95 lbs.	1 Year	

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front Bumper	-	190-298-100	15 lbs.	1 Year
Front & Rear Weight Bracket	-	190-307-100	15 lbs.	1 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	1 Year
46" Lawn Sweeper	-	190-459-100	92 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	1 Year
10 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-368-100	114 lbs.	1 Year
15 Cu. Ft. Dump Cart, 15.0" x 6.0" Whls.	-	190-458-100	105 lbs.	1 Year
17 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-425-100	172 lbs.	1 Year
Ag Tire 23" x 8.5" x 12"	-	(E)	-	-
30" Hydraulic Tiller	(F)	190-002-100	260 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 44" Stamped Mower Deck**NOTE: (B)** Fits All 2000 Series Mower Decks 38", 42", 44", 46" & 48"**NOTE: (C)** Vacuum Assisted Collection System, 5 HP. 62 Cu. Ft. Capacity**NOTE: (D)** Tractor Comes With Mulch Plug 731-3316**NOTE: (E)** One (1) Ag Tire Without Rim (734-3112)**NOTE: (F)** Includes Sleeve Hitch, Roller and Electric Lift

MODEL: 2518-48

YEAR: 2003

Factory Model Number: 13A-208M100

18 H.P. Hydro Drive
Electric P.T.O. / 48" Deck
Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	72.0"
Width (Over-All)	39.0" / Without Deck
Height (Over-All)	42.0"
Ground Clearance	6.0"
Weight (Approximate)	713 lbs. Withot Deck
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.0"
Tread Front/Rear	30"/27.5"
Turning Radius	28"
Front Wheel Tire Size	15 x 6.5-8
Rear Wheel Tire Size	23 x 9.5-12
Trans/Differential Type	Aluminum
Forward Speed	0-5.5 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH18S-62588
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	18 HP (13.4 kW)
Peak Torque	32.2 ft. lbs. @ 2,200 RPM
Displacement	38.0 cu in. (624cc)
Bore	3.03"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1400 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	2.25 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-02-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-52-435-02
Muffler	951-3001
Battery	925-1707D

ENGINE:

Complete Engine	KH-62588
Short Block	KH-24-522-130
Mini Block	Not Available

WARRANTY:

Limited Residential	2 Year
Engine	2 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: 2518-48**YEAR: 2003**

Factory Model Number: 13A-208M100

18 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
48"	3	Stamped	(A)	M	190-301-100	191 lbs.	1 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
(B)	10 Cu. Ft. Cart	Stamped	(C)	No	190-217A100	377 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
48"	3	Stamped	-	Yes	590-506-100	22 lbs.	1 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	1	Manual	-	190-341-100	181 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	Manual	Manual	-	190-302-100	95 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front Bumper	-	190-298-100	15 lbs.	1 Year
Front & Rear Weight Bracket	-	190-307-100	15 lbs.	1 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	1 Year
46" Lawn Sweeper	-	190-459-100	92 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	1 Year
15 Cu. Ft. Dump Cart, 15.0" x 6.0" Whls.	-	190-458-100	105 lbs.	1 Year
17 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-425-100	172 lbs.	1 Year
Ag Tire 23" x 8.5" x 12"	-	(D)	-	-
30" Hydraulic Tiller	(E)	190-002-100	260 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 48" Stamped Mower Deck**NOTE: (B)** Fits All 2000 Series Mower Decks 38", 42", 44", 46" & 48"**NOTE: (C)** Vacuum Assisted Collection System, 5 HP. 62 Cu. Ft. Capacity**NOTE: (D)** One (1) Ag Tire Without Rim (734-3112)**NOTE: (E)** Includes Sleeve Hitch, Roller and Electric Lift

GT 2521-48	21 H.P. Vanguard	Twin	Hydro	2004
GT 2523-54	23 H.P. Command	Twin	Hydro	2004

MODEL: GT 2521-48

YEAR: 2004

Factory Model Number: 13A-278M100

21 H.P. Hydro Drive
Electric P.T.O. / 48" Deck
Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	72.0"
Width (Over-All)	39.0" / Without Deck
Height (Over-All)	42.0"
Ground Clearance	6.0"
Weight (Approximate)	720 lbs. With 48" Deck
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.0"
Tread Front/Rear	30"/27.5"
Turning Radius	28"
Front Wheel Tire Size	16 x 6.5-8
Rear Wheel Tire Size	23 x 9.5-12
Trans/Differential Type	Aluminum
Forward Speed	0-5.5 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Briggs & Stratton
Model Series	Vanguard (Horizontal)
Model/Type/Spec	381777-0306
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	21 HP
Peak Torque	Not Available
Displacement	38.2 cu in. (627cc)
Bore	2.97"
Stroke	2.76"

ENGINE SPECS:

Idle Speed	1400 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	0.005"
Valve Lash (Exhaust)	0.005"
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.008"-0.012"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	2.25 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	BS-692519
Pre Filter	BS-692520
Oil Filter	BS-492932S
Fuel Filter	BS-691035
Spark Plug	759-3336
Armature	BS-492341
Points	Not Applicable
Carb Kit	BS-842875

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	BS-845907
Solenoid	925-3001
Muffler	951-3001
Battery	925-1707D

ENGINE:

Complete Engine	BS-386447-0079
Short Block	BS-695390
Mini Block	Not Available

WARRANTY:

Limited Residential	2 Year
Engine	2 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GT 2521-48

YEAR: 2004

Factory Model Number: 13A-278M710

21 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
48"	3	Stamped	(A)	M	190-301-100	191 lbs.	1 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
(B)	10 Cu. Ft. Cart	Stamped	(C)	No	190-217AB100	377 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
48"	3	Stamped	-	Yes	590-506-100	22 lbs.	1 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	1	Manual	-	190-341-100	181 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	Manual	Manual	-	190-302-100	95 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front Bumper	-	190-298-100	15 lbs.	1 Year
Front & Rear Weight Bracket	-	190-307-100	15 lbs.	1 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	1 Year
46" Lawn Sweeper	-	190-459-100	92 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	1 Year
15 Cu. Ft. Dump Cart, 15.0" x 6.0" Whls.	-	190-458-100	105 lbs.	1 Year
17 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-425-100	172 lbs.	1 Year
Ag Tire 23" x 8.5" x 12"	-	(D)	-	-
30" Hydraulic Tiller	(E)	190-002-100	260 lbs.	1 Year
Electric Sleeve Hitch	-	190-827-100	40 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 48" Stamped Mower Deck

NOTE: (B) Fits All 2000 Series Mower Decks 38", 42", 44", 46", 48" & 54"

NOTE: (C) Vacuum Assisted Collection System, 5 HP. 62 Cu. Ft. Capacity

NOTE: (D) Includes Sleeve Hitch, Roller and Electric Lift

NOTE: (E) Includes Sleeve Hitch, Roller and Electric Lift

MODEL: GT 2523-54

YEAR: 2004

Factory Model Number: 13A-2A8K710

23 H.P. Hydro Drive
Electric P.T.O. / 54" Deck
Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	72.0"
Width (Over-All)	39.0" / Without Deck
Height (Over-All)	42.0"
Ground Clearance	6.0"
Weight (Approximate)	735 lbs. With 54" Deck
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.0"
Tread Front/Rear	30"/27.5"
Turning Radius	28"
Front Wheel Tire Size	16 x 6.5-8
Rear Wheel Tire Size	23 x 9.5-12
Trans/Differential Type	Aluminum
Forward Speed	0-5.5 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH23S-76586
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	23 HP (17.2 kW)
Peak Torque	37.9 ft. lbs. @ 2,400 RPM
Displacement	41.0 cu in. (674cc)
Bore	3.15"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1400 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	2.25 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-25-435-06-S
Muffler	951-3001
Battery	925-1707D

ENGINE:

Complete Engine	KH-PA-76586 (N.L.A.)
Short Block	KH-24-522-251
Mini Block	Not Available

WARRANTY:

Limited Residential	2 Year
Engine	2 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GT 2523-54**YEAR: 2004**

Factory Model Number: 13A-2A8K710

23 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
54"	3	Stamped	(A)	K	(B)	191 lbs.	1 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped	-	No	190-286-100	105 lbs.	1 Year
(C)	10 Cu. Ft. Cart	Stamped	(D)	No	190-217B100	377 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped	-	Yes	590-507-100	22 lbs.	1 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	1	Manual	-	190-341-100	181 lbs.	1 Year
Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty	
42"	Manual	Manual	-	190-302-100	95 lbs.	1 Year	

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front Bumper	-	190-298-100	15 lbs.	1 Year
Front & Rear Weight Bracket	-	190-307-100	15 lbs.	1 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	1 Year
46" Lawn Sweeper	-	190-459-100	92 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	1 Year
15 Cu. Ft. Dump Cart, 15.0" x 6.0" Whls.	-	190-458-100	105 lbs.	1 Year
17 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-425-100	172 lbs.	1 Year
Ag Tire 23" x 8.5" x 12"	-	(E)	-	-
30" Hydraulic Tiller	(F)	190-002-100	260 lbs.	1 Year
Electric Sleeve Hitch	-	190-827-100	40 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 54" Stamped Mower Deck**NOTE: (B)** Mower Deck Not Available as Wholegood**NOTE: (C)** Fits All 2000 Series Mower Decks 38", 42", 44", 46", 48" & 54"**NOTE: (D)** Vacuum Assisted Collection System, 5 HP. 62 Cu. Ft. Capacity**NOTE: (E)** One (1) Ag Tire Without Rim (734-3112)**NOTE: (F)** Includes Sleeve Hitch, Roller and Electric Lift

GT 2544	20 H.P. Command	Twin	Hydro	2005
GT 2550	21 H.P. Command	Twin	Hydro	2005
GT 2554	23 H.P. Command	Twin	Hydro	2005

MODEL: GT 2544

YEAR: 2005

Factory Model Number: 13A-2D7L710

20 H.P. Hydro Drive
Electric P.T.O. / 44" Deck
Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	72.0"
Width (Over-All)	39.0" / Without Deck
Height (Over-All)	42.0"
Ground Clearance	6.0"
Weight (Approximate)	800 lbs. With 44" Deck
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.0"
Tread Front/Rear	30"/27.5"
Turning Radius	28"
Front Wheel Tire Size	16 x 6.5-8
Rear Wheel Tire Size	23 x 9.5-12
Trans/Differential Type	Aluminum
Forward Speed	0-5.5 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH20S-64638
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	20 HP (14.9 kW)
Peak Torque	32.7 ft. lbs. @ 2,400 RPM
Displacement	38.0 cu in. (624cc)
Bore	3.03"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1400 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	2.25 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-02-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-52-435-02
Muffler	951-3001
Battery	925-1707D

ENGINE:

Complete Engine	KH-64638 (N.L.A.)
Short Block	See Illustrated Parts List
Mini Block	Not Available

WARRANTY:

Limited Residential	2 Year
Engine	2 Year
P.T.O. Clutch	3 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GT 2544

YEAR: 2005

Factory Model Number: 13A-2D7L710

20 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
44"	3	Stamped	(A)	L	190-214-100	105 lbs.	1 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
44"	3	Stamped	6 bu. Bagger Kit	No	190-210-100	90 lbs.	1 Year
(B)	10 Cu. Ft. Cart	Stamped	(C)	No	190-217B100	377 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
			(D)				

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	1	Manual	-	190-341-100	181 lbs.	1 Year
Blade Size	Angle Man/Elec.		Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	Manual		Manual	-	190-302-100	95 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front Bumper	-	190-298-100	15 lbs.	1 Year
Front & Rear Weight Bracket	-	190-307-100	15 lbs.	1 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	1 Year
46" Lawn Sweeper	-	190-459-100	92 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	1 Year
10 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-368-100	114 lbs.	1 Year
15 Cu. Ft. Dump Cart, 15.0" x 6.0" Whls.	-	190-458-100	105 lbs.	1 Year
17 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-425-100	172 lbs.	1 Year
Ag Tire 23" x 8.5" x 12"	-	(E)	-	-
30" Hydraulic Tiller	(F)	190-002-100	260 lbs.	1 Year
Electric Sleeve Hitch	-	190-827-100	40 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

- NOTE: (A)** Tractor Comes With 44" Stamped Mower Deck
- NOTE: (B)** Fits All 2000 Series Mower Decks 38", 42", 44", 46", 48", 50" & 54"
- NOTE: (C)** Vacuum Assisted Collection System, 5 HP. 62 Cu. Ft. Capacity
- NOTE: (D)** Tractor Comes With Mulch Plug 731-2363
- NOTE: (E)** One (1) Ag Tire Without Rim (734-3112)
- NOTE: (F)** Includes Sleeve Hitch, Roller and Electric Lift

MODEL: GT 2550

YEAR: 2005

Factory Model Number: 13A-2C7P710

21 H.P. Hydro Drive
Electric P.T.O. / 50" Deck
Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	72.0"
Width (Over-All)	39.0" / Without Deck
Height (Over-All)	42.0"
Ground Clearance	6.0"
Weight (Approximate)	841 lbs. With 50" Deck
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.0"
Tread Front/Rear	30"/27.5"
Turning Radius	28"
Front Wheel Tire Size	16 x 6.5-8
Rear Wheel Tire Size	23 x 9.5-12
Trans/Differential Type	Aluminum
Forward Speed	0-5.5 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH21S-76602
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	21 HP (16.4 kW)
Peak Torque	36.2 ft. lbs. @ 2,400 RPM
Displacement	38.0 cu in. (624cc)
Bore	3.03"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1400 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	2.25 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-25-435-06-S
Muffler	951-3001
Battery	925-1707D

ENGINE:

Complete Engine	KH-PA-76602
Short Block	KH-24-522-251
Mini Block	Not Available

WARRANTY:

Limited Residential	2 Year
Engine	2 Year
P.T.O. Clutch	3 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GT 2550**YEAR: 2005**

Factory Model Number: 13A-2C7P710

21 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
50"	3	Stamped	(A)	P	(B)	150 lbs.	1 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
50"	3	Stamped	6 bu. Bagger Kit	No	190-283-100	93 lbs.	1 Year
(C)	10 Cu. Ft. Cart	Stamped	(D)	No	190-217B100	377 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
50"	0	Stamped	-	No	190-193-000	2 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	1	Manual	-	190-341-100	181 lbs.	1 Year
Blade Size	Angle Man/Elec.		Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	Manual		Manual	-	190-302-100	95 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front Bumper	-	190-298-100	15 lbs.	1 Year
Front & Rear Weight Bracket	-	190-307-100	15 lbs.	1 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	1 Year
46" Lawn Sweeper	-	190-459-100	92 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	1 Year
10 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-368-100	114 lbs.	1 Year
15 Cu. Ft. Dump Cart, 15.0" x 6.0" Whls.	-	190-458-100	105 lbs.	1 Year
17 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-425-100	172 lbs.	1 Year
Ag Tire 23" x 8.5" x 12"	-	(E)	-	-
30" Hydraulic Tiller	(F)	190-002-100	260 lbs.	1 Year
Electric Sleeve Hitch	-	190-827-100	40 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 50" Stamped Mower Deck**NOTE: (B)** Mower Deck Not Available As A Wholegood**NOTE: (C)** Fits All 2000 Series Mower Decks 38", 42", 44", 46", 48", 50" & 54"**NOTE: (D)** Vacuum Assisted Collection System, 5 HP. 62 Cu. Ft. Capacity**NOTE: (E)** One (1) Ag Tire Without Rim (734-3112)**NOTE: (F)** Includes Sleeve Hitch, Roller and Electric Lift

MODEL: GT 2554

YEAR: 2005

Factory Model Number: 13A-2A7K710

23 H.P. Hydro Drive
Electric P.T.O. / 54" Deck
Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	72.0"
Width (Over-All)	39.0" / Without Deck
Height (Over-All)	42.0"
Ground Clearance	6.0"
Weight (Approximate)	846 lbs. With 54" Deck
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.0"
Tread Front/Rear	30"/27.5"
Turning Radius	28"
Front Wheel Tire Size	16 x 6.5-8
Rear Wheel Tire Size	23 x 9.5-12
Trans/Differential Type	Aluminum
Forward Speed	0-5.5 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH23S-76586
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	23 HP (17.2 kW)
Peak Torque	37.9 ft. lbs. @ 2,400 RPM
Displacement	41.0 cu in. (674cc)
Bore	3.15"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1400 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	2.25 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-25-435-06-S
Muffler	951-3001
Battery	925-1707D

ENGINE:

Complete Engine	KH-PA-76586 (N.L.A.)
Short Block	KH-24-522-251
Mini Block	Not Available

WARRANTY:

Limited Residential	2 Year
Engine	2 Year
P.T.O. Clutch	3 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GT 2554**YEAR: 2005**

Factory Model Number: 13A-2A7K710

23 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
54"	3	Stamped	(A)	K	(B)	150 lbs.	1 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped	6 bu. Bagger Kit	No	190-286-100	105 lbs.	1 Year
(C)	10 Cu. Ft. Cart	Stamped	(D)	No	190-217B100	377 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped	-	Yes	590-507-100	22 lbs.	1 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	1	Manual	-	190-341-100	181 lbs.	1 Year
Blade Size	Angle Man/Elec.		Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	Manual		Manual	-	190-302-100	95 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front Bumper	-	190-298-100	15 lbs.	1 Year
Front & Rear Weight Bracket	-	190-307-100	15 lbs.	1 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	1 Year
46" Lawn Sweeper	-	190-459-100	92 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	1 Year
10 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-368-100	114 lbs.	1 Year
15 Cu. Ft. Dump Cart, 15.0" x 6.0" Whls.	-	190-458-100	105 lbs.	1 Year
17 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-425-100	172 lbs.	1 Year
Ag Tire 23" x 8.5" x 12"	-	(E)	-	-
30" Hydraulic Tiller	(F)	190-002-100	260 lbs.	1 Year
Electric Sleeve Hitch	-	190-827-100	40 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 54" Stamped Mower Deck**NOTE: (B)** Mower Deck Not Available As A Wholegood**NOTE: (C)** Fits All 2000 Series Mower Decks 38", 42", 44", 46", 48", 50" & 54"**NOTE: (D)** Vacuum Assisted Collection System, 5 HP. 62 Cu. Ft. Capacity**NOTE: (E)** One (1) Ag Tire Without Rim (734-3112)**NOTE: (F)** Includes Sleeve Hitch, Roller and Electric Lift

GT 2542	20 H.P. Command	Twin	Hydro	2006
GT 2544	21 H.P. Command	Twin	Hydro	2006
GT 2550	22 H.P. Command	Twin	Hydro	2006
GT 2554	23 H.P. Command	Twin	Hydro	2006
GT 2554	23 H.P. Command	Twin	Hydro	2006

MODEL: GT 2542

YEAR: 2006

Factory Model Number: 14A-2D2G710

20 H.P. Hydro Drive
Electric P.T.O. / 42" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	72.0"
Width (Over-All)	39.0" / Without Deck
Height (Over-All)	42.0"
Ground Clearance	6.0"
Weight (Approximate)	735 lbs. With 42" Deck
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.0"
Tread Front/Rear	30"/27.5"
Turning Radius	20"
Front Wheel Tire Size	15 x 6-8
Rear Wheel Tire Size	23 x 9.5-12
Trans/Differential Type	Aluminum
Forward Speed	0-5.8 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH20S-64742
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	20 HP (14.9 kW)
Peak Torque	32.7 ft. lbs. @ 2,400 RPM
Displacement	38.0 cu in. (624cc)
Bore	3.03"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1400 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	2.25 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-25-435-06-S
Muffler	751-10249A
Battery	925-1707D

ENGINE:

Complete Engine	KH-PA-64742
Short Block	KH-24-522-180
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 150 Hrs.
Engine	3 Year
P.T.O. Clutch	3 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GT 2542**YEAR: 2006**Factory Model Number: 14A-2D2G710

20 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
42"	2	Stamped	(A)	G	190-214-100	105 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
42"	2	Stamped	4 bu. Bagger Kit	No	190-305-100	60 lbs.	2 Year
(B)	10 Cu. Ft. Cart	Stamped	(C)	No	190-217B100	377 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
(D)							

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	1	Manual	-	190-341-100	181 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	Manual	Manual	-	190-302-100	95 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front Bumper	-	190-298-100	15 lbs.	2 Year
Front & Rear Weight Bracket	-	190-307-100	15 lbs.	2 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	2 Year
46" Lawn Sweeper	-	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	2 Year
10 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-368-100	114 lbs.	2 Year
15 Cu. Ft. Dump Cart, 15.0" x 6.0" Whls.	-	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-425-100	172 lbs.	2 Year
Ag Tire 23" x 8.5" x 12"	-	(E)	-	-
30" Hydraulic Tiller	(F)	190-002-100	260 lbs.	2 Year
Electric Sleeve Hitch	-	190-827-100	40 lbs.	2 Year
10 Cu. Ft. Dump Cart	(G)	190-120-100	-	90 Days
17 Cu. Ft. Dump Cart	(G)	190-121-100	-	90 Days
12 Cu. Ft. Poly Convertible Dump Cart	(G)	190-123-100	-	90 Days
130 Lb. Capacity Broadcast Spreader	(G)	190-125-100	-	90 Days
42" Lawn Dethatcher	(G)	190-126-100	-	90 Days
42" Lawn Spike Aerator	(G)	190-127-100	-	90 Days
42" Lawn Plug Aerator	(G)	190-128-100	-	90 Days
45" Lawn Sweeper	(G)	190-129-100	-	90 Days

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 42" Stamped Mower Deck**NOTE: (B)** Fits All 2000 Series Mower Decks 38", 42", 44", 46", 48", 50" & 54"**NOTE: (C)** Vacuum Assisted Collection System, 5 HP. 62 Cu. Ft. Capacity**NOTE: (D)** Tractor Comes With Mulch Plug 731-2363**NOTE: (E)** One (1) Ag Tire Without Rim (734-3112)**NOTE: (F)** Includes Sleeve Hitch, Roller and Electric Lift**NOTE: (G)** Contact Precision 1-800-225-5891 Extension 204

MODEL: GT 2544

YEAR: 2006

Factory Model Number: 14A-2C7L710

21 H.P. Hydro Drive
Electric P.T.O. / 44" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	72.0"
Width (Over-All)	39.0" / Without Deck
Height (Over-All)	42.0"
Ground Clearance	6.0"
Weight (Approximate)	800 lbs. With 44" Deck
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.0"
Tread Front/Rear	30"/27.5"
Turning Radius	20"
Front Wheel Tire Size	16 x 6.5-8
Rear Wheel Tire Size	23 x 9.5-12
Trans/Differential Type	Aluminum
Forward Speed	0-5.8 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH21S-76621
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	21 HP (16.4 kW)
Peak Torque	36.2 ft. lbs. @ 2,400 RPM
Displacement	38.0 cu in. (624cc)
Bore	3.03"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1400 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	2.25 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-25-435-06-S
Muffler	751-10249A
Battery	925-1707D

ENGINE:

Complete Engine	KH-PA-76621
Short Block	KH-24-522-251
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 150 Hrs.
Engine	3 Year
P.T.O. Clutch	3 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GT 2544**YEAR: 2006**

Factory Model Number: 14A-2C7L710

21 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
44"	3	Stamped	(A)	L	190-214-100	105 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
44"	3	Stamped	6 bu. Bagger Kit	No	190-210-100	90 lbs.	2 Year
(B)	10 Cu. Ft. Cart	Stamped	(C)	No	190-217B100	377 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
(D)							

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	1	Manual	-	190-341-100	181 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	Manual	Manual	-	190-302-100	95 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front Bumper	-	190-298-100	15 lbs.	2 Year
Front & Rear Weight Bracket	-	190-307-100	15 lbs.	2 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	2 Year
46" Lawn Sweeper	-	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	2 Year
10 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-368-100	114 lbs.	2 Year
15 Cu. Ft. Dump Cart, 15.0" x 6.0" Whls.	-	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-425-100	172 lbs.	2 Year
Ag Tire 23" x 8.5" x 12"	-	(E)	-	-
30" Hydraulic Tiller	(F)	190-002-100	260 lbs.	2 Year
Electric Sleeve Hitch	-	190-827-100	40 lbs.	2 Year
10 Cu. Ft. Dump Cart	(G)	190-120-100	-	90 Days
17 Cu. Ft. Dump Cart	(G)	190-121-100	-	90 Days
12 Cu. Ft. Poly Convertible Dump Cart	(G)	190-123-100	-	90 Days
130 Lb. Capacity Broadcast Spreader	(G)	190-125-100	-	90 Days
42" Lawn Dethatcher	(G)	190-126-100	-	90 Days
42" Lawn Spike Aerator	(G)	190-127-100	-	90 Days
42" Lawn Plug Aerator	(G)	190-128-100	-	90 Days
45" Lawn Sweeper	(G)	190-129-100	-	90 Days

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 44" Stamped Mower Deck**NOTE: (B)** Fits All 2000 Series Mower Decks 38", 42", 44", 46", 48", 50" & 54"**NOTE: (C)** Vacuum Assisted Collection System, 5 HP. 62 Cu. Ft. Capacity**NOTE: (D)** Tractor Comes With Mulch Plug 731-2363**NOTE: (E)** One (1) Ag Tire Without Rim (734-3112)**NOTE: (F)** Includes Sleeve Hitch, Roller and Electric Lift**NOTE: (G)** Contact Precision 1-800-225-5891 Extension 204

MODEL: GT 2550

YEAR: 2006

Factory Model Number: 14A-2E7P710

22 H.P. Hydro Drive
Electric P.T.O. / 50" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	72.0"
Width (Over-All)	39.0" / Without Deck
Height (Over-All)	42.0"
Ground Clearance	6.0"
Weight (Approximate)	841 lbs. With 50" Deck
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.0"
Tread Front/Rear	30"/27.5"
Turning Radius	20"
Front Wheel Tire Size	16 x 6.5-8
Rear Wheel Tire Size	23 x 9.5-12
Trans/Differential Type	Aluminum
Forward Speed	0-5.8 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH22S-76620
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	22 HP (16.4 kW)
Peak Torque	36.2 ft. lbs. @ 2,400 RPM
Displacement	41.0 cu in. (674cc)
Bore	3.15"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1400 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	2.25 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-25-435-06-S
Muffler	751-10249A
Battery	925-1707D

ENGINE:

Complete Engine	KH-CH670-0011
Short Block	KH-24-522-251
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 150 Hrs.
Engine	3 Year
P.T.O. Clutch	3 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GT 2550**YEAR: 2006**

Factory Model Number: 14A-2E7P710

22 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
50"	3	Stamped	(A)	P	(B)	150 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
50"	3	Stamped	6 bu. Bagger Kit	No	190-283-100	93 lbs.	2 Year
(C)	10 Cu. Ft. Cart	Stamped	(D)	No	190-217B100	377 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
50"	0	Stamped	-	No	190-193-000	2 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	1	Manual	-	190-341-100	181 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	Manual	Manual	-	190-302-100	95 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front Bumper	-	190-298-100	15 lbs.	2 Year
Front & Rear Weight Bracket	-	190-307-100	15 lbs.	2 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	2 Year
46" Lawn Sweeper	-	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	2 Year
10 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-368-100	114 lbs.	2 Year
15 Cu. Ft. Dump Cart, 15.0" x 6.0" Whls.	-	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-425-100	172 lbs.	2 Year
Ag Tire 23" x 8.5" x 12"	-	(E)	-	-
30" Hydraulic Tiller	(F)	190-002-100	260 lbs.	2 Year
Electric Sleeve Hitch	-	190-827-100	40 lbs.	2 Year
10 Cu. Ft. Dump Cart	(G)	190-120-100	-	90 Days
17 Cu. Ft. Dump Cart	(G)	190-121-100	-	90 Days
12 Cu. Ft. Poly Convertible Dump Cart	(G)	190-123-100	-	90 Days
130 Lb. Capacity Broadcast Spreader	(G)	190-125-100	-	90 Days
42" Lawn Dethatcher	(G)	190-126-100	-	90 Days
42" Lawn Spike Aerator	(G)	190-127-100	-	90 Days
42" Lawn Plug Aerator	(G)	190-128-100	-	90 Days
45" Lawn Sweeper	(G)	190-129-100	-	90 Days

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 50" Stamped Mower Deck**NOTE: (B)** Mower Deck Not Available As A Wholegood**NOTE: (C)** Fits All 2000 Series Mower Decks 38", 42", 44", 46", 48", 50" & 54"**NOTE: (D)** Vacuum Assisted Collection System, 5 HP. 62 Cu. Ft. Capacity**NOTE: (E)** One (1) Ag Tire Without Rim (734-3112)**NOTE: (F)** Includes Sleeve Hitch, Roller and Electric Lift**NOTE: (G)** Contact Precision 1-800-225-5891 Extension 204

MODEL: GT 2554

YEAR: 2006

Factory Model Number: 14A-2A7K710

23 H.P. Hydro Drive
Electric P.T.O. / 54" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	72.0"
Width (Over-All)	39.0" / Without Deck
Height (Over-All)	42.0"
Ground Clearance	6.0"
Weight (Approximate)	846 lbs. With 54" Deck
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.0"
Tread Front/Rear	30"/27.5"
Turning Radius	28"
Front Wheel Tire Size	16 x 6.5-8
Rear Wheel Tire Size	23 x 9.5-12
Trans/Differential Type	Aluminum
Forward Speed	0-5.5 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH23S-76619
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	23 HP (17.2 kW)
Peak Torque	37.9 ft. lbs. @ 2,400 RPM
Displacement	41.0 cu in. (674cc)
Bore	3.15"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1400 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	2.25 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-25-435-06-S
Muffler	751-10249A
Battery	925-1707D

ENGINE:

Complete Engine	KH-PA-76619
Short Block	KH-24-522-251
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 150 Hrs.
Engine	3 Year
P.T.O. Clutch	3 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GT 2554**YEAR: 2006**

Factory Model Number: 14A-2A7K710

23 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
54"	3	Stamped	(A)	K	(B)	150 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped	6 bu. Bagger Kit	No	190-286-100	105 lbs.	2 Year
(C)	10 Cu. Ft. Cart	Stamped	(D)	No	190-217B100	377 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped	-	Yes	590-507-100	22 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	1	Manual	-	190-341-100	181 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	Manual	Manual	-	190-302-100	95 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front Bumper	-	190-298-100	15 lbs.	2 Year
Front & Rear Weight Bracket	-	190-307-100	15 lbs.	2 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	2 Year
46" Lawn Sweeper	-	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	2 Year
10 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-368-100	114 lbs.	2 Year
15 Cu. Ft. Dump Cart, 15.0" x 6.0" Whls.	-	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-425-100	172 lbs.	2 Year
Ag Tire 23" x 8.5" x 12"	-	(E)	-	-
30" Hydraulic Tiller	(F)	190-002-100	260 lbs.	2 Year
Electric Sleeve Hitch	-	190-827-100	40 lbs.	2 Year
10 Cu. Ft. Dump Cart	(G)	190-120-100	-	90 Days
17 Cu. Ft. Dump Cart	(G)	190-121-100	-	90 Days
12 Cu. Ft. Poly Convertible Dump Cart	(G)	190-123-100	-	90 Days
130 Lb. Capacity Broadcast Spreader	(G)	190-125-100	-	90 Days
42" Lawn Dethatcher	(G)	190-126-100	-	90 Days
42" Lawn Spike Aerator	(G)	190-127-100	-	90 Days
42" Lawn Plug Aerator	(G)	190-128-100	-	90 Days
45" Lawn Sweeper	(G)	190-129-100	-	90 Days

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 54" Stamped Mower Deck**NOTE: (B)** Mower Deck Not Available As A Wholegood**NOTE: (C)** Fits All 2000 Series Mower Decks 38", 42", 44", 46", 48", 50" & 54"**NOTE: (D)** Vacuum Assisted Collection System, 5 HP. 62 Cu. Ft. Capacity**NOTE: (E)** One (1) Ag Tire Without Rim (734-3112)**NOTE: (F)** Includes Sleeve Hitch, Roller and Electric Lift**NOTE: (F)** Includes Sleeve Hitch, Roller and Electric Lift**NOTE: (G)** Contact Precision 1-800-225-5891 Extension 204

MODEL: GT 2554

YEAR: 2006

Factory Model Number: 14A-2A7K710

23 H.P. Hydro Drive
Electric P.T.O. / 54" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	72.0"
Width (Over-All)	39.0" / Without Deck
Height (Over-All)	42.0"
Ground Clearance	6.0"
Weight (Approximate)	846 lbs. With 54" Deck
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.0"
Tread Front/Rear	30"/27.5"
Turning Radius	28"
Front Wheel Tire Size	16 x 6.5-8
Rear Wheel Tire Size	23 x 9.5-12
Trans/Differential Type	Aluminum
Forward Speed	0-5.5 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH23S-76623
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	23 HP (17.2 kW)
Peak Torque	37.9 ft. lbs. @ 2,400 RPM
Displacement	41.0 cu in. (674cc)
Bore	3.15"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1400 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	2.25 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-25-435-06-S
Muffler	751-10249A
Battery	925-1707D

ENGINE:

Complete Engine	KH-PA-76623 (N.L.A.)
Short Block	KH-24-522-251
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 150 Hrs.
Engine	3 Year
P.T.O. Clutch	3 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GT 2554**YEAR: 2006**

Factory Model Number: 14A-2A7K710

23 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
54"	3	Stamped	(A)	K	(B)	150 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped	6 bu. Bagger Kit	No	190-286-100	105 lbs.	2 Year
(C)	10 Cu. Ft. Cart	Stamped	(D)	No	190-217B100	377 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped	-	Yes	590-507-100	22 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	1	Manual	-	190-341-100	181 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	Manual	Manual	-	190-302-100	95 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front Bumper	-	190-298-100	15 lbs.	2 Year
Front & Rear Weight Bracket	-	190-307-100	15 lbs.	2 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	2 Year
46" Lawn Sweeper	-	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	2 Year
10 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-368-100	114 lbs.	2 Year
15 Cu. Ft. Dump Cart, 15.0" x 6.0" Whls.	-	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-425-100	172 lbs.	2 Year
Ag Tire 23" x 8.5" x 12"	-	(E)	-	-
30" Hydraulic Tiller	(F)	190-002-100	260 lbs.	2 Year
Electric Sleeve Hitch	-	190-827-100	40 lbs.	2 Year
10 Cu. Ft. Dump Cart	(G)	190-120-100	-	90 Days
17 Cu. Ft. Dump Cart	(G)	190-121-100	-	90 Days
12 Cu. Ft. Poly Convertible Dump Cart	(G)	190-123-100	-	90 Days
130 Lb. Capacity Broadcast Spreader	(G)	190-125-100	-	90 Days
42" Lawn Dethatcher	(G)	190-126-100	-	90 Days
42" Lawn Spike Aerator	(G)	190-127-100	-	90 Days
42" Lawn Plug Aerator	(G)	190-128-100	-	90 Days
45" Lawn Sweeper	(G)	190-129-100	-	90 Days

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 54" Stamped Mower Deck**NOTE: (B)** Mower Deck Not Available As A Wholegood**NOTE: (C)** Fits All 2000 Series Mower Decks 38", 42", 44", 46", 48", 50" & 54"**NOTE: (D)** Vacuum Assisted Collection System, 5 HP. 62 Cu. Ft. Capacity**NOTE: (E)** One (1) Ag Tire Without Rim (734-3112)**NOTE: (F)** Includes Sleeve Hitch, Roller and Electric Lift**NOTE: (G)** Contact Precision 1-800-225-5891 Extension 204

GT 2542	20 H.P. Command	Twin	Hydro	2007
GT 2544	21 H.P. Command	Twin	Hydro	2007
GT 2550	22 H.P. Command	Twin	Hydro	2007
GT 2554	23 H.P. Command	Twin	Hydro	2007

MODEL: GT 2542

YEAR: 2007

Factory Model Number: 14A-2D2G710

20 H.P. Hydro Drive
Electric P.T.O. / 42" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	72.0"
Width (Over-All)	39.0" / Without Deck
Height (Over-All)	42.0"
Ground Clearance	6.0"
Weight (Approximate)	735 lbs. With 42" Deck
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.0"
Tread Front/Rear	30"/27.5"
Turning Radius	20"
Front Wheel Tire Size	15 x 6-8
Rear Wheel Tire Size	23 x 9.5-12
Trans/Differential Type	Aluminum
Forward Speed	0-5.8 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH20S-64748
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	20 HP (14.9 kW)
Peak Torque	32.7 ft. lbs. @ 2,400 RPM
Displacement	38.0 cu in. (624cc)
Bore	3.03"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1400 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	2.25 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-25-435-06-S
Muffler	751-10249A
Battery	925-1707D

ENGINE:

Complete Engine	KH-PA-64748
Short Block	KH-24-522-130
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 150 Hrs.
Engine	3 Year / 150 Hrs.
P.T.O. Clutch	3 Year / 150 Hrs.
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GT 2542**YEAR: 2007**Factory Model Number: 14A-2D2G710

20 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
42"	2	Stamped	(A)	G	190-214-100	105 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
42"	2	Stamped	4 bu. Bagger Kit	No	190-305-100	60 lbs.	2 Year
(B)	10 Cu. Ft. Cart	Stamped	(C)	No	190-217B100	377 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
(D)							

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	1	Manual	-	190-341-100	181 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	Manual	Manual	-	190-302-100	95 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front Bumper	-	190-298-100	15 lbs.	2 Year
Front & Rear Weight Bracket	-	190-307-100	15 lbs.	2 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	2 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	2 Year
Tire Chains 23" x 9.5"	-	190-964-100	10 lbs.	2 Year
46" Lawn Sweeper	-	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	2 Year
10 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-368-100	114 lbs.	2 Year
15 Cu. Ft. Dump Cart, 15.0" x 6.0" Whls.	-	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-425-100	172 lbs.	2 Year
Ag Tire 23" x 8.5" x 12"	-	(E)	-	-
30" Hydraulic Tiller	Includes: Sleeve Hitch, Roller, Electric Lift	190-002-100	260 lbs.	2 Year
Electric Sleeve Hitch	-	190-827-100	40 lbs.	2 Year
10 Cu. Ft. Poly Cart With Divider Tool Tray	(F)	19A-106-100	81 lbs.	2 Year
Broadcast Spreader	(F)	19A-105-100	44 lbs.	2 Year
48" Lawn Dethatcher	(F)	19A-107-100	37 lbs.	2 Year
48" Lawn Plug Aerator	(F)	19A-108-100	86 lbs.	2 Year
48" Lawn Spike Aerator	(F)	19A-109-100	54 lbs.	2 Year
42" Lawn Sweeper	(F)	19A-103-100	82 lbs.	2 Year
48" Lawn Roller	(F)	19A-113-100	62 lbs.	2 Year
25 gal. Sprayer	(F)	19A-104-100	53 lbs.	2 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 42" Stamped Mower Deck**NOTE: (B)** Fits All 2000 Series Mower Decks 38", 42", 44", 46", 48", 50" & 54"**NOTE: (C)** Vacuum Assisted Collection System, 5 HP. 62 Cu. Ft. Capacity**NOTE: (D)** Tractor Comes With Mulch Plug 731-2363**NOTE: (E)** One (1) Ag Tire Without Rim (734-3112)**NOTE: (F)** Contact Brinley Hardy 1-800-626-5329

MODEL: GT 2544

YEAR: 2007

Factory Model Number: 14A-2C7L710

21 H.P. Hydro Drive
Electric P.T.O. / 44" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	72.0"
Width (Over-All)	39.0" / Without Deck
Height (Over-All)	42.0"
Ground Clearance	6.0"
Weight (Approximate)	800 lbs. With 44" Deck
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.0"
Tread Front/Rear	30"/27.5"
Turning Radius	20"
Front Wheel Tire Size	16 x 6.5-8
Rear Wheel Tire Size	23 x 9.5-12
Trans/Differential Type	Aluminum
Forward Speed	0-5.8 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH21S-76621
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	21 HP (16.4 kW)
Peak Torque	36.2 ft. lbs. @ 2,400 RPM
Displacement	38.0 cu in. (624cc)
Bore	3.03"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1400 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	2.25 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-25-435-06-S
Muffler	751-10249A
Battery	925-1707D

ENGINE:

Complete Engine	KH-PA-76621
Short Block	KH-24-522-251
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 150 Hrs.
Engine	3 Year / 150 Hrs.
P.T.O. Clutch	3 Year / 150 Hrs.
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GT 2544**YEAR: 2007**

Factory Model Number: 14A-2C7L710

21 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
44"	3	Stamped	(A)	L	190-214-100	105 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
44"	3	Stamped	6 bu. Bagger Kit	No	190-210-100	90 lbs.	2 Year
(B)	10 Cu. Ft. Cart	Stamped	(C)	No	190-217B100	377 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
(D)							

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	1	Manual	-	190-341-100	181 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	Manual	Manual	-	190-302-100	95 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front Bumper	-	190-298-100	15 lbs.	2 Year
Front & Rear Weight Bracket	-	190-307-100	15 lbs.	2 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	2 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	2 Year
Tire Chains 23" x 9.5"	-	190-964-100	10 lbs.	2 Year
46" Lawn Sweeper	-	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	2 Year
10 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-368-100	114 lbs.	2 Year
15 Cu. Ft. Dump Cart, 15.0" x 6.0" Whls.	-	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-425-100	172 lbs.	2 Year
Ag Tire 23" x 8.5" x 12"	-	(E)	-	-
30" Hydraulic Tiller	Includes: Sleeve Hitch, Roller, Electric Lift	190-002-100	260 lbs.	2 Year
Electric Sleeve Hitch	-	190-827-100	40 lbs.	2 Year
10 Cu. Ft. Poly Cart With Divider Tool Tray	(F)	19A-106-100	81 lbs.	2 Year
Broadcast Spreader	(F)	19A-105-100	44 lbs.	2 Year
48" Lawn Dethatcher	(F)	19A-107-100	37 lbs.	2 Year
48" Lawn Plug Aerator	(F)	19A-108-100	86 lbs.	2 Year
48" Lawn Spike Aerator	(F)	19A-109-100	54 lbs.	2 Year
42" Lawn Sweeper	(F)	19A-103-100	82 lbs.	2 Year
48" Lawn Roller	(F)	19A-113-100	62 lbs.	2 Year
25 gal. Sprayer	(F)	19A-104-100	53 lbs.	2 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 44" Stamped Mower Deck**NOTE: (B)** Fits All 2000 Series Mower Decks 38", 42", 44", 46", 48", 50" & 54"**NOTE: (C)** Vacuum Assisted Collection System, 5 HP. 62 Cu. Ft. Capacity**NOTE: (D)** Tractor Comes With Mulch Plug 731-2363**NOTE: (E)** One (1) Ag Tire Without Rim (734-3112)**NOTE: (F)** Contact Brinley Hardy 1-800-626-5329

MODEL: GT 2550

YEAR: 2007

Factory Model Number: 14A-2E7P710

22 H.P. Hydro Drive
Electric P.T.O. 50" Deck
One Piece Hood/Side Panel

GENERAL INFO:

Length (Over-All)	72.0"
Width (Over-All)	39.0" / Without Deck
Height (Over-All)	42.0"
Ground Clearance	6.0"
Weight (Approximate)	841 lbs. With 50" Deck
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.0"
Tread Front/Rear	30"/27.5"
Turning Radius	20"
Front Wheel Tire Size	16 x 6.5-8
Rear Wheel Tire Size	23 x 9.5-12
Trans/Differential Type	Aluminum
Forward Speed	0-5.8 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH670S-0011
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	22 HP (16.4 kW)
Peak Torque	36.2 ft. lbs. @ 2,400 RPM
Displacement	41.0 cu in. (674cc)
Bore	3.15"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1400 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	2.25 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-25-435-06-S
Muffler	751-10249A
Battery	925-1707D

ENGINE:

Complete Engine	KH-CH670-0011
Short Block	KH-24-522-422
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 150 Hrs.
Engine	3 Year / 150 Hrs.
P.T.O. Clutch	3 Year / 150 Hrs.
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L0421-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GT 2550**YEAR: 2007**

Factory Model Number: 14A-2E7P710

22 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
50"	3	Stamped	(A)	P	(B)	150 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
50"	3	Stamped	6 bu. Bagger Kit	No	190-283-100	93 lbs.	2 Year
(C)	10 Cu. Ft. Cart	Stamped	(D)	No	190-217B100	377 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
50"	0	Stamped	-	No	190-193-000	2 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	1	Manual	-	190-341-100	181 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	Manual	Manual	-	190-302-100	95 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front Bumper	-	190-298-100	15 lbs.	2 Year
Front & Rear Weight Bracket	-	190-307-100	15 lbs.	2 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	2 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	2 Year
Tire Chains 23" x 9.5"	-	190-964-100	10 lbs.	2 Year
46" Lawn Sweeper	-	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	2 Year
10 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-368-100	114 lbs.	2 Year
15 Cu. Ft. Dump Cart, 15.0" x 6.0" Whls.	-	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-425-100	172 lbs.	2 Year
Ag Tire 23" x 8.5" x 12"	-	(E)	-	-
30" Hydraulic Tiller	-	190-002-100	260 lbs.	2 Year
Electric Sleeve Hitch	-	190-827-100	40 lbs.	2 Year
10 Cu. Ft. Poly Cart With Divider Tool Tray	(F)	19A-106-100	81 lbs.	2 Year
Broadcast Spreader	(F)	19A-105-100	44 lbs.	2 Year
48" Lawn Dethatcher	(F)	19A-107-100	37 lbs.	2 Year
48" Lawn Plug Aerator	(F)	19A-108-100	86 lbs.	2 Year
48" Lawn Spike Aerator	(F)	19A-109-100	54 lbs.	2 Year
42" Lawn Sweeper	(F)	19A-103-100	82 lbs.	2 Year
48" Lawn Roller	(F)	19A-113-100	62 lbs.	2 Year
25 gal. Sprayer	(F)	19A-104-100	53 lbs.	2 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 50" Stamped Mower Deck**NOTE: (B)** Mower Deck Not Available As A Wholegood**NOTE: (C)** Fits All 2000 Series Mower Decks 38", 42", 44", 46", 48", 50" & 54"**NOTE: (D)** Vacuum Assisted Collection System, 5 HP. 62 Cu. Ft. Capacity**NOTE: (E)** One (1) Ag Tire Without Rim (734-3112)**NOTE: (F)** Contact Brinley Hardy 1-800-626-5329

MODEL: GT 2554

YEAR: 2007-2010

Factory Model Number: 14A-2A7K010

23 H.P. Hydro Drive
Electric P.T.O. / 54" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	72.0"
Width (Over-All)	39.0" / Without Deck
Height (Over-All)	42.0"
Ground Clearance	6.0"
Weight (Approximate)	846 lbs. With 54" Deck
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.0"
Tread Front/Rear	30"/27.5"
Turning Radius	28"
Front Wheel Tire Size	16 x 6.5-8
Rear Wheel Tire Size	23 x 9.5-12
Trans/Differential Type	Aluminum
Forward Speed	0-5.5 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH23S-76623
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	23 HP (17.2 kW)
Peak Torque	37.9 ft. lbs. @ 2,400 RPM
Displacement	41.0 cu in. (674cc)
Bore	3.15"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1400 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	2.25 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-25-435-06-S
Muffler	751-10249A
Battery	925-1707D

ENGINE:

Complete Engine	KH-PA-76623 (N.L.A.)
Short Block	KH-24-522-251
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 150 Hrs.
Engine	3 Year / 150 Hrs.
P.T.O. Clutch	3 Year / 150 Hrs.
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GT 2554**YEAR: 2007-2010**

Factory Model Number: 14A-2A7K010

23 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
54"	3	Stamped	(A)	K	(B)	150 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped	6 bu. Bagger Kit	No	190-286-100	105 lbs.	2 Year
(C)	10 Cu. Ft. Cart	Stamped	(D)	No	190-217B100	377 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped	-	Yes	590-507-100	22 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	1	Manual	-	190-341-100	181 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	Manual	Manual	-	190-302-100	95 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front Bumper	-	190-298-100	15 lbs.	2 Year
Front & Rear Weight Bracket	-	190-307-100	15 lbs.	2 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	2 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	2 Year
Tire Chains 23" x 9.5"	-	190-964-100	10 lbs.	2 Year
46" Lawn Sweeper	-	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	2 Year
10 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-368-100	114 lbs.	2 Year
15 Cu. Ft. Dump Cart, 15.0" x 6.0" Whls.	-	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-425-100	172 lbs.	2 Year
Ag Tire 23" x 8.5" x 12"	-	(E)	-	-
30" Hydraulic Tiller	Includes: Sleeve Hitch, Roller, Electric Lift	190-002-100	260 lbs.	2 Year
Electric Sleeve Hitch	-	190-827-100	40 lbs.	2 Year
10 Cu. Ft. Poly Cart With Divider Tool Tray	(F)	19A-106-100	81 lbs.	2 Year
Broadcast Spreader	(F)	19A-105-100	44 lbs.	2 Year
48" Lawn Dethatcher	(F)	19A-107-100	37 lbs.	2 Year
48" Lawn Plug Aerator	(F)	19A-108-100	86 lbs.	2 Year
48" Lawn Spike Aerator	(F)	19A-109-100	54 lbs.	2 Year
42" Lawn Sweeper	(F)	19A-103-100	82 lbs.	2 Year
48" Lawn Roller	(F)	19A-113-100	62 lbs.	2 Year
25 gal. Sprayer	(F)	19A-104-100	53 lbs.	2 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 54" Stamped Mower Deck**NOTE: (B)** Mower Deck Not Available As A Wholegood**NOTE: (C)** Fits All 2000 Series Mower Decks 38", 42", 44", 46", 48", 50" & 54"**NOTE: (D)** Vacuum Assisted Collection System, 5 HP. 62 Cu. Ft. Capacity**NOTE: (E)** One (1) Ag Tire Without Rim (734-3112)**NOTE: (F)** Contact Brinley-Hardy 1-800-626-5329 (Offered 2007-2009)

GT 2542	20 H.P. Command	Twin	Hydro	2008
GT 2544	22 H.P. Command	Twin	Hydro	2008
GT 2550	22 H.P. Command	Twin	Hydro	2008
GT 2554	23 H.P. Command	Twin	Hydro	2008

MODEL: GT 2542

YEAR: 2008-2010

Factory Model Number: 14A-2D2G010

20 H.P. Hydro Drive
Electric P.T.O. / 42" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	72.0"
Width (Over-All)	39.0" / Without Deck
Height (Over-All)	42.0"
Ground Clearance	6.0"
Weight (Approximate)	735 lbs. With 42" Deck
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.0"
Tread Front/Rear	30"/27.5"
Turning Radius	20"
Front Wheel Tire Size	15 x 6-8
Rear Wheel Tire Size	23 x 9.5-12
Trans/Differential Type	Aluminum
Forward Speed	0-5.8 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH20S-64748
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	20 HP (14.9 kW)
Peak Torque	32.7 ft. lbs. @ 2,400 RPM
Displacement	38.0 cu in. (624cc)
Bore	3.03"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1400 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	2.25 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-25-435-06-S
Muffler	751-10249A
Battery	925-1707D

ENGINE:

Complete Engine	KH-PA-64748
Short Block	KH-24-522-130
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 150 Hrs.
Engine	3 Year / 150 Hrs.
P.T.O. Clutch	3 Year / 150 Hrs.
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GT 2542**YEAR: 2008-2010**Factory Model Number: 14A-2D2G010

20 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
42"	2	Stamped	(A)	G	190-214-100	105 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
42"	2	Stamped	4 bu. Bagger Kit	No	190-305-100	60 lbs.	2 Year
(B)	10 Cu. Ft. Cart	Stamped	(C)	No	190-217B100	377 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
(D)							

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	1	Manual	-	190-341-100	181 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	Manual	Manual	-	190-302-100	95 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front Bumper	-	190-298-100	15 lbs.	2 Year
Front & Rear Weight Bracket	-	190-307-100	15 lbs.	2 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	2 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	2 Year
Tire Chains 23" x 9.5"	-	190-964-100	10 lbs.	2 Year
46" Lawn Sweeper	-	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	2 Year
10 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-368-100	114 lbs.	2 Year
15 Cu. Ft. Dump Cart, 15.0" x 6.0" Whls.	-	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-425-100	172 lbs.	2 Year
Ag Tire 23" x 8.5" x 12"	-	(E)	-	-
30" Hydraulic Tiller	Includes: Sleeve Hitch, Roller, Electric Lift	190-002-100	260 lbs.	2 Year
Electric Sleeve Hitch	-	190-827-100	40 lbs.	2 Year
10 Cu. Ft. Poly Cart With Divider Tool Tray	(F)	19A-106-100	81 lbs.	2 Year
Broadcast Spreader	(F)	19A-105-100	44 lbs.	2 Year
48" Lawn Dethatcher	(F)	19A-107-100	37 lbs.	2 Year
48" Lawn Plug Aerator	(F)	19A-108-100	86 lbs.	2 Year
48" Lawn Spike Aerator	(F)	19A-109-100	54 lbs.	2 Year
42" Lawn Sweeper	(F)	19A-103-100	82 lbs.	2 Year
48" Lawn Roller	(F)	19A-113-100	62 lbs.	2 Year
25 gal. Sprayer	(F)	19A-104-100	53 lbs.	2 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 42" Stamped Mower Deck**NOTE: (B)** Fits All 2000 Series Mower Decks 38", 42", 44", 46", 48", 50" & 54"**NOTE: (C)** Vacuum Assisted Collection System, 5 HP. 62 Cu. Ft. Capacity**NOTE: (D)** Tractor Comes With Mulch Plug 731-2363**NOTE: (E)** One (1) Ag Tire Without Rim (734-3112)**NOTE: (F)** Contact Brinley Hardy 1-800-626-5329 (Offered 2008-2009)

MODEL: GT 2544**YEAR: 2008-2010**Factory Model Number: **14A-2E7L010**22 H.P. Hydro Drive
Electric P.T.O. / 44" Deck
One Piece Plastic Hood**GENERAL INFO:**

Length (Over-All)	72.0"
Width (Over-All)	39.0" / Without Deck
Height (Over-All)	42.0"
Ground Clearance	6.0"
Weight (Approximate)	800 lbs. With 44" Deck
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.0"
Tread Front/Rear	30"/27.5"
Turning Radius	20"
Front Wheel Tire Size	16 x 6.5-8
Rear Wheel Tire Size	23 x 9.5-12
Trans/Differential Type	Aluminum
Forward Speed	0-5.8 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH670S-0011
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	22 HP (16.4 kW)
Peak Torque	36.2 ft. lbs. @ 2,400 RPM
Displacement	41.0 cu in. (674cc)
Bore	3.15"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1400 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	2.25 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-25-435-06-S
Muffler	751-10249A
Battery	925-1707D

ENGINE:

Complete Engine	KH-CH670-0011
Short Block	KH-24-522-422
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 150 Hrs.
Engine	3 Year / 150 Hrs.
P.T.O. Clutch	3 Year / 150 Hrs.
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GT 2544**YEAR: 2008-2010**

Factory Model Number: 14A-2E7L010

22 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
44"	3	Stamped	(A)	L	190-214-100	105 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
44"	3	Stamped	6 bu. Bagger Kit	No	190-210-100	90 lbs.	2 Year
(B)	10 Cu. Ft. Cart	Stamped	(C)	No	190-217B100	377 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
(D)							

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	1	Manual	-	190-341-100	181 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	Manual	Manual	-	190-302-100	95 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front Bumper	-	190-298-100	15 lbs.	2 Year
Front & Rear Weight Bracket	-	190-307-100	15 lbs.	2 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	2 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	2 Year
Tire Chains 23" x 9.5"	-	190-964-100	10 lbs.	2 Year
46" Lawn Sweeper	-	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	2 Year
10 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-368-100	114 lbs.	2 Year
15 Cu. Ft. Dump Cart, 15.0" x 6.0" Whls.	-	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-425-100	172 lbs.	2 Year
Ag Tire 23" x 8.5" x 12"	-	(E)	-	-
30" Hydraulic Tiller	Includes: Sleeve Hitch, Roller, Electric Lift	190-002-100	260 lbs.	2 Year
Electric Sleeve Hitch	-	190-827-100	40 lbs.	2 Year
10 Cu. Ft. Poly Cart With Divider Tool Tray	(F)	19A-106-100	81 lbs.	2 Year
Broadcast Spreader	(F)	19A-105-100	44 lbs.	2 Year
48" Lawn Dethatcher	(F)	19A-107-100	37 lbs.	2 Year
48" Lawn Plug Aerator	(F)	19A-108-100	86 lbs.	2 Year
48" Lawn Spike Aerator	(F)	19A-109-100	54 lbs.	2 Year
42" Lawn Sweeper	(F)	19A-103-100	82 lbs.	2 Year
48" Lawn Roller	(F)	19A-113-100	62 lbs.	2 Year
25 gal. Sprayer	(F)	19A-104-100	53 lbs.	2 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 44" Stamped Mower Deck**NOTE: (B)** Fits All 2000 Series Mower Decks 38", 42", 44", 46", 48", 50" & 54"**NOTE: (C)** Vacuum Assisted Collection System, 5 HP. 62 Cu. Ft. Capacity**NOTE: (D)** Tractor Comes With Mulch Plug 731-2363**NOTE: (E)** One (1) Ag Tire Without Rim (734-3112)**NOTE: (F)** Contact Brinley Hardy 1-800-626-5329 (Offered 2008-2009)

MODEL: GT 2550

YEAR: 2008-2010

Factory Model Number: 14A-2E7P010

22 H.P. Hydro Drive
Electric P.T.O. / 50" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	72.0"
Width (Over-All)	39.0" / Without Deck
Height (Over-All)	42.0"
Ground Clearance	6.0"
Weight (Approximate)	841 lbs. With 50" Deck
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.0"
Tread Front/Rear	30"/27.5"
Turning Radius	20"
Front Wheel Tire Size	16 x 6.5-8
Rear Wheel Tire Size	23 x 9.5-12
Trans/Differential Type	Aluminum
Forward Speed	0-5.8 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH670S-0011
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	22 HP (16.4 kW)
Peak Torque	36.2 ft. lbs. @ 2,400 RPM
Displacement	41.0 cu in. (674cc)
Bore	3.15"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1400 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	2.25 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-25-435-06-S
Muffler	751-10249A
Battery	925-1707D

ENGINE:

Complete Engine	KH-CH670-0011
Short Block	KH-24-522-422
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 150 Hrs.
Engine	3 Year / 150 Hrs.
P.T.O. Clutch	3 Year / 150 Hrs.
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L0421-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GT 2550**YEAR: 2008-2010**

Factory Model Number: 14A-2E7P010

22 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
50"	3	Stamped	(A)	P	190-214-100	105 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
50"	3	Stamped	4 bu. Bagger Kit	No	190-283-100	93 lbs.	2 Year
(B)	10 Cu. Ft. Cart	Stamped	(C)	No	190-217B100	377 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
(D)							

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	1	Manual	-	190-341-100	181 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	Manual	Manual	-	190-302-100	95 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front Bumper	-	190-298-100	15 lbs.	2 Year
Front & Rear Weight Bracket	-	190-307-100	15 lbs.	2 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	2 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	2 Year
Tire Chains 23" x 9.5"	-	190-964-100	10 lbs.	2 Year
46" Lawn Sweeper	-	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	2 Year
10 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-368-100	114 lbs.	2 Year
15 Cu. Ft. Dump Cart, 15.0" x 6.0" Whls.	-	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-425-100	172 lbs.	2 Year
Ag Tire 23" x 8.5" x 12"	-	(E)	-	-
30" Hydraulic Tiller	Includes: Sleeve Hitch, Roller, Electric Lift	190-002-100	260 lbs.	2 Year
Electric Sleeve Hitch	-	190-827-100	40 lbs.	2 Year
10 Cu. Ft. Poly Cart With Divider Tool Tray	(F)	19A-106-100	81 lbs.	2 Year
Broadcast Spreader	(F)	19A-105-100	44 lbs.	2 Year
48" Lawn Dethatcher	(F)	19A-107-100	37 lbs.	2 Year
48" Lawn Plug Aerator	(F)	19A-108-100	86 lbs.	2 Year
48" Lawn Spike Aerator	(F)	19A-109-100	54 lbs.	2 Year
42" Lawn Sweeper	(F)	19A-103-100	82 lbs.	2 Year
48" Lawn Roller	(F)	19A-113-100	62 lbs.	2 Year
25 gal. Sprayer	(F)	19A-104-100	53 lbs.	2 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 50" Stamped Mower Deck**NOTE: (B)** Fits All 2000 Series Mower Decks 38", 42", 44", 46", 48", 50" & 54"**NOTE: (C)** Vacuum Assisted Collection System, 5 HP. 62 Cu. Ft. Capacity**NOTE: (D)** Tractor Comes With Mulch Plug 731-2363**NOTE: (E)** One (1) Ag Tire Without Rim (734-3112)**NOTE: (F)** Contact Brinley Hardy 1-800-626-5329 (Offered 2008-2009)

MODEL: GT 2554

YEAR: 2007-2010

Factory Model Number: 14A-2A7K010

23 H.P. Hydro Drive
Electric P.T.O. / 54" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	72.0"
Width (Over-All)	39.0" / Without Deck
Height (Over-All)	42.0"
Ground Clearance	6.0"
Weight (Approximate)	846 lbs. With 54" Deck
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.0"
Tread Front/Rear	30"/27.5"
Turning Radius	28"
Front Wheel Tire Size	16 x 6.5-8
Rear Wheel Tire Size	23 x 9.5-12
Trans/Differential Type	Aluminum
Forward Speed	0-5.5 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH23S-76623
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	23 HP (17.2 kW)
Peak Torque	37.9 ft. lbs. @ 2,400 RPM
Displacement	41.0 cu in. (674cc)
Bore	3.15"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1400 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	2.25 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-25-435-06-S
Muffler	751-10249A
Battery	925-1707D

ENGINE:

Complete Engine	KH-PA-76623 (N.L.A.)
Short Block	KH-24-522-251
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 150 Hrs.
Engine	3 Year / 150 Hrs.
P.T.O. Clutch	3 Year / 150 Hrs.
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GT 2554**YEAR: 2007-2010**

Factory Model Number: 14A-2A7K010

23 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
54"	3	Stamped	(A)	K	(B)	150 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped	6 bu. Bagger Kit	No	190-286-100	105 lbs.	2 Year
(C)	10 Cu. Ft. Cart	Stamped	(D)	No	190-217B100	377 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped	-	Yes	590-507-100	22 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	1	Manual	-	190-341-100	181 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	Manual	Manual	-	190-302-100	95 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front Bumper	-	190-298-100	15 lbs.	2 Year
Front & Rear Weight Bracket	-	190-307-100	15 lbs.	2 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	2 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	2 Year
Tire Chains 23" x 9.5"	-	190-964-100	10 lbs.	2 Year
46" Lawn Sweeper	-	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	2 Year
10 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-368-100	114 lbs.	2 Year
15 Cu. Ft. Dump Cart, 15.0" x 6.0" Whls.	-	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-425-100	172 lbs.	2 Year
Ag Tire 23" x 8.5" x 12"	-	(E)	-	-
30" Hydraulic Tiller	Includes: Sleeve Hitch, Roller, Electric Lift	190-002-100	260 lbs.	2 Year
Electric Sleeve Hitch	-	190-827-100	40 lbs.	2 Year
10 Cu. Ft. Poly Cart With Divider Tool Tray	(F)	19A-106-100	81 lbs.	2 Year
Broadcast Spreader	(F)	19A-105-100	44 lbs.	2 Year
48" Lawn Dethatcher	(F)	19A-107-100	37 lbs.	2 Year
48" Lawn Plug Aerator	(F)	19A-108-100	86 lbs.	2 Year
48" Lawn Spike Aerator	(F)	19A-109-100	54 lbs.	2 Year
42" Lawn Sweeper	(F)	19A-103-100	82 lbs.	2 Year
48" Lawn Roller	(F)	19A-113-100	62 lbs.	2 Year
25 gal. Sprayer	(F)	19A-104-100	53 lbs.	2 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 54" Stamped Mower Deck**NOTE: (B)** Mower Deck Not Available As A Wholegood**NOTE: (C)** Fits All 2000 Series Mower Decks 38", 42", 44", 46", 48", 50" & 54"**NOTE: (D)** Vacuum Assisted Collection System, 5 HP. 62 Cu. Ft. Capacity**NOTE: (E)** One (1) Ag Tire Without Rim (734-3112)**NOTE: (F)** Contact Brinley-Hardy 1-800-626-5329 (Offered 2007-2009)

GT 2542	20 H.P. Command	Twin	Hydro	2009
GT 2544	22 H.P. Command	Twin	Hydro	2009
GT 2550	22 H.P. Command	Twin	Hydro	2009
GT 2554	23 H.P. Command	Twin	Hydro	2009

MODEL: GT 2542

YEAR: 2008-2010

Factory Model Number: 14A-2D2G010

20 H.P. Hydro Drive
Electric P.T.O. / 42" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	72.0"
Width (Over-All)	39.0" / Without Deck
Height (Over-All)	42.0"
Ground Clearance	6.0"
Weight (Approximate)	735 lbs. With 42" Deck
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.0"
Tread Front/Rear	30"/27.5"
Turning Radius	20"
Front Wheel Tire Size	15 x 6-8
Rear Wheel Tire Size	23 x 9.5-12
Trans/Differential Type	Aluminum
Forward Speed	0-5.8 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH20S-64748
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	20 HP (14.9 kW)
Peak Torque	32.7 ft. lbs. @ 2,400 RPM
Displacement	38.0 cu in. (624cc)
Bore	3.03"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1400 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	2.25 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-25-435-06-S
Muffler	751-10249A
Battery	925-1707D

ENGINE:

Complete Engine	KH-PA-64748
Short Block	KH-24-522-130
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 150 Hrs.
Engine	3 Year / 150 Hrs.
P.T.O. Clutch	3 Year / 150 Hrs.
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GT 2542**YEAR: 2008-2010**Factory Model Number: 14A-2D2G010

20 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
42"	2	Stamped	(A)	G	190-214-100	105 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
42"	2	Stamped	4 bu. Bagger Kit	No	190-305-100	60 lbs.	2 Year
(B)	10 Cu. Ft. Cart	Stamped	(C)	No	190-217B100	377 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
(D)							

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	1	Manual	-	190-341-100	181 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	Manual	Manual	-	190-302-100	95 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front Bumper	-	190-298-100	15 lbs.	2 Year
Front & Rear Weight Bracket	-	190-307-100	15 lbs.	2 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	2 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	2 Year
Tire Chains 23" x 9.5"	-	190-964-100	10 lbs.	2 Year
46" Lawn Sweeper	-	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	2 Year
10 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-368-100	114 lbs.	2 Year
15 Cu. Ft. Dump Cart, 15.0" x 6.0" Whls.	-	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-425-100	172 lbs.	2 Year
Ag Tire 23" x 8.5" x 12"	-	(E)	-	-
30" Hydraulic Tiller	Includes: Sleeve Hitch, Roller, Electric Lift	190-002-100	260 lbs.	2 Year
Electric Sleeve Hitch	-	190-827-100	40 lbs.	2 Year
10 Cu. Ft. Poly Cart With Divider Tool Tray	(F)	19A-106-100	81 lbs.	2 Year
Broadcast Spreader	(F)	19A-105-100	44 lbs.	2 Year
48" Lawn Dethatcher	(F)	19A-107-100	37 lbs.	2 Year
48" Lawn Plug Aerator	(F)	19A-108-100	86 lbs.	2 Year
48" Lawn Spike Aerator	(F)	19A-109-100	54 lbs.	2 Year
42" Lawn Sweeper	(F)	19A-103-100	82 lbs.	2 Year
48" Lawn Roller	(F)	19A-113-100	62 lbs.	2 Year
25 gal. Sprayer	(F)	19A-104-100	53 lbs.	2 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 42" Stamped Mower Deck**NOTE: (B)** Fits All 2000 Series Mower Decks 38", 42", 44", 46", 48", 50" & 54"**NOTE: (C)** Vacuum Assisted Collection System, 5 HP. 62 Cu. Ft. Capacity**NOTE: (D)** Tractor Comes With Mulch Plug 731-2363**NOTE: (E)** One (1) Ag Tire Without Rim (734-3112)**NOTE: (F)** Contact Brinley Hardy 1-800-626-5329 (Offered 2008-2009)

MODEL: GT 2544**YEAR: 2008-2010**Factory Model Number: **14A-2E7L010**22 H.P. Hydro Drive
Electric P.T.O. / 44" Deck
One Piece Plastic Hood**GENERAL INFO:**

Length (Over-All)	72.0"
Width (Over-All)	39.0" / Without Deck
Height (Over-All)	42.0"
Ground Clearance	6.0"
Weight (Approximate)	800 lbs. With 44" Deck
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.0"
Tread Front/Rear	30"/27.5"
Turning Radius	20"
Front Wheel Tire Size	16 x 6.5-8
Rear Wheel Tire Size	23 x 9.5-12
Trans/Differential Type	Aluminum
Forward Speed	0-5.8 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH670S-0011
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	22 HP (16.4 kW)
Peak Torque	36.2 ft. lbs. @ 2,400 RPM
Displacement	41.0 cu in. (674cc)
Bore	3.15"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1400 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	2.25 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-25-435-06-S
Muffler	751-10249A
Battery	925-1707D

ENGINE:

Complete Engine	KH-CH670-0011
Short Block	KH-24-522-422
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 150 Hrs.
Engine	3 Year / 150 Hrs.
P.T.O. Clutch	3 Year / 150 Hrs.
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GT 2544**YEAR: 2008-2010**

Factory Model Number: 14A-2E7L010

22 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
44"	3	Stamped	(A)	L	190-214-100	105 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
44"	3	Stamped	6 bu. Bagger Kit	No	190-210-100	90 lbs.	2 Year
(B)	10 Cu. Ft. Cart	Stamped	(C)	No	190-217B100	377 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
(D)							

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	1	Manual	-	190-341-100	181 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	Manual	Manual	-	190-302-100	95 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front Bumper	-	190-298-100	15 lbs.	2 Year
Front & Rear Weight Bracket	-	190-307-100	15 lbs.	2 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	2 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	2 Year
Tire Chains 23" x 9.5"	-	190-964-100	10 lbs.	2 Year
46" Lawn Sweeper	-	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	2 Year
10 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-368-100	114 lbs.	2 Year
15 Cu. Ft. Dump Cart, 15.0" x 6.0" Whls.	-	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-425-100	172 lbs.	2 Year
Ag Tire 23" x 8.5" x 12"	-	(E)	-	-
30" Hydraulic Tiller	Includes: Sleeve Hitch, Roller, Electric Lift	190-002-100	260 lbs.	2 Year
Electric Sleeve Hitch	-	190-827-100	40 lbs.	2 Year
10 Cu. Ft. Poly Cart With Divider Tool Tray	(F)	19A-106-100	81 lbs.	2 Year
Broadcast Spreader	(F)	19A-105-100	44 lbs.	2 Year
48" Lawn Dethatcher	(F)	19A-107-100	37 lbs.	2 Year
48" Lawn Plug Aerator	(F)	19A-108-100	86 lbs.	2 Year
48" Lawn Spike Aerator	(F)	19A-109-100	54 lbs.	2 Year
42" Lawn Sweeper	(F)	19A-103-100	82 lbs.	2 Year
48" Lawn Roller	(F)	19A-113-100	62 lbs.	2 Year
25 gal. Sprayer	(F)	19A-104-100	53 lbs.	2 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 44" Stamped Mower Deck**NOTE: (B)** Fits All 2000 Series Mower Decks 38", 42", 44", 46", 48", 50" & 54"**NOTE: (C)** Vacuum Assisted Collection System, 5 HP. 62 Cu. Ft. Capacity**NOTE: (D)** Tractor Comes With Mulch Plug 731-2363**NOTE: (E)** One (1) Ag Tire Without Rim (734-3112)**NOTE: (F)** Contact Brinley Hardy 1-800-626-5329 (Offered 2008-2009)

MODEL: GT 2550

YEAR: 2008-2010

Factory Model Number: 14A-2E7P010

22 H.P. Hydro Drive
Electric P.T.O. / 50" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	72.0"
Width (Over-All)	39.0" / Without Deck
Height (Over-All)	42.0"
Ground Clearance	6.0"
Weight (Approximate)	841 lbs. With 50" Deck
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.0"
Tread Front/Rear	30"/27.5"
Turning Radius	20"
Front Wheel Tire Size	16 x 6.5-8
Rear Wheel Tire Size	23 x 9.5-12
Trans/Differential Type	Aluminum
Forward Speed	0-5.8 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH670S-0011
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	22 HP (16.4 kW)
Peak Torque	36.2 ft. lbs. @ 2,400 RPM
Displacement	41.0 cu in. (674cc)
Bore	3.15"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1400 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	2.25 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-25-435-06-S
Muffler	751-10249A
Battery	925-1707D

ENGINE:

Complete Engine	KH-CH670-0011
Short Block	KH-24-522-422
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 150 Hrs.
Engine	3 Year / 150 Hrs.
P.T.O. Clutch	3 Year / 150 Hrs.
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L0421-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GT 2550**YEAR: 2008-2010**

Factory Model Number: 14A-2E7P010

22 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
50"	3	Stamped	(A)	P	190-214-100	105 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
50"	3	Stamped	4 bu. Bagger Kit	No	190-283-100	93 lbs.	2 Year
(B)	10 Cu. Ft. Cart	Stamped	(C)	No	190-217B100	377 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
(D)							

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	1	Manual	-	190-341-100	181 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	Manual	Manual	-	190-302-100	95 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front Bumper	-	190-298-100	15 lbs.	2 Year
Front & Rear Weight Bracket	-	190-307-100	15 lbs.	2 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	2 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	2 Year
Tire Chains 23" x 9.5"	-	190-964-100	10 lbs.	2 Year
46" Lawn Sweeper	-	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	2 Year
10 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-368-100	114 lbs.	2 Year
15 Cu. Ft. Dump Cart, 15.0" x 6.0" Whls.	-	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-425-100	172 lbs.	2 Year
Ag Tire 23" x 8.5" x 12"	-	(E)	-	-
30" Hydraulic Tiller	Includes: Sleeve Hitch, Roller, Electric Lift	190-002-100	260 lbs.	2 Year
Electric Sleeve Hitch	-	190-827-100	40 lbs.	2 Year
10 Cu. Ft. Poly Cart With Divider Tool Tray	(F)	19A-106-100	81 lbs.	2 Year
Broadcast Spreader	(F)	19A-105-100	44 lbs.	2 Year
48" Lawn Dethatcher	(F)	19A-107-100	37 lbs.	2 Year
48" Lawn Plug Aerator	(F)	19A-108-100	86 lbs.	2 Year
48" Lawn Spike Aerator	(F)	19A-109-100	54 lbs.	2 Year
42" Lawn Sweeper	(F)	19A-103-100	82 lbs.	2 Year
48" Lawn Roller	(F)	19A-113-100	62 lbs.	2 Year
25 gal. Sprayer	(F)	19A-104-100	53 lbs.	2 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 50" Stamped Mower Deck**NOTE: (B)** Fits All 2000 Series Mower Decks 38", 42", 44", 46", 48", 50" & 54"**NOTE: (C)** Vacuum Assisted Collection System, 5 HP. 62 Cu. Ft. Capacity**NOTE: (D)** Tractor Comes With Mulch Plug 731-2363**NOTE: (E)** One (1) Ag Tire Without Rim (734-3112)**NOTE: (F)** Contact Brinley Hardy 1-800-626-5329 (Offered 2008-2009)

MODEL: GT 2554

YEAR: 2007-2010

Factory Model Number: 14A-2A7K010

23 H.P. Hydro Drive
Electric P.T.O. / 54" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	72.0"
Width (Over-All)	39.0" / Without Deck
Height (Over-All)	42.0"
Ground Clearance	6.0"
Weight (Approximate)	846 lbs. With 54" Deck
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.0"
Tread Front/Rear	30"/27.5"
Turning Radius	28"
Front Wheel Tire Size	16 x 6.5-8
Rear Wheel Tire Size	23 x 9.5-12
Trans/Differential Type	Aluminum
Forward Speed	0-5.5 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH23S-76623
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	23 HP (17.2 kW)
Peak Torque	37.9 ft. lbs. @ 2,400 RPM
Displacement	41.0 cu in. (674cc)
Bore	3.15"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1400 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	2.25 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-25-435-06-S
Muffler	751-10249A
Battery	925-1707D

ENGINE:

Complete Engine	KH-PA-76623 (N.L.A.)
Short Block	KH-24-522-251
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 150 Hrs.
Engine	3 Year / 150 Hrs.
P.T.O. Clutch	3 Year / 150 Hrs.
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GT 2554**YEAR: 2007-2010**

Factory Model Number: 14A-2A7K010

23 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
54"	3	Stamped	(A)	K	(B)	150 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped	6 bu. Bagger Kit	No	190-286-100	105 lbs.	2 Year
(C)	10 Cu. Ft. Cart	Stamped	(D)	No	190-217B100	377 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped	-	Yes	590-507-100	22 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	1	Manual	-	190-341-100	181 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	Manual	Manual	-	190-302-100	95 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front Bumper	-	190-298-100	15 lbs.	2 Year
Front & Rear Weight Bracket	-	190-307-100	15 lbs.	2 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	2 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	2 Year
Tire Chains 23" x 9.5"	-	190-964-100	10 lbs.	2 Year
46" Lawn Sweeper	-	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	2 Year
10 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-368-100	114 lbs.	2 Year
15 Cu. Ft. Dump Cart, 15.0" x 6.0" Whls.	-	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-425-100	172 lbs.	2 Year
Ag Tire 23" x 8.5" x 12"	-	(E)	-	-
30" Hydraulic Tiller	Includes: Sleeve Hitch, Roller, Electric Lift	190-002-100	260 lbs.	2 Year
Electric Sleeve Hitch	-	190-827-100	40 lbs.	2 Year
10 Cu. Ft. Poly Cart With Divider Tool Tray	(F)	19A-106-100	81 lbs.	2 Year
Broadcast Spreader	(F)	19A-105-100	44 lbs.	2 Year
48" Lawn Dethatcher	(F)	19A-107-100	37 lbs.	2 Year
48" Lawn Plug Aerator	(F)	19A-108-100	86 lbs.	2 Year
48" Lawn Spike Aerator	(F)	19A-109-100	54 lbs.	2 Year
42" Lawn Sweeper	(F)	19A-103-100	82 lbs.	2 Year
48" Lawn Roller	(F)	19A-113-100	62 lbs.	2 Year
25 gal. Sprayer	(F)	19A-104-100	53 lbs.	2 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 54" Stamped Mower Deck**NOTE: (B)** Mower Deck Not Available As A Wholegood**NOTE: (C)** Fits All 2000 Series Mower Decks 38", 42", 44", 46", 48", 50" & 54"**NOTE: (D)** Vacuum Assisted Collection System, 5 HP. 62 Cu. Ft. Capacity**NOTE: (E)** One (1) Ag Tire Without Rim (734-3112)**NOTE: (F)** Contact Brinley-Hardy 1-800-626-5329 (Offered 2007-2009)

GT 2542	20 H.P. Command	Twin	Hydro	2010
GT 2544	22 H.P. Command	Twin	Hydro	2010
GT 2550	22 H.P. Command	Twin	Hydro	2010
GT 2554	23 H.P. Command	Twin	Hydro	2010

MODEL: GT 2542

YEAR: 2008-2010

Factory Model Number: 14A-2D2G010

20 H.P. Hydro Drive
Electric P.T.O. / 42" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	72.0"
Width (Over-All)	39.0" / Without Deck
Height (Over-All)	42.0"
Ground Clearance	6.0"
Weight (Approximate)	735 lbs. With 42" Deck
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.0"
Tread Front/Rear	30"/27.5"
Turning Radius	20"
Front Wheel Tire Size	15 x 6-8
Rear Wheel Tire Size	23 x 9.5-12
Trans/Differential Type	Aluminum
Forward Speed	0-5.8 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH20S-64748
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	20 HP (14.9 kW)
Peak Torque	32.7 ft. lbs. @ 2,400 RPM
Displacement	38.0 cu in. (624cc)
Bore	3.03"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1400 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	2.25 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-25-435-06-S
Muffler	751-10249A
Battery	925-1707D

ENGINE:

Complete Engine	KH-PA-64748
Short Block	KH-24-522-130
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 150 Hrs.
Engine	3 Year / 150 Hrs.
P.T.O. Clutch	3 Year / 150 Hrs.
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GT 2542**YEAR: 2008-2010**Factory Model Number: 14A-2D2G010

20 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
42"	2	Stamped	(A)	G	190-214-100	105 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
42"	2	Stamped	4 bu. Bagger Kit	No	190-305-100	60 lbs.	2 Year
(B)	10 Cu. Ft. Cart	Stamped	(C)	No	190-217B100	377 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
(D)							

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	1	Manual	-	190-341-100	181 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	Manual	Manual	-	190-302-100	95 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front Bumper	-	190-298-100	15 lbs.	2 Year
Front & Rear Weight Bracket	-	190-307-100	15 lbs.	2 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	2 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	2 Year
Tire Chains 23" x 9.5"	-	190-964-100	10 lbs.	2 Year
46" Lawn Sweeper	-	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	2 Year
10 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-368-100	114 lbs.	2 Year
15 Cu. Ft. Dump Cart, 15.0" x 6.0" Whls.	-	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-425-100	172 lbs.	2 Year
Ag Tire 23" x 8.5" x 12"	-	(E)	-	-
30" Hydraulic Tiller	Includes: Sleeve Hitch, Roller, Electric Lift	190-002-100	260 lbs.	2 Year
Electric Sleeve Hitch	-	190-827-100	40 lbs.	2 Year
10 Cu. Ft. Poly Cart With Divider Tool Tray	(F)	19A-106-100	81 lbs.	2 Year
Broadcast Spreader	(F)	19A-105-100	44 lbs.	2 Year
48" Lawn Dethatcher	(F)	19A-107-100	37 lbs.	2 Year
48" Lawn Plug Aerator	(F)	19A-108-100	86 lbs.	2 Year
48" Lawn Spike Aerator	(F)	19A-109-100	54 lbs.	2 Year
42" Lawn Sweeper	(F)	19A-103-100	82 lbs.	2 Year
48" Lawn Roller	(F)	19A-113-100	62 lbs.	2 Year
25 gal. Sprayer	(F)	19A-104-100	53 lbs.	2 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 42" Stamped Mower Deck**NOTE: (B)** Fits All 2000 Series Mower Decks 38", 42", 44", 46", 48", 50" & 54"**NOTE: (C)** Vacuum Assisted Collection System, 5 HP. 62 Cu. Ft. Capacity**NOTE: (D)** Tractor Comes With Mulch Plug 731-2363**NOTE: (E)** One (1) Ag Tire Without Rim (734-3112)**NOTE: (F)** Contact Brinley Hardy 1-800-626-5329 (Offered 2008-2009)

MODEL: GT 2544

YEAR: 2008-2010

Factory Model Number: 14A-2E7L010

22 H.P. Hydro Drive
Electric P.T.O. / 44" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	72.0"
Width (Over-All)	39.0" / Without Deck
Height (Over-All)	42.0"
Ground Clearance	6.0"
Weight (Approximate)	800 lbs. With 44" Deck
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.0"
Tread Front/Rear	30"/27.5"
Turning Radius	20"
Front Wheel Tire Size	16 x 6.5-8
Rear Wheel Tire Size	23 x 9.5-12
Trans/Differential Type	Aluminum
Forward Speed	0-5.8 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH670S-0011
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	22 HP (16.4 kW)
Peak Torque	36.2 ft. lbs. @ 2,400 RPM
Displacement	41.0 cu in. (674cc)
Bore	3.15"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1400 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	2.25 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-25-435-06-S
Muffler	751-10249A
Battery	925-1707D

ENGINE:

Complete Engine	KH-CH670-0011
Short Block	KH-24-522-422
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 150 Hrs.
Engine	3 Year / 150 Hrs.
P.T.O. Clutch	3 Year / 150 Hrs.
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GT 2544**YEAR: 2008-2010**

Factory Model Number: 14A-2E7L010

22 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
44"	3	Stamped	(A)	L	190-214-100	105 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
44"	3	Stamped	6 bu. Bagger Kit	No	190-210-100	90 lbs.	2 Year
(B)	10 Cu. Ft. Cart	Stamped	(C)	No	190-217B100	377 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
(D)							

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	1	Manual	-	190-341-100	181 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	Manual	Manual	-	190-302-100	95 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front Bumper	-	190-298-100	15 lbs.	2 Year
Front & Rear Weight Bracket	-	190-307-100	15 lbs.	2 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	2 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	2 Year
Tire Chains 23" x 9.5"	-	190-964-100	10 lbs.	2 Year
46" Lawn Sweeper	-	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	2 Year
10 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-368-100	114 lbs.	2 Year
15 Cu. Ft. Dump Cart, 15.0" x 6.0" Whls.	-	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-425-100	172 lbs.	2 Year
Ag Tire 23" x 8.5" x 12"	-	(E)	-	-
30" Hydraulic Tiller	Includes: Sleeve Hitch, Roller, Electric Lift	190-002-100	260 lbs.	2 Year
Electric Sleeve Hitch	-	190-827-100	40 lbs.	2 Year
10 Cu. Ft. Poly Cart With Divider Tool Tray	(F)	19A-106-100	81 lbs.	2 Year
Broadcast Spreader	(F)	19A-105-100	44 lbs.	2 Year
48" Lawn Dethatcher	(F)	19A-107-100	37 lbs.	2 Year
48" Lawn Plug Aerator	(F)	19A-108-100	86 lbs.	2 Year
48" Lawn Spike Aerator	(F)	19A-109-100	54 lbs.	2 Year
42" Lawn Sweeper	(F)	19A-103-100	82 lbs.	2 Year
48" Lawn Roller	(F)	19A-113-100	62 lbs.	2 Year
25 gal. Sprayer	(F)	19A-104-100	53 lbs.	2 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 44" Stamped Mower Deck**NOTE: (B)** Fits All 2000 Series Mower Decks 38", 42", 44", 46", 48", 50" & 54"**NOTE: (C)** Vacuum Assisted Collection System, 5 HP. 62 Cu. Ft. Capacity**NOTE: (D)** Tractor Comes With Mulch Plug 731-2363**NOTE: (E)** One (1) Ag Tire Without Rim (734-3112)**NOTE: (F)** Contact Brinley Hardy 1-800-626-5329 (Offered 2008-2009)

MODEL: GT 2550

YEAR: 2008-2010

Factory Model Number: 14A-2E7P010

22 H.P. Hydro Drive
Electric P.T.O. / 50" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	72.0"
Width (Over-All)	39.0" / Without Deck
Height (Over-All)	42.0"
Ground Clearance	6.0"
Weight (Approximate)	841 lbs. With 50" Deck
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.0"
Tread Front/Rear	30"/27.5"
Turning Radius	20"
Front Wheel Tire Size	16 x 6.5-8
Rear Wheel Tire Size	23 x 9.5-12
Trans/Differential Type	Aluminum
Forward Speed	0-5.8 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH670S-0011
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	22 HP (16.4 kW)
Peak Torque	36.2 ft. lbs. @ 2,400 RPM
Displacement	41.0 cu in. (674cc)
Bore	3.15"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1400 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	2.25 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-25-435-06-S
Muffler	751-10249A
Battery	925-1707D

ENGINE:

Complete Engine	KH-CH670-0011
Short Block	KH-24-522-422
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 150 Hrs.
Engine	3 Year / 150 Hrs.
P.T.O. Clutch	3 Year / 150 Hrs.
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L0421-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GT 2550**YEAR: 2008-2010**

Factory Model Number: 14A-2E7P010

22 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
50"	3	Stamped	(A)	P	190-214-100	105 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
50"	3	Stamped	4 bu. Bagger Kit	No	190-283-100	93 lbs.	2 Year
(B)	10 Cu. Ft. Cart	Stamped	(C)	No	190-217B100	377 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
(D)							

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	1	Manual	-	190-341-100	181 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	Manual	Manual	-	190-302-100	95 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front Bumper	-	190-298-100	15 lbs.	2 Year
Front & Rear Weight Bracket	-	190-307-100	15 lbs.	2 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	2 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	2 Year
Tire Chains 23" x 9.5"	-	190-964-100	10 lbs.	2 Year
46" Lawn Sweeper	-	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	2 Year
10 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-368-100	114 lbs.	2 Year
15 Cu. Ft. Dump Cart, 15.0" x 6.0" Whls.	-	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-425-100	172 lbs.	2 Year
Ag Tire 23" x 8.5" x 12"	-	(E)	-	-
30" Hydraulic Tiller	Includes: Sleeve Hitch, Roller, Electric Lift	190-002-100	260 lbs.	2 Year
Electric Sleeve Hitch	-	190-827-100	40 lbs.	2 Year
10 Cu. Ft. Poly Cart With Divider Tool Tray	(F)	19A-106-100	81 lbs.	2 Year
Broadcast Spreader	(F)	19A-105-100	44 lbs.	2 Year
48" Lawn Dethatcher	(F)	19A-107-100	37 lbs.	2 Year
48" Lawn Plug Aerator	(F)	19A-108-100	86 lbs.	2 Year
48" Lawn Spike Aerator	(F)	19A-109-100	54 lbs.	2 Year
42" Lawn Sweeper	(F)	19A-103-100	82 lbs.	2 Year
48" Lawn Roller	(F)	19A-113-100	62 lbs.	2 Year
25 gal. Sprayer	(F)	19A-104-100	53 lbs.	2 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 50" Stamped Mower Deck**NOTE: (B)** Fits All 2000 Series Mower Decks 38", 42", 44", 46", 48", 50" & 54"**NOTE: (C)** Vacuum Assisted Collection System, 5 HP. 62 Cu. Ft. Capacity**NOTE: (D)** Tractor Comes With Mulch Plug 731-2363**NOTE: (E)** One (1) Ag Tire Without Rim (734-3112)**NOTE: (F)** Contact Brinley Hardy 1-800-626-5329 (Offered 2008-2009)

MODEL: GT 2554

YEAR: 2007-2010

Factory Model Number: 14A-2A7K010

23 H.P. Hydro Drive
Electric P.T.O. / 54" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	72.0"
Width (Over-All)	39.0" / Without Deck
Height (Over-All)	42.0"
Ground Clearance	6.0"
Weight (Approximate)	846 lbs. With 54" Deck
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.0"
Tread Front/Rear	30"/27.5"
Turning Radius	28"
Front Wheel Tire Size	16 x 6.5-8
Rear Wheel Tire Size	23 x 9.5-12
Trans/Differential Type	Aluminum
Forward Speed	0-5.5 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH23S-76623
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	23 HP (17.2 kW)
Peak Torque	37.9 ft. lbs. @ 2,400 RPM
Displacement	41.0 cu in. (674cc)
Bore	3.15"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1400 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	2.25 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-25-435-06-S
Muffler	751-10249A
Battery	925-1707D

ENGINE:

Complete Engine	KH-PA-76623 (N.L.A.)
Short Block	KH-24-522-251
Mini Block	Not Available

WARRANTY:

Limited Residential	3 Year / 150 Hrs.
Engine	3 Year / 150 Hrs.
P.T.O. Clutch	3 Year / 150 Hrs.
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: GT 2554**YEAR: 2007-2010**

Factory Model Number: 14A-2A7K010

23 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
54"	3	Stamped	(A)	K	(B)	150 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped	6 bu. Bagger Kit	No	190-286-100	105 lbs.	2 Year
(C)	10 Cu. Ft. Cart	Stamped	(D)	No	190-217B100	377 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped	-	Yes	590-507-100	22 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	1	Manual	-	190-341-100	181 lbs.	2 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	Manual	Manual	-	190-302-100	95 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front Bumper	-	190-298-100	15 lbs.	2 Year
Front & Rear Weight Bracket	-	190-307-100	15 lbs.	2 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	2 Year
Rear Wheel Weights	2 @ 75 lbs. ea.	190-412-100	152 lbs.	2 Year
Tire Chains 23" x 9.5"	-	190-964-100	10 lbs.	2 Year
46" Lawn Sweeper	-	190-459-100	92 lbs.	2 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	96 lbs.	2 Year
10 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-368-100	114 lbs.	2 Year
15 Cu. Ft. Dump Cart, 15.0" x 6.0" Whls.	-	190-458-100	105 lbs.	2 Year
17 Cu. Ft. H.D. Dump Cart, 15.0" x 6.0" Whls	-	190-425-100	172 lbs.	2 Year
Ag Tire 23" x 8.5" x 12"	-	(E)	-	-
30" Hydraulic Tiller	Includes: Sleeve Hitch, Roller, Electric Lift	190-002-100	260 lbs.	2 Year
Electric Sleeve Hitch	-	190-827-100	40 lbs.	2 Year
10 Cu. Ft. Poly Cart With Divider Tool Tray	(F)	19A-106-100	81 lbs.	2 Year
Broadcast Spreader	(F)	19A-105-100	44 lbs.	2 Year
48" Lawn Dethatcher	(F)	19A-107-100	37 lbs.	2 Year
48" Lawn Plug Aerator	(F)	19A-108-100	86 lbs.	2 Year
48" Lawn Spike Aerator	(F)	19A-109-100	54 lbs.	2 Year
42" Lawn Sweeper	(F)	19A-103-100	82 lbs.	2 Year
48" Lawn Roller	(F)	19A-113-100	62 lbs.	2 Year
25 gal. Sprayer	(F)	19A-104-100	53 lbs.	2 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 54" Stamped Mower Deck**NOTE: (B)** Mower Deck Not Available As A Wholegood**NOTE: (C)** Fits All 2000 Series Mower Decks 38", 42", 44", 46", 48", 50" & 54"**NOTE: (D)** Vacuum Assisted Collection System, 5 HP. 62 Cu. Ft. Capacity**NOTE: (E)** One (1) Ag Tire Without Rim (734-3112)**NOTE: (F)** Contact Brinley-Hardy 1-800-626-5329 (Offered 2007-2009)