

GT/GTX 2000/2100 SERIES SPECIFICATION SHEETS 2011-2014

2011	Specification Sheets	CC
2012	Specification Sheets	CC
2013	Specification Sheets	CC
2014	Specification Sheets	CC

Material contained in this document is intended for use by Independent Retail dealer personnel.

Any other use without expressed written consent of MTD PRODUCTS INC is prohibited.

GT 2000	20 H.P. Command	Twin	Hydro	2011
GT 2100	23 H.P. Command	Twin	Hydro	2011
GT 2100	23 H.P. Command	Twin	Hydro	2011
GT2154LE	23 H.P. Command	Twin	Hydro	2011

MODEL: GT 2000

YEAR: 2011-2012

Factory Model Number: 14W-3DM-010

20 H.P. Hydro Drive
MS & MDL / 42", 50", & 54" Optional Stamped Decks
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	76.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	700 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	50.6"
Tread Front/Rear	Not Available
Turning Radius	18.0"
Front Wheel Tire Size	16 x 6.5
Rear Wheel Tire Size	23 x 10.5-12
Trans/Differential Type	Hydro / Cast Iron
Forward Speed	0-6.5 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH640-3051
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	20 HP (14.9 kW)
Peak Torque	32.7 ft. lbs. @ 2,400 RPM
Displacement	38.0 cu in. (624cc)
Bore	3.03"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1250 R.P.M.
Max. Speed (No Load)	3400 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	1.9 qts. (A)
Coolant	Not Applicable
Transmission	5.5 qts. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Muffler (5-01-12 & Before)	751-11785
Muffler (5-01-12 & After)	751-12647
Battery	925-1707D

ENGINE:

Complete Engine	KH-CH640-3051
Short Block	KH-24-522-416
Mini Block	KH-24-782-15

WARRANTY:

Limited Residential	4 Year / 300 Hrs.
Engine	4 Year / 300 Hrs.
P.T.O. Clutch	4 Year / 300 Hrs.
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MS (Manual Steering)
MDL (Manual Deck Lift)

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
42"	2	Stamped		12	19A40012100	200 lbs.	2 Year
50"	3	Stamped		13	19A40013100	220 lbs.	2 Year
54"	3	Stamped		14	19A40014100	240 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
42"	2	Stamped	4 bu. Bagger Kit	No	19A40003100	106 lbs.	2 Year
42"	-	Stamped	Mount Kit	No	19A40017100	22 lbs.	2 Year
48", 50", 54"	3	Stamped/Fab	6 bu. Bagger Kit	No	19A40004100	107 lbs.	2 Year
50", 54"	-	Stamped	Mount Kit	Yes	19A40007100	110 lbs.	2 Year
48", 54"	-	Fabricated	Mount Kit	No	19A40018100	55 lbs.	2 Year
All Decks	-		Mow-N-Vac (A)	No	19A-217B100	359 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Model Number	Weight	Warranty
42"	2	Stamped		19A40021100	10 lbs.	2 Year
54"	3	Stamped		590-507-100	23 lbs.	2 Year
48"	3	Fabricated		19A70016100	34 lbs.	2 Year
54"	3	Fabricated		19A70023100	25 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
44"	2	2	Electric	(B)	19A40019100	328 lbs.	2 Year
48"	2	-	Electric	(B)	19A40020100	328 lbs.	2 Year
Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty	
46"	Manual	Manual		19A40022100	70 lbs.	2 Year	

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-307-100	13 lbs.	-
Suit Case Weights, Castiron	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Tire Chains 23" x 10.5" x 12"	1 Pair	490-241-0026	17 lbs.	-

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Agrifab

NOTE: (B) Bercomac

MODEL: GT 2100

YEAR: 2011

Factory Model Number: 14W-3GE-010, 14Y-3GE-010

23 H.P. Hydro Drive

MS & EDL / 42", 50", & 54" Optional Stamped Decks
One Piece Plastic Hood / 48" & 54" Optional Fab Decks

GENERAL INFO:

Length (Over-All)	76.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	720 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	50.6"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	16 x 6.5
Rear Wheel Tire Size	23 x 10.5-12
Trans/Differential Type	Hydro/Cast Iron
Forward Speed	0-6.5 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH680-3034
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	23 HP (17.2 kW)
Peak Torque	37.9 ft. lbs. @ 2,400 RPM
Displacement	41.0 cu in. (674cc)
Bore	3.15"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1250 R.P.M.
Max. Speed (No Load)	3400 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	1.9 qts. (A)
Coolant	Not Applicable
Transmission	5.5 qts. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-25-403-21-S
Muffler	751-11785
Battery	925-1707D

ENGINE:

Complete Engine	KH-CH680-3034
Short Block	KH-24-522-251
Mini Block	KH-24-782-27

WARRANTY:

Limited Residential	4 Year / 300 Hrs.
Engine	4 Year / 300 Hrs.
P.T.O. Clutch	4 Year / 300 Hrs.
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MS (Manual Steering)
EDL (Electric Deck Lift)

MODEL: GT 2100**YEAR: 2011**

Factory Model Number: 14W-3GE-010, 14Y-3GE-010

23 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
42"	2	Stamped		12	19A40012100	200 lbs.	2 Year
50"	3	Stamped		13	19A40013100	220 lbs.	2 Year
54"	3	Stamped		14	19A40014100	240 lbs.	2 Year
48"	3	Fabricated		15	19A40015100	280 lbs.	2 Year
54"	3	Fabricated		16	19A40016100	300 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
42"	2	Stamped	4 bu. Bagger Kit	No	19A40003100	106 lbs.	2 Year
42"	-	Stamped	Mount Kit	No	19A40017100	22 lbs.	2 Year
48", 50", 54"	3	Stamped/Fab	6 bu. Bagger Kit	No	19A40004100	107 lbs.	2 Year
50", 54"	-	Stamped	Mount Kit	Yes	19A40007100	110 lbs.	2 Year
48", 54"	-	Fabricated	Mount Kit	No	19A40018100	55 lbs.	2 Year
All Decks	-	Mow-N-Vac (A)		No	19A-217B100	359 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Model Number	Weight	Warranty
42"	2	Stamped		19A40021100	10 lbs.	2 Year
54"	3	Stamped		590-507-100	23 lbs.	2 Year
48"	3	Fabricated		19A70016100	34 lbs.	2 Year
54"	3	Fabricated		19A70023100	25 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
44"	2	2	Electric	(B)	19A40019100	328 lbs.	2 Year
48"	2	-	Electric	(B)	19A40020100	328 lbs.	2 Year
Blade Size	Angle Man/Elec.		Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual		Manual		19A40022100	70 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-307-100	13 lbs.	-
Suit Case Weights, Castiron	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Tire Chains 23" x 10.5" x 12"	1 Pair	490-241-0026	17 lbs.	-

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Agrifab

NOTE: (B) Bercomac

MODEL: GT 2100

YEAR: 2011-2013

Factory Model Number: 14W-3AE-010

23 H.P. Hydro Drive

Serial Numbers:

MS & EDL / 42", 50", & 54" Optional Stamped Decks
One Piece Plastic Hood / 48" & 54" Optional Fab Decks

GENERAL INFO:

Length (Over-All)	76.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	720 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	50.6"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	16 x 6.5
Rear Wheel Tire Size	23 x 10.5-12
Trans/Differential Type	Hydro/Cast Iron
Forward Speed	0-6.5 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH680-3060
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	23 HP (17.2 kW)
Peak Torque	37.9 ft. lbs. @ 2,400 RPM
Displacement	41.0 cu in. (674cc)
Bore	3.15"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1250 R.P.M.
Max. Speed (No Load)	3400 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	1.9 qts. (A)
Coolant	Not Applicable
Transmission	5.5 qts. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Muffler (5-01-12 & Before)	751-11785
Muffler (5-01-12 & After)	751-12647
Battery	925-1707D

ENGINE:

Complete Engine	KH-CH680-3060
Short Block	KH-24-522-251
Mini Block	KH-24-782-27

WARRANTY:

Limited Residential	4 Year / 300 Hrs.
Engine	4 Year / 300 Hrs.
P.T.O. Clutch	4 Year / 300 Hrs.
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MS (Manual Steering)
EDL (Electric Deck Lift)

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
42"	2	Stamped		12	19A40012100	200 lbs.	2 Year
50"	3	Stamped		13	19A40013100	220 lbs.	2 Year
54"	3	Stamped		14	19A40014100	240 lbs.	2 Year
48"	3	Fabricated		15	19A40015100	280 lbs.	2 Year
54"	3	Fabricated		16	19A40016100	300 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
42"	2	Stamped	4 bu. Bagger Kit	No	19A40003100	106 lbs.	2 Year
42"	-	Stamped	Mount Kit	No	19A40017100	22 lbs.	2 Year
48", 50", 54"	3	Stamped/Fab	6 bu. Bagger Kit	No	19A40004100	107 lbs.	2 Year
50", 54"	-	Stamped	Mount Kit	Yes	19A40007100	110 lbs.	2 Year
48", 54"	-	Fabricated	Mount Kit	No	19A40018100	55 lbs.	2 Year
All Decks	-	Mow-N-Vac (A)		No	19A-217B100	359 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Model Number	Weight	Warranty
42"	2	Stamped		19A40021100	10 lbs.	2 Year
54"	3	Stamped		590-507-100	23 lbs.	2 Year
48"	3	Fabricated		19A70016100	34 lbs.	2 Year
54"	3	Fabricated		19A70023100	25 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
44"	2	2	Electric	(B)	19A40019100	328 lbs.	2 Year
48"	2	-	Electric	(B)	19A40020100	328 lbs.	2 Year
Blade Size	Angle Man/Elec.		Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual		Manual		19A40022100	70 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-307-100	13 lbs.	-
Suit Case Weights, Castiron	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Tire Chains 23" x 10.5" x 12"	1 Pair	490-241-0026	17 lbs.	-

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Agrifab

NOTE: (B) Bercomac

MODEL: GT2154LE

YEAR: 2011

Factory Model Number: 14W-3GEC010

Serial Numbers:

23 H.P. Hydro Drive
EPS & EDL / 54" Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	76.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	864 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	50.6"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	16 x 6.5
Rear Wheel Tire Size	23 x 10.5-12
Trans/Differential Type	Hydro/Cast Iron
Forward Speed	0-6.5 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH680-3034
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	23 HP (17.2 kW)
Peak Torque	37.9 ft. lbs. @ 2,400 RPM
Displacement	41.0 cu in. (674cc)
Bore	3.15"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1250 R.P.M.
Max. Speed (No Load)	3400 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	1.9 qts. (A)
Coolant	Not Applicable
Transmission	5.5 qts. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-25-403-21-S
Muffler	751-11785
Battery	925-1707D

ENGINE:

Complete Engine	KH-CH680-3034
Short Block	KH-24-522-251
Mini Block	KH-24-782-27

WARRANTY:

Limited Residential	4 Year / 300 Hrs.
Engine	4 Year / 300 Hrs.
P.T.O. Clutch	4 Year / 300 Hrs.
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

EPS (Electronic Power Steering)
EDL (Electric Deck Lift)

MODEL: GT 2154LE**YEAR: 2011**Factory Model Number: 14W-3GEC010

23 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
42"	2	Stamped		15	19A40012100	200 lbs.	2 Year
50"	3	Stamped		13	19A40013100	220 lbs.	2 Year
54"	3	Stamped		14	19A40014100	240 lbs.	2 Year
48"	3	Fabricated		15	19A40015100	280 lbs.	2 Year
54"	3	Fabricated	(C)	C/16	19A40016100	300 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
42"	2	Stamped	4 bu. Bagger Kit	No	19A40003100	106 lbs.	2 Year
42"	-	Stamped	Mount Kit	No	19A40017100	22 lbs.	2 Year
48", 50", 54"	3	Stamped/Fab	6 bu. Bagger Kit	No	19A40004100	107 lbs.	2 Year
50", 54"	-	Stamped	Mount Kit	Yes	19A40007100	110 lbs.	2 Year
48", 54"	-	Fabricated	Mount Kit	No	19A40018100	55 lbs.	2 Year
All Decks	-	Mow-N-Vac (A)		No	19A-217B100	359 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Model Number	Weight	Warranty
42"	2	Stamped		19A40021100	10 lbs.	2 Year
54"	3	Stamped		590-507-100	23 lbs.	2 Year
48"	3	Fabricated		19A70016100	34 lbs.	2 Year
54"	3	Fabricated		19A70023100	25 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
44"	2	2	Electric	(B)	19A40019100	328 lbs.	2 Year
48"	2	-	Electric	(B)	19A40020100	328 lbs.	2 Year
Blade Size	Angle Man/Elec.		Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual		Manual		19A40022100	70 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-307-100	13 lbs.	-
Suit Case Weights, Castiron	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Tire Chains 23" x 10.5" x 12"	1 Pair	490-241-0026	17 lbs.	-

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Agrifab**NOTE: (B)** Bercomac**NOTE: (C)** Tractor Comes With 54" Fabricated Mower Deck

GT 2000	20 H.P. Command	Twin	Hydro	2012
GT 2100	23 H.P. Command	Twin	Hydro	2012
GTX 2000	20 H.P. Command	Twin	Hydro	2012
GTX 2100	23 H.P. Command	Twin	Hydro	2012

MODEL: GT 2000

YEAR: 2011-2012

Factory Model Number: 14W-3DM-010

20 H.P. Hydro Drive
MS & MDL / 42", 50", & 54" Optional Stamped Decks
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	76.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	700 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	50.6"
Tread Front/Rear	Not Available
Turning Radius	18.0"
Front Wheel Tire Size	16 x 6.5
Rear Wheel Tire Size	23 x 10.5-12
Trans/Differential Type	Hydro / Cast Iron
Forward Speed	0-6.5 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH640-3051
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	20 HP (14.9 kW)
Peak Torque	32.7 ft. lbs. @ 2,400 RPM
Displacement	38.0 cu in. (624cc)
Bore	3.03"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1250 R.P.M.
Max. Speed (No Load)	3400 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	1.9 qts. (A)
Coolant	Not Applicable
Transmission	5.5 qts. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Muffler (5-01-12 & Before)	751-11785
Muffler (5-01-12 & After)	751-12647
Battery	925-1707D

ENGINE:

Complete Engine	KH-CH640-3051
Short Block	KH-24-522-416
Mini Block	KH-24-782-15

WARRANTY:

Limited Residential	4 Year / 300 Hrs.
Engine	4 Year / 300 Hrs.
P.T.O. Clutch	4 Year / 300 Hrs.
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MS (Manual Steering)
MDL (Manual Deck Lift)

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
42"	2	Stamped		12	19A40012100	200 lbs.	2 Year
50"	3	Stamped		13	19A40013100	220 lbs.	2 Year
54"	3	Stamped		14	19A40014100	240 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
42"	2	Stamped	4 bu. Bagger Kit	No	19A40003100	106 lbs.	2 Year
42"	-	Stamped	Mount Kit	No	19A40017100	22 lbs.	2 Year
48", 50", 54"	3	Stamped/Fab	6 bu. Bagger Kit	No	19A40004100	107 lbs.	2 Year
50", 54"	-	Stamped	Mount Kit	Yes	19A40007100	110 lbs.	2 Year
48", 54"	-	Fabricated	Mount Kit	No	19A40018100	55 lbs.	2 Year
All Decks	-		Mow-N-Vac (A)	No	19A-217B100	359 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Model Number	Weight	Warranty
42"	2	Stamped		19A40021100	10 lbs.	2 Year
54"	3	Stamped		590-507-100	23 lbs.	2 Year
48"	3	Fabricated		19A70016100	34 lbs.	2 Year
54"	3	Fabricated		19A70023100	25 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
44"	2	2	Electric	(B)	19A40019100	328 lbs.	2 Year
48"	2	-	Electric	(B)	19A40020100	328 lbs.	2 Year
Blade Size	Angle Man/Elec.		Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual		Manual		19A40022100	70 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-307-100	13 lbs.	-
Suit Case Weights, Castiron	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Tire Chains 23" x 10.5" x 12"	1 Pair	490-241-0026	17 lbs.	-

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Agrifab

NOTE: (B) Bercomac

MODEL: GT 2100

YEAR: 2011-2013

Factory Model Number: 14W-3AE-010

23 H.P. Hydro Drive

Serial Numbers:

MS & EDL / 42", 50", & 54" Optional Stamped Decks
One Piece Plastic Hood / 48" & 54" Optional Fab Decks

GENERAL INFO:

Length (Over-All)	76.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	720 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	50.6"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	16 x 6.5
Rear Wheel Tire Size	23 x 10.5-12
Trans/Differential Type	Hydro/Cast Iron
Forward Speed	0-6.5 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH680-3060
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	23 HP (17.2 kW)
Peak Torque	37.9 ft. lbs. @ 2,400 RPM
Displacement	41.0 cu in. (674cc)
Bore	3.15"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1250 R.P.M.
Max. Speed (No Load)	3400 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	1.9 qts. (A)
Coolant	Not Applicable
Transmission	5.5 qts. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Muffler (5-01-12 & Before)	751-11785
Muffler (5-01-12 & After)	751-12647
Battery	925-1707D

ENGINE:

Complete Engine	KH-CH680-3060
Short Block	KH-24-522-251
Mini Block	KH-24-782-27

WARRANTY:

Limited Residential	4 Year / 300 Hrs.
Engine	4 Year / 300 Hrs.
P.T.O. Clutch	4 Year / 300 Hrs.
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MS (Manual Steering)
EDL (Electric Deck Lift)

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
42"	2	Stamped		12	19A40012100	200 lbs.	2 Year
50"	3	Stamped		13	19A40013100	220 lbs.	2 Year
54"	3	Stamped		14	19A40014100	240 lbs.	2 Year
48"	3	Fabricated		15	19A40015100	280 lbs.	2 Year
54"	3	Fabricated		16	19A40016100	300 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
42"	2	Stamped	4 bu. Bagger Kit	No	19A40003100	106 lbs.	2 Year
42"	-	Stamped	Mount Kit	No	19A40017100	22 lbs.	2 Year
48", 50", 54"	3	Stamped/Fab	6 bu. Bagger Kit	No	19A40004100	107 lbs.	2 Year
50", 54"	-	Stamped	Mount Kit	Yes	19A40007100	110 lbs.	2 Year
48", 54"	-	Fabricated	Mount Kit	No	19A40018100	55 lbs.	2 Year
All Decks	-	Mow-N-Vac (A)		No	19A-217B100	359 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Model Number	Weight	Warranty
42"	2	Stamped		19A40021100	10 lbs.	2 Year
54"	3	Stamped		590-507-100	23 lbs.	2 Year
48"	3	Fabricated		19A70016100	34 lbs.	2 Year
54"	3	Fabricated		19A70023100	25 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
44"	2	2	Electric	(B)	19A40019100	328 lbs.	2 Year
48"	2	-	Electric	(B)	19A40020100	328 lbs.	2 Year
Blade Size	Angle Man/Elec.		Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual		Manual		19A40022100	70 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-307-100	13 lbs.	-
Suit Case Weights, Castiron	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Tire Chains 23" x 10.5" x 12"	1 Pair	490-241-0026	17 lbs.	-

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Agrifab

NOTE: (B) Bercomac

MODEL: GTX 2000

YEAR: 2012-2013

Factory Model Number: 14W-3FM-010

20 H.P. Hydro Drive
EPS & MDL / 42", 50", & 54" Optional Stamped Decks
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	76.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	700 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	50.6"
Tread Front/Rear	Not Available
Turning Radius	18.0"
Front Wheel Tire Size	16 x 6.5
Rear Wheel Tire Size	23 x 10.5-12
Trans/Differential Type	Hydro / Cast Iron
Forward Speed	0-6.5 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH640-3052
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	20 HP (14.9 kW)
Peak Torque	32.7 ft. lbs. @ 2,400 RPM
Displacement	38.0 cu in. (624cc)
Bore	3.03"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1250 R.P.M.
Max. Speed (No Load)	3400 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	1.9 qts. (A)
Coolant	Not Applicable
Transmission	5.5 qts. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-25-403-21-S
Muffler (5-01-12 & Before)	751-11785
Muffler (5-01-12 & After)	751-12647
Battery	925-1707D

ENGINE:

Complete Engine	KH-CH640-3052
Short Block	KH-24-522-416
Mini Block	KH-24-782-15

WARRANTY:

Limited Residential	4 Year / 300 Hrs.
Engine	4 Year / 300 Hrs.
P.T.O. Clutch	4 Year / 300 Hrs.
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

EPS (Electronic Power Steering)
MDL (Manual Deck Lift)

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
42"	2	Stamped		12	19A40012100	200 lbs.	2 Year
50"	3	Stamped		13	19A40013100	220 lbs.	2 Year
54"	3	Stamped		14	19A40014100	240 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
42"	2	Stamped	4 bu. Bagger Kit	No	19A40003100	106 lbs.	2 Year
42"	-	Stamped	Mount Kit	No	19A40017100	22 lbs.	2 Year
48", 50", 54"	3	Stamped/Fab	6 bu. Bagger Kit	No	19A40004100	107 lbs.	2 Year
50", 54"	-	Stamped	Mount Kit	Yes	19A40007100	110 lbs.	2 Year
48", 54"	-	Fabricated	Mount Kit	No	19A40018100	55 lbs.	2 Year
All Decks	-		Mow-N-Vac (A)	No	19A-217B100	359 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Model Number	Weight	Warranty
42"	2	Stamped		19A40021100	10 lbs.	2 Year
54"	3	Stamped		590-507-100	23 lbs.	2 Year
48"	3	Fabricated		19A70016100	34 lbs.	2 Year
54"	3	Fabricated		19A70023100	25 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
44"	2	2	Electric	(B)	19A40019100	328 lbs.	2 Year
48"	2	-	Electric	(B)	19A40020100	328 lbs.	2 Year
Blade Size	Angle Man/Elec.		Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual		Manual		19A40022100	70 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-307-100	13 lbs.	-
Suit Case Weights, Castiron	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Tire Chains 23" x 10.5" x 12"	1 Pair	490-241-0026	17 lbs.	-

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Agrifab

NOTE: (B) Bercomac

MODEL: GTX 2100

YEAR: 2012

Factory Model Number: 14W-3GE-010

23 H.P. Hydro Drive

Serial Numbers:

EPS & EDL / 42", 50", & 54" Optional Stamped Decks
One Piece Plastic Hood / 48" & 54" Optional Fab Decks

GENERAL INFO:

Length (Over-All)	76.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	720 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	50.6"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	16 x 6.5
Rear Wheel Tire Size	23 x 10.5-12
Trans/Differential Type	Hydro/Cast Iron
Forward Speed	0-6.5 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH680-3034
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	23 HP (17.2 kW)
Peak Torque	37.9 ft. lbs. @ 2,400 RPM
Displacement	41.0 cu in. (674cc)
Bore	3.15"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1250 R.P.M.
Max. Speed (No Load)	3400 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	1.9 qts. (A)
Coolant	Not Applicable
Transmission	5.5 qts. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-25-403-21-S
Muffler	751-12647
Battery	925-1707D

ENGINE:

Complete Engine	KH-CH680-3034
Short Block	KH-24-522-251
Mini Block	KH-24-782-27

WARRANTY:

Limited Residential	4 Year / 300 Hrs.
Engine	4 Year / 300 Hrs.
P.T.O. Clutch	4 Year / 300 Hrs.
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

EPS (Electronic Power Steering)
EDL (Electric Deck Lift)

MODEL: GTX 2100**YEAR: 2012**

Factory Model Number: 14W-3GE-010

23 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
42"	2	Stamped		12	19A40012100	200 lbs.	2 Year
50"	3	Stamped		13	19A40013100	220 lbs.	2 Year
54"	3	Stamped		14	19A40014100	240 lbs.	2 Year
48"	3	Fabricated		15	19A40015100	280 lbs.	2 Year
54"	3	Fabricated		16	19A40016100	300 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
42"	2	Stamped	4 bu. Bagger Kit	No	19A40003100	106 lbs.	2 Year
42"	-	Stamped	Mount Kit	No	19A40017100	22 lbs.	2 Year
48", 50", 54"	3	Stamped/Fab	6 bu. Bagger Kit	No	19A40004100	107 lbs.	2 Year
50", 54"	-	Stamped	Mount Kit	Yes	19A40007100	110 lbs.	2 Year
48", 54"	-	Fabricated	Mount Kit	No	19A40018100	55 lbs.	2 Year
All Decks	-	Mow-N-Vac (A)		No	19A-217B100	359 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Model Number	Weight	Warranty
42"	2	Stamped		19A40021100	10 lbs.	2 Year
54"	3	Stamped		590-507-100	23 lbs.	2 Year
48"	3	Fabricated		19A70016100	34 lbs.	2 Year
54"	3	Fabricated		19A70023100	25 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
44"	2	2	Electric	(B)	19A40019100	328 lbs.	2 Year
48"	2	-	Electric	(B)	19A40020100	328 lbs.	2 Year
Blade Size	Angle Man/Elec.		Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual		Manual		19A40022100	70 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-307-100	13 lbs.	-
Suit Case Weights, Castiron	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Tire Chains 23" x 10.5" x 12"	1 Pair	490-241-0026	17 lbs.	-

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Agrifab

NOTE: (B) Bercomac

GT 2000	20 H.P. Command	Twin	Hydro	2013
GT 2100	23 H.P. Command	Twin	Hydro	2013
GTX 2000	20 H.P. Command	Twin	Hydro	2013
GTX 2000	20 H.P. Command	Twin	Hydro	2013
GTX 2100	23 H.P. Command	Twin	Hydro	2013

MODEL: GT 2000

YEAR: 2013

Factory Model Number: 14W-3DM-010

20 H.P. Hydro Drive
MS & MDL / 42", 50", & 54" Optional Stamped Decks
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	76.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	700 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	50.6"
Tread Front/Rear	Not Available
Turning Radius	18.0"
Front Wheel Tire Size	16 x 6.5
Rear Wheel Tire Size	23 x 10.5-12
Trans/Differential Type	Hydro / Cast Iron
Forward Speed	0-6.5 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH640-3100
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	20 HP (14.9 kW)
Peak Torque	32.7 ft. lbs. @ 2,400 RPM
Displacement	38.0 cu in. (624cc)
Bore	3.03"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1250 R.P.M.
Max. Speed (No Load)	3400 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	1.9 qts. (A)
Coolant	Not Applicable
Transmission	5.5 qts. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-52-050-02-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Muffler	751-12647
Battery	925-1707D

ENGINE:

Complete Engine	KH-CH640-3100
Short Block	KH-24-522-416
Mini Block	KH-24-782-15

WARRANTY:

Limited Residential	4 Year / 300 Hrs.
Engine	4 Year / 300 Hrs.
P.T.O. Clutch	4 Year / 300 Hrs.
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MS (Manual Steering)
MDL (Manual Deck Lift)

MODEL: GT 2000**YEAR: 2013**

Factory Model Number: 14W-3DM-010

20 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
42"	2	Stamped		12	19A40012100	200 lbs.	2 Year
50"	3	Stamped		13	19A40013100	220 lbs.	2 Year
54"	3	Stamped		14	19A40014100	240 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
42"	2	Stamped	4 bu. Bagger Kit	No	19A40003100	106 lbs.	2 Year
42"	-	Stamped	Mount Kit	No	19A40017100	22 lbs.	2 Year
48", 50", 54"	3	Stamped/Fab	6 bu. Bagger Kit	No	19A40004100	107 lbs.	2 Year
50", 54"	-	Stamped	Mount Kit	Yes	19A40007100	110 lbs.	2 Year
48", 54"	-	Fabricated	Mount Kit	No	19A40018100	55 lbs.	2 Year
All Decks	-		Mow-N-Vac (A)	No	19A-217B100	359 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Model Number	Weight	Warranty
42"	2	Stamped		19A40021100	10 lbs.	2 Year
54"	3	Stamped		590-507-100	23 lbs.	2 Year
48"	3	Fabricated		19A70016100	34 lbs.	2 Year
54"	3	Fabricated		19A70023100	25 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
44"	2	2	Electric	(B)	19A40019100	328 lbs.	2 Year
48"	2	-	Electric	(B)	19A40020100	328 lbs.	2 Year
Blade Size	Angle Man/Elec.		Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual		Manual		19A40022100	70 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-307-100	13 lbs.	-
Suit Case Weights, Castiron	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Tire Chains 23" x 10.5" x 12"	1 Pair	490-241-0026	17 lbs.	-

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Agrifab

NOTE: (B) Bercomac

MODEL: GT 2100

YEAR: 2011-2013

Factory Model Number: 14W-3AE-010

23 H.P. Hydro Drive

Serial Numbers:

MS & EDL / 42", 50", & 54" Optional Stamped Decks
One Piece Plastic Hood / 48" & 54" Optional Fab Decks

GENERAL INFO:

Length (Over-All)	76.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	720 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	50.6"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	16 x 6.5
Rear Wheel Tire Size	23 x 10.5-12
Trans/Differential Type	Hydro/Cast Iron
Forward Speed	0-6.5 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH680-3060
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	23 HP (17.2 kW)
Peak Torque	37.9 ft. lbs. @ 2,400 RPM
Displacement	41.0 cu in. (674cc)
Bore	3.15"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1250 R.P.M.
Max. Speed (No Load)	3400 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	1.9 qts. (A)
Coolant	Not Applicable
Transmission	5.5 qts. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Muffler (5-01-12 & Before)	751-11785
Muffler (5-01-12 & After)	751-12647
Battery	925-1707D

ENGINE:

Complete Engine	KH-CH680-3060
Short Block	KH-24-522-251
Mini Block	KH-24-782-27

WARRANTY:

Limited Residential	4 Year / 300 Hrs.
Engine	4 Year / 300 Hrs.
P.T.O. Clutch	4 Year / 300 Hrs.
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MS (Manual Steering)
EDL (Electric Deck Lift)

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
42"	2	Stamped		12	19A40012100	200 lbs.	2 Year
50"	3	Stamped		13	19A40013100	220 lbs.	2 Year
54"	3	Stamped		14	19A40014100	240 lbs.	2 Year
48"	3	Fabricated		15	19A40015100	280 lbs.	2 Year
54"	3	Fabricated		16	19A40016100	300 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
42"	2	Stamped	4 bu. Bagger Kit	No	19A40003100	106 lbs.	2 Year
42"	-	Stamped	Mount Kit	No	19A40017100	22 lbs.	2 Year
48", 50", 54"	3	Stamped/Fab	6 bu. Bagger Kit	No	19A40004100	107 lbs.	2 Year
50", 54"	-	Stamped	Mount Kit	Yes	19A40007100	110 lbs.	2 Year
48", 54"	-	Fabricated	Mount Kit	No	19A40018100	55 lbs.	2 Year
All Decks	-	Mow-N-Vac (A)		No	19A-217B100	359 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Model Number	Weight	Warranty
42"	2	Stamped		19A40021100	10 lbs.	2 Year
54"	3	Stamped		590-507-100	23 lbs.	2 Year
48"	3	Fabricated		19A70016100	34 lbs.	2 Year
54"	3	Fabricated		19A70023100	25 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
44"	2	2	Electric	(B)	19A40019100	328 lbs.	2 Year
48"	2	-	Electric	(B)	19A40020100	328 lbs.	2 Year
Blade Size	Angle Man/Elec.		Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual		Manual		19A40022100	70 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-307-100	13 lbs.	-
Suit Case Weights, Castiron	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Tire Chains 23" x 10.5" x 12"	1 Pair	490-241-0026	17 lbs.	-

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Agrifab

NOTE: (B) Bercomac

MODEL: GTX 2000

YEAR: 2012-2013

Factory Model Number: 14W-3FM-010

20 H.P. Hydro Drive
EPS & MDL / 42", 50", & 54" Optional Stamped Decks
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	76.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	700 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	50.6"
Tread Front/Rear	Not Available
Turning Radius	18.0"
Front Wheel Tire Size	16 x 6.5
Rear Wheel Tire Size	23 x 10.5-12
Trans/Differential Type	Hydro / Cast Iron
Forward Speed	0-6.5 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH640-3052
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	20 HP (14.9 kW)
Peak Torque	32.7 ft. lbs. @ 2,400 RPM
Displacement	38.0 cu in. (624cc)
Bore	3.03"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1250 R.P.M.
Max. Speed (No Load)	3400 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	1.9 qts. (A)
Coolant	Not Applicable
Transmission	5.5 qts. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-25-403-21-S
Muffler (5-01-12 & Before)	751-11785
Muffler (5-01-12 & After)	751-12647
Battery	925-1707D

ENGINE:

Complete Engine	KH-CH640-3052
Short Block	KH-24-522-416
Mini Block	KH-24-782-15

WARRANTY:

Limited Residential	4 Year / 300 Hrs.
Engine	4 Year / 300 Hrs.
P.T.O. Clutch	4 Year / 300 Hrs.
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

EPS (Electronic Power Steering)
MDL (Manual Deck Lift)

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
42"	2	Stamped		12	19A40012100	200 lbs.	2 Year
50"	3	Stamped		13	19A40013100	220 lbs.	2 Year
54"	3	Stamped		14	19A40014100	240 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
42"	2	Stamped	4 bu. Bagger Kit	No	19A40003100	106 lbs.	2 Year
42"	-	Stamped	Mount Kit	No	19A40017100	22 lbs.	2 Year
48", 50", 54"	3	Stamped/Fab	6 bu. Bagger Kit	No	19A40004100	107 lbs.	2 Year
50", 54"	-	Stamped	Mount Kit	Yes	19A40007100	110 lbs.	2 Year
48", 54"	-	Fabricated	Mount Kit	No	19A40018100	55 lbs.	2 Year
All Decks	-		Mow-N-Vac (A)	No	19A-217B100	359 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Model Number	Weight	Warranty
42"	2	Stamped		19A40021100	10 lbs.	2 Year
54"	3	Stamped		590-507-100	23 lbs.	2 Year
48"	3	Fabricated		19A70016100	34 lbs.	2 Year
54"	3	Fabricated		19A70023100	25 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
44"	2	2	Electric	(B)	19A40019100	328 lbs.	2 Year
48"	2	-	Electric	(B)	19A40020100	328 lbs.	2 Year
Blade Size	Angle Man/Elec.		Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual		Manual		19A40022100	70 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-307-100	13 lbs.	-
Suit Case Weights, Castiron	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Tire Chains 23" x 10.5" x 12"	1 Pair	490-241-0026	17 lbs.	-

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Agrifab

NOTE: (B) Bercomac

MODEL: GTX 2000

YEAR: 2013

Factory Model Number: 14W-3FM-010

20 H.P. Hydro Drive
EPS & MDL / 42", 50", & 54" Optional Stamped Decks
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	76.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	700 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	50.6"
Tread Front/Rear	Not Available
Turning Radius	18.0"
Front Wheel Tire Size	16 x 6.5
Rear Wheel Tire Size	23 x 10.5-12
Trans/Differential Type	Hydro / Cast Iron
Forward Speed	0-6.5 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH640-3099
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	20 HP (14.9 kW)
Peak Torque	32.7 ft. lbs. @ 2,400 RPM
Displacement	38.0 cu in. (624cc)
Bore	3.03"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1250 R.P.M.
Max. Speed (No Load)	3400 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	1.9 qts. (A)
Coolant	Not Applicable
Transmission	5.5 qts. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-52-050-02-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-25-403-21-S
Muffler	751-12647
Battery	925-1707D

ENGINE:

Complete Engine	KH-CH640-3099
Short Block	Not Available
Mini Block	Not Available

WARRANTY:

Limited Residential	4 Year / 300 Hrs.
Engine	4 Year / 300 Hrs.
P.T.O. Clutch	4 Year / 300 Hrs.
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

EPS (Electronic Power Steering)
MDL (Manual Deck Lift)

MODEL: GTX 2000**YEAR: 2013**

Factory Model Number: 14W-3FM-010

20 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
42"	2	Stamped		12	19A40012100	200 lbs.	2 Year
50"	3	Stamped		13	19A40013100	220 lbs.	2 Year
54"	3	Stamped		14	19A40014100	240 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
42"	2	Stamped	4 bu. Bagger Kit	No	19A40003100	106 lbs.	2 Year
42"	-	Stamped	Mount Kit	No	19A40017100	22 lbs.	2 Year
48", 50", 54"	3	Stamped/Fab	6 bu. Bagger Kit	No	19A40004100	107 lbs.	2 Year
50", 54"	-	Stamped	Mount Kit	Yes	19A40007100	110 lbs.	2 Year
48", 54"	-	Fabricated	Mount Kit	No	19A40018100	55 lbs.	2 Year
All Decks	-		Mow-N-Vac (A)	No	19A-217B100	359 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Model Number	Weight	Warranty
42"	2	Stamped		19A40021100	10 lbs.	2 Year
54"	3	Stamped		590-507-100	23 lbs.	2 Year
48"	3	Fabricated		19A70016100	34 lbs.	2 Year
54"	3	Fabricated		19A70023100	25 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
44"	2	2	Electric	(B)	19A40019100	328 lbs.	2 Year
48"	2	-	Electric	(B)	19A40020100	328 lbs.	2 Year
Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty	
46"	Manual	Manual		19A40022100	70 lbs.	2 Year	

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-307-100	13 lbs.	-
Suit Case Weights, Castiron	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Tire Chains 23" x 10.5" x 12"	1 Pair	490-241-0026	17 lbs.	-

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Agrifab

NOTE: (B) Bercomac

MODEL: GTX 2100

YEAR: 2013

Factory Model Number: 14W-3GE-010

23 H.P. Hydro Drive

Serial Numbers:

EPS & EDL / 42", 50", & 54" Optional Stamped Decks
One Piece Plastic Hood / 48" & 54" Optional Fab Decks

GENERAL INFO:

Length (Over-All)	76.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	720 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	50.6"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	16 x 6.5
Rear Wheel Tire Size	23 x 10.5-12
Trans/Differential Type	Hydro/Cast Iron
Forward Speed	0-6.5 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH680-3072
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	23 HP (17.2 kW)
Peak Torque	37.9 ft. lbs. @ 2,400 RPM
Displacement	41.0 cu in. (674cc)
Bore	3.15"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1250 R.P.M.
Max. Speed (No Load)	3400 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	1.9 qts. (A)
Coolant	Not Applicable
Transmission	5.5 qts. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-52-050-02-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-25-403-21-S
Muffler	751-12647
Battery	925-1707D

ENGINE:

Complete Engine	KH-CH680-3072
Short Block	KH-24-522-251
Mini Block	KH-24-782-27

WARRANTY:

Limited Residential	4 Year / 300 Hrs.
Engine	4 Year / 300 Hrs.
P.T.O. Clutch	4 Year / 300 Hrs.
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

EPS (Electronic Power Steering)
EDL (Electric Deck Lift)

MODEL: GTX 2100**YEAR: 2013**

Factory Model Number: 14W-3GE-010

23 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
42"	2	Stamped		12	19A40012100	200 lbs.	2 Year
50"	3	Stamped		13	19A40013100	220 lbs.	2 Year
54"	3	Stamped		14	19A40014100	240 lbs.	2 Year
48"	3	Fabricated		15	19A40015100	280 lbs.	2 Year
54"	3	Fabricated		16	19A40016100	300 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
42"	2	Stamped	4 bu. Bagger Kit	No	19A40003100	106 lbs.	2 Year
42"	-	Stamped	Mount Kit	No	19A40017100	22 lbs.	2 Year
48", 50", 54"	3	Stamped/Fab	6 bu. Bagger Kit	No	19A40004100	107 lbs.	2 Year
50", 54"	-	Stamped	Mount Kit	Yes	19A40007100	110 lbs.	2 Year
48", 54"	-	Fabricated	Mount Kit	No	19A40018100	55 lbs.	2 Year
All Decks	-	Mow-N-Vac (A)		No	19A-217B100	359 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Model Number	Weight	Warranty
42"	2	Stamped		19A40021100	10 lbs.	2 Year
54"	3	Stamped		590-507-100	23 lbs.	2 Year
48"	3	Fabricated		19A70016100	34 lbs.	2 Year
54"	3	Fabricated		19A70023100	25 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
44"	2	2	Electric	(B)	19A40019100	328 lbs.	2 Year
48"	2	-	Electric	(B)	19A40020100	328 lbs.	2 Year
Blade Size	Angle Man/Elec.		Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual		Manual		19A40022100	70 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-307-100	13 lbs.	-
Suit Case Weights, Castiron	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Tire Chains 23" x 10.5" x 12"	1 Pair	490-241-0026	17 lbs.	-

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Agrifab

NOTE: (B) Bercomac

GT 2042	20.5 H.P. Command	Twin	Hydro	2014
GT 2050	22.5 H.P. Command	Twin	Hydro	2014
GT 2148	22.5 H.P. Command	Twin	Hydro	2014
GTX 2000	20 H.P. Command	Twin	Hydro	2014
GTX 2100	22.5 H.P. Command	Twin	Hydro	2014
GTX 2154	22.5 H.P. Command	Twin	Hydro	2014

MODEL: GT 2042

YEAR: 2014

Factory Model Number: 14W-3DMS010, 14A-3DMS010

20.5 H.P. Hydro Drive
MS & MDL / 42" Stamped Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	76.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	700 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	50.6"
Tread Front/Rear	Not Available
Turning Radius	18.0"
Front Wheel Tire Size	16 x 6.5
Rear Wheel Tire Size	23 x 10.5-12
Trans/Differential Type	Hydro / Cast Iron
Forward Speed	0-6.5 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH640-3123
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	20.5 HP (14.9 kW)
Peak Torque	32.7 ft. lbs. @ 2,400 RPM
Displacement	38.0 cu in. (624cc)
Bore	3.03"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1250 R.P.M.
Max. Speed (No Load)	3400 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	1.9 qts. (A)
Coolant	Not Applicable
Transmission	5.5 qts. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-52-050-02-S
Fuel Filter	KH-24-050-13-S
Spark Plug	KH-12-132-02-S
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-25-435-06-S
Muffler	751-12647
Battery	925-1707D

ENGINE:

Complete Engine	KH-CH640-3123
Short Block	KH-24-522-416
Mini Block	KH-24-782-15

WARRANTY:

Limited Residential	4 Year / 300 Hrs.
Engine	3 Year
P.T.O. Clutch	4 Year / 300 Hrs.
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MS (Manual Steering)
MDL (Manual Deck Lift)

MODEL: GT 2042**YEAR: 2014**

Factory Model Number: 14W-3DMS010, 14A-3DMS010

20.5 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
42"	2	Stamped	(C)	S/12	19A40012100	200 lbs.	2 Year
50"	3	Stamped		13	19A40013100	220 lbs.	2 Year
54"	3	Stamped		14	19A40014100	240 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
42"	2	Stamped	4 bu. Bagger Kit	No	19A40003100	106 lbs.	2 Year
42"	-	Stamped	Mount Kit	No	19A40017100	22 lbs.	2 Year
48", 50", 54"	3	Stamped/Fab	6 bu. Bagger Kit	No	19A40004100	107 lbs.	2 Year
50", 54"	-	Stamped	Mount Kit	Yes	19A40007100	110 lbs.	2 Year
48", 54"	-	Fabricated	Mount Kit	No	19A40018100	55 lbs.	2 Year
All Decks	-		Mow-N-Vac (A)	No	19A-217B100	359 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Model Number	Weight	Warranty
42"	2	Stamped		19A40021100	10 lbs.	2 Year
54"	3	Stamped		590-507-100	23 lbs.	2 Year
48"	3	Fabricated		19A70016100	34 lbs.	2 Year
54"	3	Fabricated		19A70023100	25 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
44"	2	2	Electric	(B)	19A40019100	328 lbs.	2 Year
48"	2	-	Electric	(B)	19A40020100	328 lbs.	2 Year
Blade Size	Angle Man/Elec.		Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual		Manual		19A40022100	70 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-307-100	13 lbs.	-
Suit Case Weights, Castiron	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Tire Chains 23" x 10.5" x 12"	1 Pair	490-241-0026	17 lbs.	-

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Agrifab**NOTE: (B)** Bercomac**NOTE: (C)** Tractor Comes With 42" Stamped Mower Deck

MODEL: GT 2050

YEAR: 2014

Factory Model Number: 14A-3JMP010

22.5 H.P. Hydro Drive
MS & MDL / 50" Stamped Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	76.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	720 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	50.6"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	16 x 6.5
Rear Wheel Tire Size	23 x 10.5-12
Trans/Differential Type	Hydro/Cast Iron
Forward Speed	0-6.5 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH680-3106
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	22.5 HP (17.2 kW)
Peak Torque	37.9 ft. lbs. @ 2,400 RPM
Displacement	41.0 cu in. (674cc)
Bore	3.15"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1250 R.P.M.
Max. Speed (No Load)	3400 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	1.9 qts. (A)
Coolant	Not Applicable
Transmission	5.5 qts. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-52-050-02-S
Fuel Filter	KH-24-050-13-S
Spark Plug	KH-12-132-02-S
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	Not Available

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-25-435-06-S
Muffler	751-12647
Battery	925-1707D

ENGINE:

Complete Engine	KH-CH680-3106
Short Block	KH-24-522-251
Mini Block	KH-24-782-27

WARRANTY:

Limited Residential	4 Year / 300 Hrs.
Engine	3 Year
P.T.O. Clutch	4 Year / 300 Hrs.
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MS (Manual Steering)
MDL (Manual Deck Lift)

MODEL: GT 2050**YEAR: 2014**

Factory Model Number: 14W-3JMP010

22.5 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
42"	2	Stamped		12	19A40012100	200 lbs.	2 Year
50"	3	Stamped	(C)	P/12	19A40013100	220 lbs.	2 Year
54"	3	Stamped		14	19A40014100	240 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
42"	2	Stamped	4 bu. Bagger Kit	No	19A40003100	106 lbs.	2 Year
42"	-	Stamped	Mount Kit	No	19A40017100	22 lbs.	2 Year
48", 50", 54"	3	Stamped/Fab	6 bu. Bagger Kit	No	19A40004100	107 lbs.	2 Year
50", 54"	-	Stamped	Mount Kit	Yes	19A40007100	110 lbs.	2 Year
48", 54"	-	Fabricated	Mount Kit	No	19A40018100	55 lbs.	2 Year
All Decks	-		Mow-N-Vac (A)	No	19A-217B100	359 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Model Number	Weight	Warranty
42"	2	Stamped		19A40021100	10 lbs.	2 Year
54"	3	Stamped		590-507-100	23 lbs.	2 Year
48"	3	Fabricated		19A70016100	34 lbs.	2 Year
54"	3	Fabricated		19A70023100	25 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
44"	2	2	Electric	(B)	19A40019100	328 lbs.	2 Year
48"	2	-	Electric	(B)	19A40020100	328 lbs.	2 Year
Blade Size	Angle Man/Elec.		Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual		Manual		19A40022100	70 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-307-100	13 lbs.	-
Suit Case Weights, Castiron	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Tire Chains 23" x 10.5" x 12"	1 Pair	490-241-0026	17 lbs.	-

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Agrifab**NOTE: (B)** Bercomac**NOTE: (C)** Tractor Comes With 50" Stamped Mower Deck

MODEL: GT 2148

YEAR: 2014

Factory Model Number: 14A-3JEB010

22.5 H.P. Hydro Drive
MS & EDL / 48" Fabricated Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	76.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	720 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	50.6"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	16 x 6.5
Rear Wheel Tire Size	23 x 10.5-12
Trans/Differential Type	Hydro/Cast Iron
Forward Speed	0-6.5 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH680-3106
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	22.5 HP (17.2 kW)
Peak Torque	37.9 ft. lbs. @ 2,400 RPM
Displacement	41.0 cu in. (674cc)
Bore	3.15"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1250 R.P.M.
Max. Speed (No Load)	3400 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	1.9 qts. (A)
Coolant	Not Applicable
Transmission	5.5 qts. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-52-050-02-S
Fuel Filter	KH-24-050-13-S
Spark Plug	KH-12-132-02-S
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	Not Available

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-25-435-06-S
Muffler	751-12647
Battery	925-1707D

ENGINE:

Complete Engine	KH-CH680-3106
Short Block	KH-24-522-251
Mini Block	KH-24-782-27

WARRANTY:

Limited Residential	4 Year / 300 Hrs.
Engine	3 Year
P.T.O. Clutch	4 Year / 300 Hrs.
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

MS (Manual Steering)
EDL (Electric Deck Lift)

MODEL: GT 2148**YEAR: 2014**

Factory Model Number: 14W-3JEB010

22.5 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes		Model Number	Weight	Warranty
42"	2	Stamped		12	19A40012100	200 lbs.	2 Year
50"	3	Stamped		13	19A40013100	220 lbs.	2 Year
54"	3	Stamped		14	19A40014100	240 lbs.	2 Year
48"	3	Fabricated	(C)	B/15	19A40015100	280 lbs.	2 Year
54"	3	Fabricated		16	19A40016100	300 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
42"	2	Stamped	4 bu. Bagger Kit	No	19A40003100	106 lbs.	2 Year
42"	-	Stamped	Mount Kit	No	19A40017100	22 lbs.	2 Year
48", 50", 54"	3	Stamped/Fab	6 bu. Bagger Kit	No	19A40004100	107 lbs.	2 Year
50", 54"	-	Stamped	Mount Kit	Yes	19A40007100	110 lbs.	2 Year
48", 54"	-	Fabricated	Mount Kit	No	19A40018100	55 lbs.	2 Year
All Decks	-	Mow-N-Vac (A)		No	19A-217B100	359 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Model Number	Weight	Warranty
42"	2	Stamped		19A40021100	10 lbs.	2 Year
54"	3	Stamped		590-507-100	23 lbs.	2 Year
48"	3	Fabricated		19A70016100	34 lbs.	2 Year
54"	3	Fabricated		19A70023100	25 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
44"	2	2	Electric	(B)	19A40019100	328 lbs.	2 Year
48"	2	-	Electric	(B)	19A40020100	328 lbs.	2 Year
Blade Size	Angle Man/Elec.		Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual		Manual		19A40022100	70 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-307-100	13 lbs.	-
Suit Case Weights, Castiron	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Tire Chains 23" x 10.5" x 12"	1 Pair	490-241-0026	17 lbs.	-

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Agrifab**NOTE: (B)** Bercomac**NOTE: (C)** Tractor Comes With 48" Fabricated Mower Deck

MODEL: GTX 2000

YEAR: 2014

Factory Model Number: 14W-3FM-010, 14W-3FM-210

20 H.P. Hydro Drive
EPS & MDL / 42", 50", & 54" Optional Stamped Decks
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	76.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	700 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	50.6"
Tread Front/Rear	Not Available
Turning Radius	18.0"
Front Wheel Tire Size	16 x 6.5
Rear Wheel Tire Size	23 x 10.5-12
Trans/Differential Type	Hydro / Cast Iron
Forward Speed	0-6.5 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH640-3052
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	20 HP (14.9 kW)
Peak Torque	32.7 ft. lbs. @ 2,400 RPM
Displacement	38.0 cu in. (624cc)
Bore	3.03"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1250 R.P.M.
Max. Speed (No Load)	3400 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	1.9 qts. (A)
Coolant	Not Applicable
Transmission	5.5 qts. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-25-403-21-S
Muffler (5-01-12 & Before)	751-11785
Muffler (5-01-12 & After)	751-12647
Battery	925-1707D

ENGINE:

Complete Engine	KH-CH640-3052
Short Block	KH-24-522-416
Mini Block	KH-24-782-15

WARRANTY:

Limited Residential	4 Year / 300 Hrs.
Engine	3 Year
P.T.O. Clutch	4 Year / 300 Hrs.
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

EPS (Electronic Power Steering)
MDL (Manual Deck Lift)

MODEL: GTX 2000**YEAR: 2014**

Factory Model Number: 14W-3FM-010, 14W-3FM-210

20 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
42"	2	Stamped		12	19A40012100	200 lbs.	2 Year
50"	3	Stamped		13	19A40013100	220 lbs.	2 Year
54"	3	Stamped		14	19A40014100	240 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
42"	2	Stamped	4 bu. Bagger Kit	No	19A40003100	106 lbs.	2 Year
42"	-	Stamped	Mount Kit	No	19A40017100	22 lbs.	2 Year
48", 50", 54"	3	Stamped/Fab	6 bu. Bagger Kit	No	19A40004100	107 lbs.	2 Year
50", 54"	-	Stamped	Mount Kit	Yes	19A40007100	110 lbs.	2 Year
48", 54"	-	Fabricated	Mount Kit	No	19A40018100	55 lbs.	2 Year
All Decks	-		Mow-N-Vac (A)	No	19A-217B100	359 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Model Number	Weight	Warranty
42"	2	Stamped		19A40021100	10 lbs.	2 Year
54"	3	Stamped		590-507-100	23 lbs.	2 Year
48"	3	Fabricated		19A70016100	34 lbs.	2 Year
54"	3	Fabricated		19A70023100	25 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
44"	2	2	Electric	(B)	19A40019100	328 lbs.	2 Year
48"	2	-	Electric	(B)	19A40020100	328 lbs.	2 Year
Blade Size	Angle Man/Elec.		Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual		Manual		19A40022100	70 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-307-100	13 lbs.	-
Suit Case Weights, Castiron	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Tire Chains 23" x 10.5" x 12"	1 Pair	490-241-0026	17 lbs.	-

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Agrifab

NOTE: (B) Bercomac

MODEL: GTX 2100

YEAR: 2014

Factory Model Number: 14W-3GE-010

22.5 H.P. Hydro Drive

Serial Numbers:

EPS & EDL / 42", 50", & 54" Optional Stamped Decks
One Piece Plastic Hood / 48" & 54" Optional Fab Decks

GENERAL INFO:

Length (Over-All)	76.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	720 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	50.6"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	16 x 6.5
Rear Wheel Tire Size	23 x 10.5-12
Trans/Differential Type	Hydro/Cast Iron
Forward Speed	0-6.5 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH680-3034
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	22.5 HP (17.2 kW)
Peak Torque	37.9 ft. lbs. @ 2,400 RPM
Displacement	41.0 cu in. (674cc)
Bore	3.15"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1250 R.P.M.
Max. Speed (No Load)	3400 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	1.9 qts. (A)
Coolant	Not Applicable
Transmission	5.5 qts. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-25-403-21-S
Muffler	751-12647
Battery	925-1707D

ENGINE:

Complete Engine	KH-CH680-3034
Short Block	KH-24-522-251
Mini Block	KH-24-782-27

WARRANTY:

Limited Residential	4 Year / 300 Hrs.
Engine	3 Year
P.T.O. Clutch	4 Year / 300 Hrs.
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

EPS (Electronic Power Steering)
EDL (Electric Deck Lift)

MODEL: GTX 2100**YEAR: 2014**

Factory Model Number: 14W-3GE-010

23 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
42"	2	Stamped		12	19A40012100	200 lbs.	2 Year
50"	3	Stamped		13	19A40013100	220 lbs.	2 Year
54"	3	Stamped		14	19A40014100	240 lbs.	2 Year
48"	3	Fabricated		15	19A40015100	280 lbs.	2 Year
54"	3	Fabricated		16	19A40016100	300 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
42"	2	Stamped	4 bu. Bagger Kit	No	19A40003100	106 lbs.	2 Year
42"	-	Stamped	Mount Kit	No	19A40017100	22 lbs.	2 Year
48", 50", 54"	3	Stamped/Fab	6 bu. Bagger Kit	No	19A40004100	107 lbs.	2 Year
50", 54"	-	Stamped	Mount Kit	Yes	19A40007100	110 lbs.	2 Year
48", 54"	-	Fabricated	Mount Kit	No	19A40018100	55 lbs.	2 Year
All Decks	-	Mow-N-Vac (A)		No	19A-217B100	359 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Model Number	Weight	Warranty
42"	2	Stamped		19A40021100	10 lbs.	2 Year
54"	3	Stamped		590-507-100	23 lbs.	2 Year
48"	3	Fabricated		19A70016100	34 lbs.	2 Year
54"	3	Fabricated		19A70023100	25 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
44"	2	2	Electric	(B)	19A40019100	328 lbs.	2 Year
48"	2	-	Electric	(B)	19A40020100	328 lbs.	2 Year
Blade Size	Angle Man/Elec.		Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual		Manual		19A40022100	70 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-307-100	13 lbs.	-
Suit Case Weights, Castiron	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Tire Chains 23" x 10.5" x 12"	1 Pair	490-241-0026	17 lbs.	-

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Agrifab

NOTE: (B) Bercomac

MODEL: GTX 2154

YEAR: 2014

Factory Model Number: 14W-3GEC010

Serial Numbers:

22.5 H.P. Hydro Drive
EPS & EDL / 54" Fabricated Deck
One Piece Plastic Hood

GENERAL INFO:

Length (Over-All)	76.0"
Width (Over-All)	Not Available
Height (Over-All)	Not Available
Ground Clearance	Not Available
Weight (Approximate)	720 lbs.
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	50.6"
Tread Front/Rear	Not Available
Turning Radius	18"
Front Wheel Tire Size	16 x 6.5
Rear Wheel Tire Size	23 x 10.5-12
Trans/Differential Type	Hydro/Cast Iron
Forward Speed	0-6.5 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH680-3072
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	22.5 HP (17.2 kW)
Peak Torque	37.9 ft. lbs. @ 2,400 RPM
Displacement	41.0 cu in. (674cc)
Bore	3.15"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1250 R.P.M.
Max. Speed (No Load)	3400 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	1.9 qts. (A)
Coolant	Not Applicable
Transmission	5.5 qts. (B)
Transaxle	Not Applicable
Creeper Drive Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	4.5 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) 135H EP Gear Lube 85W-140	737-3065
(D) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-52-050-02-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-25-403-21-S
Muffler	751-12647
Battery	925-1707D

ENGINE:

Complete Engine	KH-CH680-3072
Short Block	KH-24-522-251
Mini Block	KH-24-782-27

WARRANTY:

Limited Residential	4 Year / 300 Hrs.
Engine	3 Year
P.T.O. Clutch	4 Year / 300 Hrs.
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -4021

Yellow Paint (11.5 oz. Aerosol)	788S04021
Yellow Paint (Quart)	788L04021-QT
Yellow Paint (.6 oz. Bottle)	788T04021

Part Numbers and Specifications Subject To Change Without Notice.

EPS (Electronic Power Steering)
EDL (Electric Deck Lift)

MODEL: GTX 2154**YEAR: 2014**Factory Model Number: 14W-3GEC010

22.5 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES**MID MOWER ATTACHMENTS:**

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
42"	2	Stamped		12	19A40012100	200 lbs.	2 Year
50"	3	Stamped		13	19A40013100	220 lbs.	2 Year
54"	3	Stamped		14	19A40014100	240 lbs.	2 Year
48"	3	Fabricated		15	19A40015100	280 lbs.	2 Year
54"	3	Fabricated	(C)	C/16	19A40016100	300 lbs.	2 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
42"	2	Stamped	4 bu. Bagger Kit	No	19A40003100	106 lbs.	2 Year
42"	-	Stamped	Mount Kit	No	19A40017100	22 lbs.	2 Year
48", 50", 54"	3	Stamped/Fab	6 bu. Bagger Kit	No	19A40004100	107 lbs.	2 Year
50", 54"	-	Stamped	Mount Kit	Yes	19A40007100	110 lbs.	2 Year
48", 54"	-	Fabricated	Mount Kit	No	19A40018100	55 lbs.	2 Year
All Decks	-	Mow-N-Vac (A)		No	19A-217B100	359 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Model Number	Weight	Warranty
42"	2	Stamped		19A40021100	10 lbs.	2 Year
54"	3	Stamped		590-507-100	23 lbs.	2 Year
48"	3	Fabricated		19A70016100	34 lbs.	2 Year
54"	3	Fabricated		19A70023100	25 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
44"	2	2	Electric	(B)	19A40019100	328 lbs.	2 Year
48"	2	-	Electric	(B)	19A40020100	328 lbs.	2 Year
Blade Size	Angle Man/Elec.		Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Manual		Manual		19A40022100	70 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front & Rear Weight Bracket	-	190-307-100	13 lbs.	-
Suit Case Weights, Castiron	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Tire Chains 23" x 10.5" x 12"	1 Pair	490-241-0026	17 lbs.	-

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Agrifab**NOTE: (B)** Bercomac**NOTE: (C)** Tractor Comes With 54" Fabricated Mower Deck