LGT 1000 SPECIFICATION SHEETS 2012-2014

2012	Specification Sheets	CC
2013	Specification Sheets	CC
2014	Specification Sheets	CC

Material contained in this document is intended for use by Independent Retail dealer personnel.

Any other use without expressed written consent of MTD PRODUCTS INC is prohibited.

NOTES:

-	
-	

LGT 1050 25 H.P. Courage Twin Hydro 2012 LGT 1054 26 H.P. Courage Twin Hydro 2012

NOTES:

-	
-	

Factory Model Number: 13WQ92AP010

Serial Numbers:

25 H.P. Hydro Drive Electric P.T.O. / 50" Deck

One Piece Plastic Hood

YEAR: 2012-2013

GENERAL INFO: GENERAL INFO:

Length (Over-All)	69.0"	Wheelbase	47.50"
Width (Over-All)	Not Available	Tread Front/Rear	Not Available
Height (Over-All)	Not Available	Turning Radius	12"
Ground Clearance	Not Available	Front Wheel Tire Size	16" x 6.5"
Weight (Approximate)	548 lbs.	Rear Wheel Tire Size	22" x 9.5"
Engine Type	Gas (Air Cooled)	Trans/Differential Type	Aluminum, Intergrated
Electrical System	12v Negative Ground	Forward Speed	0-5.2 mph
		Reverse Speed	0-2.3 mph

ENGINE SPECS: ENGINE SPECS:

Make	Kohler	Idle Speed	1600 R.P.M.
Model Series	Courage (Vertical)	Max. Speed (No Load)	3300 R.P.M.
Model/Type/Spec	SV730-3002	Max. Speed (Full Load)	3150 R.P.M
No. Of Cylinders	2	Valve Lash (Intake)	0.005" (0.127 mm)
Horse Power Rated By Manufacturer	25 HP (18.6 kW)	Valve Lash (Exhaust)	0.005" (0.127 mm)
Peak Torque	Not Available	Ignition Type	Electronic
Displacement	44.0 cu in. (725cc)	Spark Plug Gap	0.030"
Bore	3.27"	Mag Air Gap	0.011"-0.013"
Stroke	2.64"		_

CAPACITIES: FLUIDS:

Engine Crankcase	2.0 qts. (A)	(A) SAE 10W30	737-3030A
Coolant	Not Applicable	(B) Drive System + Fluid	737-3120
Transmission	1.9 qts. (B)	(C) 135H EP Gear Lube 85W-140	737-3065
Transaxle	Not Applicable	(D) 251 EP Chassis Lubricant	737-3034
Creeper Drive Housing	Not Applicable		
Front Axle	Not Applicable		
Fuel Tank	3.3 gal.		

ENGINE MAINTENANCE PARTS:

TRACTOR MAINTENANCE PARTS:

YELLOW POWDERED PAINT CODE -4021

Air Filter	KH-32-883-03-S1	Transmission Filter	Not Applicable
Pre Filter	See Air Filter	Voltage Regulator	KH-41-403-10-S
Oil Filter	KH-12-050-01-S	Solenoid	725-04439
Fuel Filter	KH-25-050-22-S1	Muffler	751-10528A
Spark Plug	759-3336	Battery	925-1707D
Armature	KH-24-584-52-S		
Points	Not Applicable		
Carb Kit	KH-24-757-46-S		

ENGINE: WARRANTY:

Complete Engine	KH-SV730-3002	Limited Residential	3 Year / 120 Hrs.
Short Block	KH-32-522-07	Engine	3 Year / 120 Hrs.
Mini Block	Not Available	P.T.O. Clutch	3 Year / 120 Hrs.
		Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735	Yellow Paint (11.5 oz. Aerosol)	788S04021
Beige Paint (Quart)	759-3736	Yellow Paint (Quart)	788L04021-QT
Beige Paint (.6 oz. Bottle)	759-3674	Yellow Paint (.6 oz. Bottle)	788T04021

YEAR: 2012-2013

Factory Model Number: 13WQ92AP010 25 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
50"	3	Stamped	(A)	Р	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
50"	3	Stamped	6 bu. Bagger Kit	Yes	19A40002100	98 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
50"	0	Stamped		No	190-193-100	3 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	2 Year
Blade Size	Angle N	/lan/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Ma	ınual	Manual	-	OEM-190-833	82 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains 22" x 9.5" x 12"	1 Pair	490-241-0025	17 lbs.	-
Bumper	-	190-679-101	11 lbs.	-
Wheel Weights	2 @ 50 lbs. ea.	OEM-190-784	105 lbs.	-
Rear Weight Bracket	-	490-900-M060	-	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Armrest Kit	-	757-04073	-	-

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 50" Stamped Mower Deck NOTE: (B) Mower Deck Not Available As A Wholegood

Factory Model Number: 13WK92AK010

Serial Numbers:

26 H.P. Hydro Drive Electric P.T.O. / 54" Deck

YEAR: 2012-2013

One Piece Plastic Hood

GENERAL INFO:

GENERAL INFO:

Length (Over-All)	69.0"	Wheelbase	47.50"
Width (Over-All)	Not Available	Tread Front/Rear	Not Available
Height (Over-All)	Not Available	Turning Radius	12"
Ground Clearance	Not Available	Front Wheel Tire Size	16" x 6.5"
Weight (Approximate)	567 lbs.	Rear Wheel Tire Size	22" x 9.5"
Engine Type	Gas (Air Cooled)	Trans/Differential Type	Aluminum, Intergrated
Electrical System	12v Negative Ground	Forward Speed	0-5.2 mph
		Reverse Speed	0-2.3 mph

ENGINE SPECS:

ENGINE SPECS:

Make	Kohler	Idle Speed	1600 R.P.M.
Model Series	Courage (Vertical)	Max. Speed (No Load)	3300 R.P.M.
Model/Type/Spec	SV735-3002	Max. Speed (Full Load)	3150 R.P.M
No. Of Cylinders	2	Valve Lash (Intake)	0.005" (0.127 mm)
Horse Power Rated By Manufacturer	26 HP (19.4 kW)	Valve Lash (Exhaust)	0.005" (0.127 mm)
Peak Torque	Not Available	Ignition Type	Electronic
Displacement	44.0 cu in. (725cc)	Spark Plug Gap	0.030"
Bore	3.27"	Mag Air Gap	0.011"-0.013"
Stroke	2.64"		

CAPACITIES:

FLUIDS:

Engine Crankcase	2.0 qts. (A)	(A) SAE 10W30	737-3030A
Coolant	Not Applicable	(B) Drive System + Fluid	737-3120
Transmission	1.9 qts. (B)	(C) 135H EP Gear Lube 85W-140	737-3065
Transaxle	Not Applicable	(D) 251 EP Chassis Lubricant	737-3034
Creeper Drive Housing	Not Applicable		
Front Axle	Not Applicable		
Fuel Tank	3.3 gal.		

ENGINE MAINTENANCE PARTS:

TRACTOR MAINTENANCE PARTS:

Air Filter	KH-32-883-03-S1	Transmission Filter	Not Applicable
Pre Filter	See Air Filter	Voltage Regulator	KH-41-403-10-S
Oil Filter	KH-12-050-01-S	Solenoid	725-04439
Fuel Filter	KH-25-050-22-S1	Muffler	751-10528A
Spark Plug	759-3336	Battery	925-1707D
Armature	KH-24-584-63-S		
Points	Not Applicable		
Carb Kit	KH-24-757-46-S		

ENGINE:

WARRANTY:

Complete Engine	KH-SV735-3002	Limited Residential	3 Year / 120 Hrs.
Short Block	KH-32-522-07	Engine	3 Year / 120 Hrs.
Mini Block	Not Available	P.T.O. Clutch	3 Year / 120 Hrs.
		Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

YELLOW POWDERED PAINT CODE -4021

Beige Paint (11.5 oz. Aerosol)	759-3735	Yellow Paint (11.5 oz. Aerosol)	788S04021
Beige Paint (Quart)	759-3736	Yellow Paint (Quart)	788L04021-QT
Beige Paint (.6 oz. Bottle)	759-3674	Yellow Paint (.6 oz. Bottle)	788T04021

Factory Model Number: 13WK92A<u>K</u>010 26 H.P. Hydro Drive

YEAR: 2012-2013

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
54"	3	Stamped	(A)	K	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped	6 bu. Bagger Kit	Yes	19A40002100	98 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped		Yes	190-841-190	25 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	2 Year
Blade Size	Angle Man/Elec.		Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Ma	anual	Manual	-	OEM-190-833	82 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains 22" x 9.5" x 12"	1 Pair	490-241-0025	17 lbs.	-
Bumper	-	190-679-101	11 lbs.	-
Wheel Weights	2 @ 50 lbs. ea.	OEM-190-784	105 lbs.	-
Rear Weight Bracket	-	490-900-M060	-	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Armrest Kit	-	757-04073	-	-

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 54" Stamped Mower Deck **NOTE:** (B) Mower Deck Not Available As A Wholegood

LGT 1050 25 H.P. Courage Twin Hydro 2013 LGT 1054 26 H.P. Courage Twin Hydro 2013

NOTES:

-	
-	

Factory Model Number: 13WQ92AP010

Serial Numbers:

25 H.P. Hydro Drive Electric P.T.O. / 50" Deck

One Piece Plastic Hood

YEAR: 2012-2013

GENERAL INFO: GENERAL INFO:

Length (Over-All)	69.0"	Wheelbase	47.50"
Width (Over-All)	Not Available	Tread Front/Rear	Not Available
Height (Over-All)	Not Available	Turning Radius	12"
Ground Clearance	Not Available	Front Wheel Tire Size	16" x 6.5"
Weight (Approximate)	548 lbs.	Rear Wheel Tire Size	22" x 9.5"
Engine Type	Gas (Air Cooled)	Trans/Differential Type	Aluminum, Intergrated
Electrical System	12v Negative Ground	Forward Speed	0-5.2 mph
		Reverse Speed	0-2.3 mph

ENGINE SPECS: ENGINE SPECS:

Make	Kohler	Idle Speed	1600 R.P.M.
Model Series	Courage (Vertical)	Max. Speed (No Load)	3300 R.P.M.
Model/Type/Spec	SV730-3002	Max. Speed (Full Load)	3150 R.P.M
No. Of Cylinders	2	Valve Lash (Intake)	0.005" (0.127 mm)
Horse Power Rated By Manufacturer	25 HP (18.6 kW)	Valve Lash (Exhaust)	0.005" (0.127 mm)
Peak Torque	Not Available	Ignition Type	Electronic
Displacement	44.0 cu in. (725cc)	Spark Plug Gap	0.030"
Bore	3.27"	Mag Air Gap	0.011"-0.013"
Stroke	2.64"		_

CAPACITIES: FLUIDS:

Engine Crankcase	2.0 qts. (A)	(A) SAE 10W30	737-3030A
Coolant	Not Applicable	(B) Drive System + Fluid	737-3120
Transmission	1.9 qts. (B)	(C) 135H EP Gear Lube 85W-140	737-3065
Transaxle	Not Applicable	(D) 251 EP Chassis Lubricant	737-3034
Creeper Drive Housing	Not Applicable		
Front Axle	Not Applicable		
Fuel Tank	3.3 gal.		

ENGINE MAINTENANCE PARTS:

TRACTOR MAINTENANCE PARTS:

YELLOW POWDERED PAINT CODE -4021

Air Filter	KH-32-883-03-S1	Transmission Filter	Not Applicable
Pre Filter	See Air Filter	Voltage Regulator	KH-41-403-10-S
Oil Filter	KH-12-050-01-S	Solenoid	725-04439
Fuel Filter	KH-25-050-22-S1	Muffler	751-10528A
Spark Plug	759-3336	Battery	925-1707D
Armature	KH-24-584-52-S		
Points	Not Applicable		
Carb Kit	KH-24-757-46-S		

ENGINE: WARRANTY:

Complete Engine	KH-SV730-3002	Limited Residential	3 Year / 120 Hrs.
Short Block	KH-32-522-07	Engine	3 Year / 120 Hrs.
Mini Block	Not Available	P.T.O. Clutch	3 Year / 120 Hrs.
		Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735	Yellow Paint (11.5 oz. Aerosol)	788S04021
Beige Paint (Quart)	759-3736	Yellow Paint (Quart)	788L04021-QT
Beige Paint (.6 oz. Bottle)	759-3674	Yellow Paint (.6 oz. Bottle)	788T04021

YEAR: 2012-2013

Factory Model Number: 13WQ92AP010 25 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
50"	3	Stamped	(A)	Р	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
50"	3	Stamped	6 bu. Bagger Kit	Yes	19A40002100	98 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
50"	0	Stamped		No	190-193-100	3 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	2 Year
Blade Size	Angle N	/lan/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Ma	ınual	Manual	-	OEM-190-833	82 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains 22" x 9.5" x 12"	1 Pair	490-241-0025	17 lbs.	-
Bumper	-	190-679-101	11 lbs.	-
Wheel Weights	2 @ 50 lbs. ea.	OEM-190-784	105 lbs.	-
Rear Weight Bracket	-	490-900-M060	-	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Armrest Kit	-	757-04073	-	-

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 50" Stamped Mower Deck NOTE: (B) Mower Deck Not Available As A Wholegood

Factory Model Number: 13WK92AK010

Serial Numbers:

26 H.P. Hydro Drive Electric P.T.O. / 54" Deck One Piece Plastic Hood

YEAR: 2012-2013

GENERAL INFO:

GENERAL INFO:

Length (Over-All)	69.0"	Wheelbase	47.50"
Width (Over-All)	Not Available	Tread Front/Rear	Not Available
Height (Over-All)	Not Available	Turning Radius	12"
Ground Clearance	Not Available	Front Wheel Tire Size	16" x 6.5"
Weight (Approximate)	567 lbs.	Rear Wheel Tire Size	22" x 9.5"
Engine Type	Gas (Air Cooled)	Trans/Differential Type	Aluminum, Intergrated
Electrical System	12v Negative Ground	Forward Speed	0-5.2 mph
		Reverse Speed	0-2.3 mph

ENGINE SPECS:

ENGINE SPECS:

Make	Kohler	Idle Speed	1600 R.P.M.
Model Series	Courage (Vertical)	Max. Speed (No Load)	3300 R.P.M.
Model/Type/Spec	SV735-3002	Max. Speed (Full Load)	3150 R.P.M
No. Of Cylinders	2	Valve Lash (Intake)	0.005" (0.127 mm)
Horse Power Rated By Manufacturer	26 HP (19.4 kW)	Valve Lash (Exhaust)	0.005" (0.127 mm)
Peak Torque	Not Available	Ignition Type	Electronic
Displacement	44.0 cu in. (725cc)	Spark Plug Gap	0.030"
Bore	3.27"	Mag Air Gap	0.011"-0.013"
Stroke	2.64"		

CAPACITIES:

FLUIDS:

Engine Crankcase	2.0 qts. (A)	(A) SAE 10W30	737-3030A
Coolant	Not Applicable	(B) Drive System + Fluid	737-3120
Transmission	1.9 qts. (B)	(C) 135H EP Gear Lube 85W-140	737-3065
Transaxle	Not Applicable	(D) 251 EP Chassis Lubricant	737-3034
Creeper Drive Housing	Not Applicable		
Front Axle	Not Applicable		
Fuel Tank	3.3 gal.		

ENGINE MAINTENANCE PARTS:

TRACTOR MAINTENANCE PARTS:

Air Filter	KH-32-883-03-S1	Transmission Filter	Not Applicable
Pre Filter	See Air Filter	Voltage Regulator	KH-41-403-10-S
Oil Filter	KH-12-050-01-S	Solenoid	725-04439
Fuel Filter	KH-25-050-22-S1	Muffler	751-10528A
Spark Plug	759-3336	Battery	925-1707D
Armature	KH-24-584-63-S		
Points	Not Applicable		
Carb Kit	KH-24-757-46-S		

ENGINE:

WARRANTY:

Complete Engine	KH-SV735-3002	Limited Residential	3 Year / 120 Hrs.
Short Block	KH-32-522-07	Engine	3 Year / 120 Hrs.
Mini Block	Not Available	P.T.O. Clutch	3 Year / 120 Hrs.
		Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

YELLOW POWDERED PAINT CODE -4021

Beige Paint (11.5 oz. Aerosol)	759-3735	Yellow Paint (11.5 oz. Aerosol)	788S04021
Beige Paint (Quart)	759-3736	Yellow Paint (Quart)	788L04021-QT
Beige Paint (.6 oz. Bottle)	759-3674	Yellow Paint (.6 oz. Bottle)	788T04021

Factory Model Number: 13WK92A<u>K</u>010 26 H.P. Hydro Drive

YEAR: 2012-2013

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
54"	3	Stamped	(A)	K	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped	6 bu. Bagger Kit	Yes	19A40002100	98 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped		Yes	190-841-190	25 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	2 Year
Blade Size	Angle N	/lan/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Ma	anual	Manual	-	OEM-190-833	82 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains 22" x 9.5" x 12"	1 Pair	490-241-0025	17 lbs.	-
Bumper	-	190-679-101	11 lbs.	-
Wheel Weights	2 @ 50 lbs. ea.	OEM-190-784	105 lbs.	-
Rear Weight Bracket	-	490-900-M060	-	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Armrest Kit	-	757-04073	-	-

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 54" Stamped Mower Deck **NOTE:** (B) Mower Deck Not Available As A Wholegood

LGT 1050	25 H.P. Courage	Twin	Hydro	2014	
LGT 1054	26 H.P. Courage	Twin	Hydro	2014	
LGT 1054	26 H.P. 7000 Series	Twin	Hydro	2014	

NOTES:

-	
-	

Factory Model Number: 13WQ92AP010

Serial Numbers:

25 H.P. Hydro Drive Electric P.T.O. / 50" Deck One Piece Plastic Hood

YEAR: 2014

GENERAL INFO:

GENERAL INFO:

Length (Over-All)	69.0"	Wheelbase	47.50"
Width (Over-All)	Not Available	Tread Front/Rear	Not Available
Height (Over-All)	Not Available	Turning Radius	12"
Ground Clearance	Not Available	Front Wheel Tire Size	16" x 6.5"
Weight (Approximate)	548 lbs.	Rear Wheel Tire Size	22" x 9.5"
Engine Type	Gas (Air Cooled)	Trans/Differential Type	Aluminum, Intergrated
Electrical System	12v Negative Ground	Forward Speed	0-5.2 mph
		Reverse Speed	0-2.3 mph

ENGINE SPECS:

ENGINE SPECS:

Make	Kohler	Idle Speed	1600 R.P.M.
Model Series	Courage (Vertical)	Max. Speed (No Load)	3300 R.P.M.
Model/Type/Spec	SV730-3002	Max. Speed (Full Load)	3150 R.P.M
No. Of Cylinders	2	Valve Lash (Intake)	0.005" (0.127 mm)
Horse Power Rated By Manufacturer	25 HP (18.6 kW)	Valve Lash (Exhaust)	0.005" (0.127 mm)
Peak Torque	Not Available	Ignition Type	Electronic
Displacement	44.0 cu in. (725cc)	Spark Plug Gap	0.030"
Bore	3.27"	Mag Air Gap	0.011"-0.013"
Stroke	2.64"		

CAPACITIES:

FLUIDS:

Engine Crankcase	2.0 qts. (A)	(A) SAE 10W30	737-3030A
Coolant	Not Applicable	(B) Drive System + Fluid	737-3120
Transmission	1.9 qts. (B)	(C) 135H EP Gear Lube 85W-140	737-3065
Transaxle	Not Applicable	(D) 251 EP Chassis Lubricant	737-3034
Creeper Drive Housing	Not Applicable		
Front Axle	Not Applicable		
Fuel Tank	3.3 gal.		

ENGINE MAINTENANCE PARTS:

TRACTOR MAINTENANCE PARTS:

Air Filter	KH-32-883-03-S1	Transmission Filter	Not Applicable
Pre Filter	See Air Filter	Voltage Regulator	KH-41-403-10-S
Oil Filter	KH-12-050-01-S	Solenoid	725-04439
Fuel Filter	KH-25-050-22-S1	Muffler	751-10528A
Spark Plug	759-3336	Battery	925-1707D
Armature	KH-24-584-52-S		
Points	Not Applicable		
Carb Kit	KH-24-757-46-S		

ENGINE:

WARRANTY:

Complete Engine	KH-SV730-3002	Limited Residential	3 Year / 120 Hrs.
Short Block	KH-32-522-07	Engine	3 Year
Mini Block	Not Available	P.T.O. Clutch	3 Year / 120 Hrs.
		Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

YELLOW POWDERED PAINT CODE -4021

Beige Paint (11.5 oz. Aerosol)	759-3735	Yellow Paint (11.5 oz. Aerosol)	788S04021
Beige Paint (Quart)	759-3736	Yellow Paint (Quart)	788L04021-QT
Beige Paint (.6 oz. Bottle)	759-3674	Yellow Paint (.6 oz. Bottle)	788T04021

YEAR: 2014

Factory Model Number: 13WQ92AP010 25 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
50"	3	Stamped	(A)	Р	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
50"	3	Stamped	6 bu. Bagger Kit	Yes	19A40002100	98 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
50"	0	Stamped		No	190-193-190	3 lbs.	2 Year
·	·	_	·	·	·		
	•			<u> </u>	•		

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	2 Year
Blade Size	Angle N	/lan/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Ma	anual	Manual	-	OEM-190-833	82 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains 22" x 9.5" x 12"	1 Pair	490-241-0025	17 lbs.	-
Bumper	-	190-679-101	11 lbs.	-
Wheel Weights	2 @ 50 lbs. ea.	OEM-190-784	105 lbs.	-
Rear Weight Bracket	-	490-900-M060	-	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Armrest Kit	-	757-04073	-	-

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 50" Stamped Mower Deck NOTE: (B) Mower Deck Not Available As A Wholegood

Factory Model Number: 13WK92AK010

Serial Numbers:

26 H.P. Hydro Drive Electric P.T.O. / 54" Deck One Piece Plastic Hood

YEAR: 2014

GENERAL INFO:

GENERAL INFO:

Length (Over-All)	69.0"	Wheelbase	47.50"
Width (Over-All)	Not Available	Tread Front/Rear	Not Available
Height (Over-All)	Not Available	Turning Radius	12"
Ground Clearance	Not Available	Front Wheel Tire Size	16" x 6.5"
Weight (Approximate)	567 lbs.	Rear Wheel Tire Size	22" x 9.5"
Engine Type	Gas (Air Cooled)	Trans/Differential Type	Aluminum, Intergrated
Electrical System	12v Negative Ground	Forward Speed	0-5.2 mph
		Reverse Speed	0-2.3 mph

ENGINE SPECS:

ENGINE SPECS:

Make	Kohler	Idle Speed	1600 R.P.M.
Model Series	Courage (Vertical)	Max. Speed (No Load)	3300 R.P.M.
Model/Type/Spec	SV735-3002	Max. Speed (Full Load)	3150 R.P.M
No. Of Cylinders	2	Valve Lash (Intake)	0.005" (0.127 mm)
Horse Power Rated By Manufacturer	26 HP (19.4 kW)	Valve Lash (Exhaust)	0.005" (0.127 mm)
Peak Torque	Not Available	Ignition Type	Electronic
Displacement	44.0 cu in. (725cc)	Spark Plug Gap	0.030"
Bore	3.27"	Mag Air Gap	0.011"-0.013"
Stroke	2.64"		

CAPACITIES:

FLUIDS:

Engine Crankcase	2.0 qts. (A)	(A) SAE 10W30	737-3030A
Coolant	Not Applicable	(B) Drive System + Fluid	737-3120
Transmission	1.9 qts. (B)	(C) 135H EP Gear Lube 85W-140	737-3065
Transaxle	Not Applicable	(D) 251 EP Chassis Lubricant	737-3034
Creeper Drive Housing	Not Applicable		
Front Axle	Not Applicable		
Fuel Tank	3.3 gal.		

ENGINE MAINTENANCE PARTS:

TRACTOR MAINTENANCE PARTS:

Air Filter	KH-32-883-03-S1	Transmission Filter	Not Applicable
Pre Filter	See Air Filter	Voltage Regulator	KH-41-403-10-S
Oil Filter	KH-12-050-01-S	Solenoid	725-04439
Fuel Filter	KH-25-050-22-S1	Muffler	751-10528A
Spark Plug	759-3336	Battery	925-1707D
Armature	KH-24-584-63-S		
Points	Not Applicable		
Carb Kit	KH-24-757-46-S		

ENGINE:

WARRANTY:

Complete Engine	KH-SV735-3002	Limited Residential	3 Year / 120 Hrs.
Short Block	KH-32-522-07	Engine	3 Year
Mini Block	Not Available	P.T.O. Clutch	3 Year / 120 Hrs.
		Frame Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

YELLOW POWDERED PAINT CODE -4021

Beige Paint (11.5 oz. Aerosol)	759-3735	Yellow Paint (11.5 oz. Aerosol)	788S04021
Beige Paint (Quart)	759-3736	Yellow Paint (Quart)	788L04021-QT
Beige Paint (.6 oz. Bottle)	759-3674	Yellow Paint (.6 oz. Bottle)	788T04021

YEAR: 2014

Factory Model Number: 13WK92AK010 26 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
54"	3	Stamped	(A)	K	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped	6 bu. Bagger Kit	Yes	19A40002100	98 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped		Yes	190-841-190	25 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	2 Year
Blade Size	Angle N	/lan/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Ma	ınual	Manual	-	OEM-190-833	82 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains 22" x 9.5" x 12"	1 Pair	490-241-0025	17 lbs.	-
Bumper	-	190-679-101	11 lbs.	-
Wheel Weights	2 @ 50 lbs. ea.	OEM-190-784	105 lbs.	-
Rear Weight Bracket	-	490-900-M060	-	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Armrest Kit	-	757-04073	-	-

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 54" Stamped Mower Deck NOTE: (B) Mower Deck Not Available As A Wholegood

Factory Model Number: 13W793AK009, 13W793AK056

Serial Numbers:

26 H.P. Hydro Drive Electric P.T.O. / 54" Deck One Piece Plastic Hood

YEAR: 2014

GENERAL INFO:

GENERAL INFO:

Length (Over-All)	69.0"	Wheelbase	47.50"
Width (Over-All)	Not Available	Tread Front/Rear	Not Available
Height (Over-All)	Not Available	Turning Radius	12"
Ground Clearance	Not Available	Front Wheel Tire Size	16" x 6.5"
Weight (Approximate)	567 lbs.	Rear Wheel Tire Size	22" x 9.5"
Engine Type	Gas (Air Cooled)	Trans/Differential Type	Aluminum, Intergrated
Electrical System	12v Negative Ground	Forward Speed	0-5.2 mph
		Reverse Speed	0-2.3 mph

ENGINE SPECS:

ENGINE SPECS:

Make	Kohler	Idle Speed	1600 R.P.M.
Model Series	7000 Series (Vertical)	Max. Speed (No Load)	3300 R.P.M.
Model/Type/Spec	KT745-3001	Max. Speed (Full Load)	3150 R.P.M
No. Of Cylinders	2	Valve Lash (Intake)	0.006" (0.152 mm)
Horse Power Rated By Manufacturer	26 HP (19.4 kW)	Valve Lash (Exhaust)	0.006" (0.152 mm)
Peak Torque	Not Available	Ignition Type	Electronic
Displacement	45.6 cu in. (747cc)	Spark Plug Gap	0.030"
Bore	3.27"	Mag Air Gap	0.008"-0.012"
Stroke	2.72"		

CAPACITIES:

FLUIDS:

Engine Crankcase	2.0 qts. (A)	(A) SAE 10W30	737-3030A
Coolant	Not Applicable	(B) Drive System + Fluid	737-3120
Transmission	1.9 qts. (B)	(C) 135H EP Gear Lube 85W-140	737-3065
Transaxle	Not Applicable	(D) 251 EP Chassis Lubricant	737-3034
Creeper Drive Housing	Not Applicable		
Front Axle	Not Applicable		
Fuel Tank	3.3 gal.		

ENGINE MAINTENANCE PARTS:

TRACTOR MAINTENANCE PARTS:

Air Filter	KH-32-883-09-S1	Transmission Filter	Not Applicable
Pre Filter	See Air Filter	Voltage Regulator	KH-41-403-10-S
Oil Filter	KH-12-050-01-S	Solenoid	725-06153
Fuel Filter	KH-25-050-22-S1	Muffler	751-10528A
Spark Plug	KH-12-132-02-S	Battery	925-1707D
Armature	KH-32-584-07-S		
Points	Not Applicable		
Carb Kit	Not Available		

ENGINE:

WARRANTY:

Complete Engine	KH-KT745-3001	Limited Residential	3 Year / 120 Hrs.
Short Block	Not Available	Engine	3 Year
Mini Block	Not Available	P.T.O. Clutch	3 Year / 120 Hrs.
		Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

YELLOW POWDERED PAINT CODE -4021

Beige Paint (11.5 oz. Aerosol)	759-3735	Yellow Paint (11.5 oz. Aerosol)	788S04021
Beige Paint (Quart)	759-3736	Yellow Paint (Quart)	788L04021-QT
Beige Paint (.6 oz. Bottle)	759-3674	Yellow Paint (.6 oz. Bottle)	788T04021

Factory Model Number: 13W793AK009, 13W793AK056

YEAR: 2014
26 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
54"	3	Stamped	(A)	K	(B)	-	Page 1

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped	6 bu. Bagger Kit	Yes	19A40002100	98 lbs.	2 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
54"	3	Stamped		Yes	190-841-190	25 lbs.	2 Year

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	2	Manual	-	OEM-190-032	277 lbs.	2 Year
Blade Size	Angle N	/lan/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
46"	Ma	nual	Manual	-	OEM-190-833	82 lbs.	2 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Tire Chains 22" x 9.5" x 12"	1 Pair	490-241-0025	17 lbs.	-
Bumper	-	190-679-101	11 lbs.	-
Wheel Weights	2 @ 50 lbs. ea.	OEM-190-784	105 lbs.	-
Rear Weight Bracket	-	490-900-M060	-	-
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	-
Armrest Kit	-	757-04073	-	-

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 54" Stamped Mower Deck **NOTE:** (B) Mower Deck Not Available As A Wholegood