

**LT 2000 SERIES
SPECIFICATION SHEETS
2004-2005**

2004	Specification Sheets	CC
2005	Specification Sheets	CC

Material contained in this document is intended for use by Independent Retail dealer personnel.

Any other use without expressed written consent of MTD PRODUCTS INC is prohibited.

LT 2138	16 H.P. Command	Single	Hydro	2004
LT 2180	18 H.P. Vanguard	Twin	Hydro	2004

MODEL: LT 2138

YEAR: 2004-2005

Factory Model Number: 13A-214F710

16 H.P. Hydro Drive
Electric P.T.O. / 38" Deck
Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	72.0"
Width (Over-All)	39.0" / Without Deck
Height (Over-All)	42.0"
Ground Clearance	6.0"
Weight (Approximate)	565 lbs. w/38" Deck
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.0"
Tread Front/Rear	30"/27.5"
Turning Radius	26.5"
Front Wheel Tire Size	15 x 6-8
Rear Wheel Tire Size	20 x 9-12
Trans/Differential Type	Aluminum
Forward Speed	0-5.5 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH16S-45509
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	16 HP (11.90 kW)
Peak Torque	25.0 ft. lbs. @ 2,400 RPM
Displacement	26.0 cu in. (426cc)
Bore	3.54"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1400 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.008"-0.012"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	2.25 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-01-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-12-584-17-S
Points	Not Applicable
Carb Kit	KH-12-757-03

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-52-435-02
Muffler	951-3001
Battery	925-1707D

ENGINE:

Complete Engine	KH-PA-45509 (N.L.A.)
Short Block	KH-12-522-36 (Kohler Only)
Mini Block	Not Available

WARRANTY:

Limited Residential	2 Year
Engine	2 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: LT 2138

YEAR: 2004-2005

Factory Model Number: 13A-214F710

16 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
38"	2	Stamped	(A)	F	190-213-100	100 lbs.	1 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
38"	2	Stamped	4 bu. Bagger Kit	No	190-305-100	60 lbs.	1 Year
(B)	10 Cu. Ft. Cart	Stamped	(C)	No	190-217B100	377 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
			(D)				

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	1	Manual	-	190-341-100	181 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	Manual	Manual	-	190-302-100	95 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front Bumper	-	190-298-100	15 lbs.	1 Year
Front & Rear Weight Bracket	-	190-307-100	15 lbs.	1 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	1 Year
46" Lawn Sweeper	-	190-459-100	92 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	122 lbs.	1 Year
15 Cu. Ft. Dump Cart, 15.0" x 6.0" Whls.	-	190-458-100	105 lbs.	1 Year
48" Poly Bed Liner	Fits All 10 Cu. Ft. Carts	190-161-100	16 lbs.	1 Year
Ag Tires/Rims 20" x 8.5" x 12"	For 12.5-17 HP only	190-297-100	68 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 38" Stamped Mower Deck

NOTE: (B) Fits All 2000 Series Mower Decks 38", 42", 44", 46" & 48"

NOTE: (C) Vacuum Assisted Collection System, 5 HP. 62 Cu. Ft. Capacity

NOTE: (D) Tractor Comes With Mulch Plug 731-2363

MODEL: LT 2180

YEAR: 2004

Factory Model Number: 13A-254G710

18 H.P. Hydro Drive
Electric P.T.O. / 42" Deck
Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	72.0"
Width (Over-All)	39.0" / Without Deck
Height (Over-All)	42.0"
Ground Clearance	6.0"
Weight (Approximate)	600 lbs. w/42" Deck
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.0"
Tread Front/Rear	30"/27.5"
Turning Radius	26.5"
Front Wheel Tire Size	15 x 6-8
Rear Wheel Tire Size	20 x 9-12
Trans/Differential Type	Aluminum
Forward Speed	0-5.5 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Briggs & Stratton
Model Series	Vanguard (Horizontal)
Model/Type/Spec	350447-1111
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	18 HP
Peak Torque	Not Available
Displacement	34.7 cu in. (570cc)
Bore	2.83"
Stroke	2.76"

ENGINE SPECS:

Idle Speed	1400 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	0.005"
Valve Lash (Exhaust)	0.005"
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.008"-0.012"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	2.25 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	BS-394018
Pre Filter	BS-272490
Oil Filter	BS-492932
Fuel Filter	BS-691035
Spark Plug	759-3336
Armature	BS-492341
Points	Not Applicable
Carb Kit	BS-809024

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	BS-691185
Solenoid	925-3001
Muffler	951-3001
Battery	925-1707D

ENGINE:

Complete Engine	BS-356447-3079
Short Block	BS-496238
Mini Block	Not Available

WARRANTY:

Limited Residential	2 Year
Engine	2 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: LT 2180

YEAR: 2004

Factory Model Number: 13A-254G710

18 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
42"	2	Stamped	(A)	G	190-214-100	105 lbs.	1 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
42"	2	Stamped	4 bu. Bagger Kit	No	190-305-100	60 lbs.	1 Year
(B)	10 Cu. Ft. Cart	Stamped	(C)	No	190-217B100	377 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
			(D)				

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	1	Manual	-	190-341-100	181 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	Manual	Manual	-	190-302-100	95 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front Bumper	-	190-298-100	15 lbs.	1 Year
Front & Rear Weight Bracket	-	190-307-100	15 lbs.	1 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	1 Year
46" Lawn Sweeper	-	190-459-100	92 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	122 lbs.	1 Year
15 Cu. Ft. Dump Cart, 15.0" x 6.0" Whls.	-	190-458-100	105 lbs.	1 Year
48" Poly Bed Liner	Fits All 10 Cu. Ft. Carts	190-161-100	16 lbs.	1 Year
Ag Tires/Rims 20" x 8.5" x 12"	For 12.5-17 HP only	190-297-100	68 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 42" Stamped Mower Deck

NOTE: (B) Fits All 2000 Series Mower Decks 38", 42", 44", 46" & 48"

NOTE: (C) Vacuum Assisted Collection System, 5 HP. 62 Cu. Ft. Capacity

NOTE: (D) Tractor Comes With Mulch Plug 731-2363

LT 2138	16 H.P. Command	Single	Hydro	2005
LT 2042	18 H.P. Command	Twin	Hydro	2005

MODEL: LT 2138

YEAR: 2004-2005

Factory Model Number: 13A-214F710

16 H.P. Hydro Drive
Electric P.T.O. / 38" Deck
Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	72.0"
Width (Over-All)	39.0" / Without Deck
Height (Over-All)	42.0"
Ground Clearance	6.0"
Weight (Approximate)	565 lbs. w/38" Deck
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.0"
Tread Front/Rear	30"/27.5"
Turning Radius	26.5"
Front Wheel Tire Size	15 x 6-8
Rear Wheel Tire Size	20 x 9-12
Trans/Differential Type	Aluminum
Forward Speed	0-5.5 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH16S-45509
No. Of Cylinders	1
Horse Power <small>Rated By Manufacturer</small>	16 HP (11.90 kW)
Peak Torque	25.0 ft. lbs. @ 2,400 RPM
Displacement	26.0 cu in. (426cc)
Bore	3.54"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1400 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.008"-0.012"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	2.25 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-01-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-13-S
Spark Plug	759-3336
Armature	KH-12-584-17-S
Points	Not Applicable
Carb Kit	KH-12-757-03

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-52-435-02
Muffler	951-3001
Battery	925-1707D

ENGINE:

Complete Engine	KH-PA-45509 (N.L.A.)
Short Block	KH-12-522-36 (Kohler Only)
Mini Block	Not Available

WARRANTY:

Limited Residential	2 Year
Engine	2 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: LT 2138

YEAR: 2004-2005

Factory Model Number: 13A-214F710

16 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
38"	2	Stamped	(A)	F	190-213-100	100 lbs.	1 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
38"	2	Stamped	4 bu. Bagger Kit	No	190-305-100	60 lbs.	1 Year
(B)	10 Cu. Ft. Cart	Stamped	(C)	No	190-217B100	377 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
			(D)				

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	1	Manual	-	190-341-100	181 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	Manual	Manual	-	190-302-100	95 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front Bumper	-	190-298-100	15 lbs.	1 Year
Front & Rear Weight Bracket	-	190-307-100	15 lbs.	1 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	1 Year
46" Lawn Sweeper	-	190-459-100	92 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	122 lbs.	1 Year
15 Cu. Ft. Dump Cart, 15.0" x 6.0" Whls.	-	190-458-100	105 lbs.	1 Year
48" Poly Bed Liner	Fits All 10 Cu. Ft. Carts	190-161-100	16 lbs.	1 Year
Ag Tires/Rims 20" x 8.5" x 12"	For 12.5-17 HP only	190-297-100	68 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 38" Stamped Mower Deck

NOTE: (B) Fits All 2000 Series Mower Decks 38", 42", 44", 46" & 48"

NOTE: (C) Vacuum Assisted Collection System, 5 HP. 62 Cu. Ft. Capacity

NOTE: (D) Tractor Comes With Mulch Plug 731-2363

MODEL: LT 2042

YEAR: 2005

Factory Model Number: 13A-286G710

18 H.P. Hydro Drive
Electric P.T.O. / 42" Deck
Metal Hood & Side Panels

GENERAL INFO:

Length (Over-All)	72.0"
Width (Over-All)	39.0" / Without Deck
Height (Over-All)	42.0"
Ground Clearance	6.0"
Weight (Approximate)	673 lbs. Without Deck
Engine Type	Gas (Air Cooled)
Electrical System	12v Negative Ground

GENERAL INFO:

Wheelbase	47.0"
Tread Front/Rear	30"/27.5"
Turning Radius	28"
Front Wheel Tire Size	15 x 6-8
Rear Wheel Tire Size	20 x 9-12
Trans/Differential Type	Aluminum
Forward Speed	0-5.5 mph
Reverse Speed	0-3.5 mph

ENGINE SPECS:

Make	Kohler
Model Series	Command (Horizontal)
Model/Type/Spec	CH18S-62588
No. Of Cylinders	2
Horse Power <small>Rated By Manufacturer</small>	18 HP (13.4 kW)
Peak Torque	32.2 ft. lbs. @ 2,200 RPM
Displacement	38.0 cu in. (624cc)
Bore	3.03"
Stroke	2.64"

ENGINE SPECS:

Idle Speed	1400 R.P.M.
Max. Speed (No Load)	3600 R.P.M.
Max. Speed (Full Load)	3350 R.P.M.
Valve Lash (Intake)	Hydraulic
Valve Lash (Exhaust)	Hydraulic
Ignition Type	Electronic
Spark Plug Gap	0.030"
Mag Air Gap	0.011"-0.013"

CAPACITIES:

Engine Crankcase	2.0 qts. (A)
Coolant	Not Applicable
Transmission	6.0 qts. (B)
Transaxle	Not Applicable
Clutch Pack Housing	Not Applicable
Front Axle	Not Applicable
Fuel Tank	2.25 gal.

FLUIDS:

(A) SAE 10W30	737-3030A
(B) Drive System + Fluid	737-3120
(C) Hydro Transmission Fluid	737-3025
(D) 135H EP Gear Lube 85W-140	737-3065
(E) 251 EP Chassis Lubricant	737-3034

ENGINE MAINTENANCE PARTS:

Air Filter	KH-47-883-03-S1
Pre Filter	See Air Filter
Oil Filter	KH-12-050-01-S
Fuel Filter	KH-24-050-02-S
Spark Plug	759-3336
Armature	KH-24-584-45-S
Points	Not Applicable
Carb Kit	KH-24-757-03-S

TRACTOR MAINTENANCE PARTS:

Transmission Filter	923-3014
Voltage Regulator	KH-41-403-10-S
Solenoid	KH-52-435-02
Muffler	951-3001
Battery	925-1707D

ENGINE:

Complete Engine	KH-62588
Short Block	KH-24-522-130
Mini Block	Not Available

WARRANTY:

Limited Residential	2 Year
Engine	2 Year
Driveshaft, Frame, Front Axle	5 Year / 500 Hrs.

BEIGE POWDERED PAINT CODE -0499

Beige Paint (11.5 oz. Aerosol)	759-3735
Beige Paint (Quart)	759-3736
Beige Paint (.6 oz. Bottle)	759-3674

YELLOW POWDERED PAINT CODE -0716

Yellow Paint (11.5 oz. Aerosol)	759-3940
Yellow Paint (Quart)	759-3945
Yellow Paint (.6 oz. Bottle)	759-04055

Part Numbers and Specifications Subject To Change Without Notice.

MODEL: LT 2042

YEAR: 2005

Factory Model Number: 13A-286G710

18 H.P. Hydro Drive

ATTACHMENTS / ACCESSORIES

MID MOWER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Deck ID	Model Number	Weight	Warranty
42"	2	Stamped	(A)	G	190-214-100	105 lbs.	1 Year

BAGGER ATTACHMENTS:

Deck Size	# Of Bags	Style Of Deck	Bagger/Mount	Blades ?	Model Number	Weight	Warranty
42"	2	Stamped	4 bu. Bagger Kit	No	190-305-100	60 lbs.	1 Year
(B)	10 Cu. Ft. Cart	Stamped	(C)	No	190-217B100	377 lbs.	1 Year

MULCHER ATTACHMENTS:

Deck Size	# Of Blades	Style Of Deck	Notes	Blades ?	Model Number	Weight	Warranty
			(D)				

SNOW ATTACHMENTS:

Auger Size	# Of Stages	# Of Belts	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	2	1	Manual	-	190-341-100	181 lbs.	1 Year

Blade Size	Angle Man/Elec.	Lift Man/Elec.	Notes	Model Number	Weight	Warranty
42"	Manual	Manual	-	190-302-100	95 lbs.	1 Year

FRONT & REAR ATTACHMENTS:

Description	Notes	Model Number	Weight	Warranty
Front Bumper	-	190-298-100	15 lbs.	1 Year
Front & Rear Weight Bracket	-	190-307-100	15 lbs.	1 Year
Suitcase Weights	2 @ 42 lbs. ea.	190-390-100	84 lbs.	1 Year
46" Lawn Sweeper	-	190-459-100	92 lbs.	1 Year
10 Cu. Ft. Easy Dump Trailer, 16.0" x 4.0" Whls.	750 lb. Capacity	190-653-100	122 lbs.	1 Year
15 Cu. Ft. Dump Cart, 15.0" x 6.0" Whls.	-	190-458-100	105 lbs.	1 Year
48" Poly Bed Liner	Fits All 10 Cu. Ft. Carts	190-161-100	16 lbs.	1 Year
Ag Tires/Rims 20" x 8.5" x 12"	For 12.5-17 HP only	190-297-100	68 lbs.	1 Year

Model Numbers and Specifications Subject To Change Without Notice.

NOTE: (A) Tractor Comes With 42" Stamped Mower Deck

NOTE: (B) Fits All 2000 Series Mower Decks 38", 42", 44", 46" & 48"

NOTE: (C) Vacuum Assisted Collection System, 5 HP. 62 Cu. Ft. Capacity

NOTE: (D) Tractor Comes With Mulch Plug 731-2363